

SVENSK STANDARD

SS-EN ISO 23611-3:2019



Fastställt/Approved: 2019-10-09
Utgåva/Edition: 2
Språk/Language: engelska/English
ICS: 13.080.05; 13.080.30

Markundersökningar – Provtagning av marklevande ryggradslösa djur – Del 3: Provtagning och extraktion av enchytraeider (ISO 23611-3:2019)

Soil quality – Sampling of soil invertebrates – Part 3: Sampling and extraction of enchytraeids (ISO 23611-3:2019)



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN ISO 23611-3:2019 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 23611-3:2019.

Denna standard ersätter SS-EN ISO 23611-3:2011, utgåva 1

The European Standard EN ISO 23611-3:2019 has the status of a Swedish Standard. This document contains the official version of EN ISO 23611-3:2019.

This standard supersedes the SS-EN ISO 23611-3:2011, edition 1

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Karaktärisering av avfall, mark och slam, SIS/TK 535.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN ISO 23611-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2019

ICS 13.080.05; 13.080.30

Supersedes EN ISO 23611-3:2011

English Version

**Soil quality - Sampling of soil invertebrates -
Part 3: Sampling and extraction of enchytraeids
(ISO 23611-3:2019)**

Qualité du sol - Prélèvement des invertébrés
du sol - Partie 3: Prélèvement et extraction
des enchytréides (ISO 23611-3:2019)

Bodenbeschaffenheit - Probenahme von Wirbellosen
im Boden - Teil 3: Probenahme und Bodenextraktion
von Enchytraeen (ISO 23611-3:2019)

This European Standard was approved by CEN on 12 August 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Reagents	2
6 Apparatus	2
7 Procedure	3
7.1 Soil sampling.....	3
7.2 Extraction of the enchytraeids	3
7.3 Microscopic identification	4
7.4 Preservation of Enchytraeidae.....	5
7.5 Validity of the extraction process	5
7.6 Determination of biomass	5
8 Data assessment	5
9 Test report	6
Annex A (informative) Quick extraction of enchytraeids	7
Annex B (informative) Examples of the use of soil invertebrates in soil monitoring programmes (including presentation of their results)	9
Bibliography	11

European foreword

This document (EN ISO 23611-3:2019) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 444 "Test methods for environmental characterization of solid matrices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2020, and conflicting national standards shall be withdrawn at the latest by April 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 23611-3:2011.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 23611-3:2019 has been approved by CEN as EN ISO 23611-3:2019 without any modification.

Introduction

This document has been developed to address a growing need for the standardization of terrestrial zoological field methods. Such methods, mainly covering the sampling, extraction and handling of soil invertebrates, are needed for the following purposes:

- biological classification of soils including soil quality assessment (e.g. References [4], [25], [27], [31], [36]);
- terrestrial bioindication and long-term monitoring (e.g. References [4], [30]);
- evaluation of the effects of chemicals on soil animals (References [18], [26], [28]).

Data for these purposes are gained by standardized methods since they can form the basis for far-reaching decisions (e.g. whether a given site should be remediated or not). In fact, the lack of such standardized methods is one of the most important reasons why biological classification concepts in terrestrial (i.e. soil) habitats have so far been relatively rarely used in comparison with aquatic sites.

Originally, the methods described here were developed for taxonomical and ecological studies, investigating the role of enchytraeids in various soil ecosystems. These animals without doubt belong to the most important soil invertebrates in temperate regions (mainly in acidic soils[7]). Their influence on soil functions like litter decomposition and nutrient cycling is well known[17][23]. Due to their often very high numbers, and their population biomass, they are also important in many terrestrial food-webs[6]. Some species have unintentionally been distributed by humans in many soils of the world.

Since it is neither possible nor useful to standardize methods for all soil organisms, the most important ones have been selected. Microbiological parameters are already covered by existing ISO standards (e.g. ISO 14240-1, ISO 14240-2, ISO 17601, ISO/TS 29843-1 and ISO/TS 29843-2).

Soil quality — Sampling of soil invertebrates —

Part 3: Sampling and extraction of enchytraeids

1 Scope

This document specifies a method for sampling, handling and extracting enchytraeids from terrestrial field soils as a prerequisite for using these animals as bioindicators (e.g. to assess the quality of a soil as a habitat for organisms).

Basic information on the ecology of enchytraeids and their use as bioindicators in the terrestrial environment is included in the Bibliography.

This document applies to all terrestrial biotopes in which enchytraeids occur. The sampling design of field studies in general is given in ISO 18400-101. These details can vary according to the climatic/regional conditions of the site to be sampled and an overview on the determination of effects of pollutants on enchytraeids in field situations is given in Reference [6].

Methods for some other soil organism groups such as earthworms or arthropods are given in ISO 23611-1, ISO 23611-2, ISO 23611-4 and ISO 23611-5.

This document is not applicable for very wet or flooded soils and might be difficult to use under extreme climatic or geographical conditions (e.g. in high mountains).

When sampling soil invertebrates, it is highly recommendable to characterize the site (e.g. concerning soil properties, climate and land use). However, such a characterization is not covered by this document. ISO 10390, ISO 10694, ISO 11272, ISO 11274, ISO 11277, ISO 11461 and ISO 11465 are more suitable for measuring pH, particle size distribution, C/N ratio, organic carbon content and water-holding capacity.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp/>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

enchytraeid

small soil-inhabiting worm (a few millimetres to several centimetres in length) belonging to the family Enchytraeidae, class Oligochaeta, superclass Clitellata, phylum Annelida

Note 1 to entry: The common name for enchytraeid is potworm^[35].

EXAMPLE Species of the genera *Enchytraeus*, *Fridericia* or *Cognettia*.

4 Principle

Enchytraeids at a certain site are sampled from the soil by using a split soil corer (diameter usually 3 cm to 6 cm) (6.1). After sampling, the soil samples containing the enchytraeids are transported to the laboratory. Then the enchytraeids are extracted from soil by means of a wet extraction method. (This approach has been well known for a long time[12][20][24]) After extraction, the enchytraeids are identified alive and, if required, preserved in such a way that they can be stored in a collection indefinitely (e.g. for taxonomical purposes).

The determination of the biomass of enchytraeids is also described in this document. The abundance and biomass values can be recalculated to the area of the soil corer or, more rarely, volume parameters.

NOTE 1 The sampling of enchytraeids is often included in much broader monitoring programmes which try to cover the whole soil fauna or parts of it (e.g. the mesofauna). Examples of the use of soil invertebrates are given in [Annex B](#). The design of such programmes is not included in this document (but see e.g. Reference [3]).

NOTE 2 Some hints for the taxonomy of enchytraeids are given in the Bibliography.

5 Reagents

5.1 **Tap water** (without toxic properties, e.g. due to copper contamination).

5.2 **Ethanol**, 70 % (volume fraction).

5.3 **Bengalred**, 4,5,6,7-Tetrachloro-2',4',5',7'-tetraiodofluorescein formulated as a staining agent.

5.4 **Bouin's fixative**, buffered solution of formaldehyde, acetic acid and picric acid.

5.5 **Paracarmin**, staining agent, prepared as a mixture of carmine acid, aluminium chloride and calcium chloride solved in ethanol.

5.6 **Canada-balm**, natural yellowish viscous fluid containing 13 % to 14 % (volume fraction) Canadin acid ($C_{20}H_{38}O_2$), 48 % to 50 % (volume fraction) α - and β -Canadinol acid ($C_{19}H_{30}O_2$) and 5 % (volume fraction) Canadoesen ($C_{21}H_{40}O$).

6 Apparatus

6.1 **Split soil corer** (e.g. diameter 3 cm to 6 cm; extracted core length 10 cm to 30 cm); length in total variable (depending whether or not a handle is used) and a plastic or wooden impact-absorbing hammer.

6.2 **Plastic bags** (e.g. 1-l freezer bags); general store.

6.3 **Temperature recorder** or a **minimum/maximum-thermometer**.

6.4 **Plastic bowls**, diameter approximately 20 cm, height approximately 10 cm; general store.

6.5 **Plastic sieves**, diameter approximately 15 cm, mesh width approximately 1,0 mm; general store.

6.6 **60 W bulbs** as a heating device; general store.

6.7 **Glassware**, for example petri dishes (square format) with a size of 8 cm × 8 cm or small glass vessels (e.g. 50 ml).

6.8 Large, sharp knife.

6.9 Refrigerator.

6.10 Dissecting microscope with low magnification (10 times to 40 times).

6.11 Microscope with high magnification (60 times to 400 times) and equipped with an interference lighting device.

6.12 Spring steel pincers (flat).

6.13 Transfer tool, pasteur pipette, soft steel forceps or a hooked needle.

7 Procedure

7.1 Soil sampling

The soil samples to be used for the investigation of the enchytraeid community are taken destructively by means of a split soil corer (6.1). The corer is carefully pressed into the soil. The depth depends on the land use and soil type, but usually varies from 10 cm (e.g. forests) up to 30 cm (e.g. crop sites), i.e. those layers in which the bulk of the enchytraeids are living. In rare cases, for example if thick roots are present, a plastic or wooden impact-absorbing hammer can be used to take the samples. After removing the soil corer, its valve is opened and the soil core is carefully taken out by hand. The core is divided into cylinders (e.g. 3 cm to 4 cm in height) with a knife (6.8). These soil cylinders may be stored in small plastic bags (6.2) in a refrigerator (6.9) at approximately 4 °C to 6 °C for a period of preferably not longer than one week to two weeks (storage should not exceed one month in any case^[9]). The soil corer is cleaned with water afterwards.

7.2 Extraction of the enchytraeids

In principle, the extraction of the worms from the soil is caused by their active movement through the water-saturated sample into the water-filled bowl (6.4).

The extraction should commence as soon as possible after the sampling (see 7.1). The bowls (6.4) are carefully filled up with tap water (5.1). The samples (i.e. soil cylinders) are put in the sieves, and are, if necessary (e.g. in cases of heavy loam soils), carefully broken apart by hand (see Figure 1). The samples in the sieve shall be completely submerged and the bottoms of the sieves should not reach the bottom of the bowls. To ensure an extraction efficiency of Enchytraeidae from the samples of more than 90 %, the extraction of soil should last for 2 d to 7 d and extraction of litter for 0,5 d to 2 d at (12 ± 2) °C (water temperature). The duration depends mainly on the organic content of the sample. These times can be modified according to organizational requirements and the number of individuals in a sample. However, the worms quickly die if an oxygen deficiency occurs. In order to avoid this problem, the water should be changed after 18 h to 24 h, and again after 48 h (if extraction period exceeds 2 d). For that purpose the sieve with the sample should be carefully transferred to a bowl with fresh water. An acceleration of the extraction using a heat source [e.g. a 60 W bulb (6.6)] placed above the sample can be helpful, but should be carefully used (i.e. slow temperature increase over at least 3 h), since otherwise — species-specifically — many animals, especially juveniles and fragmentation stages, remain in the soil (see Annex A).

NOTE 1 In order to reduce the amount of debris at the bottom of the extraction bowls, a fine wiping cloth (mesh size 1 mm) can be put in the sieve before the soil sample is put in.

At the end of the extraction procedure, the sieves are removed. The requirements for the disposal of the soil are given in the appropriate national regulations. The water is slowly and carefully decanted from the bowl. The finest fraction of soil at the bottom of the bowls should not be disturbed (see Figure 2). A small amount of water (up to a height of 5 mm to 10 mm) shall remain in the bowls. Subsequently, the