

SVENSK STANDARD

SS-EN ISO 16387:2014



Fastställt/Approved: 2014-02-26
Publicerad/Published: 2014-02-27
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 13.080.30

**Markundersökningar – Föroreningars effekt på *Enchytraeidae*
(*Enchytraeus* sp.) – Bestämning av effekter på reproduktion
(ISO 16387:2014)**

**Soil quality – Effects of contaminants on *Enchytraeidae*
(*Enchytraeus* sp.) – Determination of effects on reproduction
(ISO 16387:2014)**



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN ISO 16387:2014 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 16387:2014.

Denna standard ersätter SS-ISO 16387:2004, utgåva 1.

The European Standard EN ISO 16387:2014 has the status of a Swedish Standard. This document contains the official version of EN ISO 16387:2014.

This standard supersedes the Swedish Standard SS-ISO 16387:2004, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Karaktärisering av avfall, mark och slam, SIS/TK 535.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN ISO 16387

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2014

ICS 13.080.30

English Version

**Soil quality - Effects of contaminants on Enchytraeidae
(Enchytraeus sp.) - Determination of effects on reproduction
(ISO 16387:2014)**

Qualité du sol - Effets des contaminants sur les
Enchytraeidae (Enchytraeus sp.) - Détermination des effets
sur la survie et la reproduction (ISO 16387:2014)

Bodenbeschaffenheit - Wirkungen von Verunreinigungen
auf Enchytraeidae (Enchytraeus sp.) - Bestimmung der
Wirkungen auf die Reproduktion (ISO 16387:2014)

This European Standard was approved by CEN on 12 October 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword		iv
Introduction		v
1 Scope		1
2 Normative references		1
3 Terms and definitions		1
4 Principle		3
5 Reagents and material		3
6 Apparatus		6
7 Test environment		6
8 Procedure		7
8.1 Experimental design		7
8.2 Preparation of test mixtures		8
8.3 Addition of the biological material		9
8.4 Test conditions and measurements		9
8.5 Reference substance		9
9 Calculation and expression of results		10
9.1 Calculation		10
9.2 Expression of results		10
10 Validity of the test		10
11 Statistical analysis		10
11.1 General		10
11.2 Range-finding test		10
11.3 Definitive test		11
12 Test report		11
Annex A (informative) Conditions for culture of <i>Enchytraeus</i> sp		13
Annex B (informative) Test procedure using other <i>Enchytraeus</i> species		15
Annex C (informative) Determination of maximum water-holding capacity		17
Annex D (informative) Detailed description of extraction techniques		18
Annex E (informative) Overview of the statistical assessment of data (NOEC determination)		19
Bibliography		20

Foreword

This document (EN ISO 16387:2014) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 345 "Characterization of soils" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2014, and conflicting national standards shall be withdrawn at the latest by July 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 16387:2014 has been approved by CEN as EN ISO 16387:2014 without any modification.

Introduction

Ecotoxicological test systems are applied to obtain information about the effects of contaminants in soil and are proposed to complement conventional chemical analysis. ISO 15799 includes a list and short characterization of recommended and standardized test systems. Aquatic test systems with soil eluate are applied to obtain information about the fraction of contaminants potentially reaching the groundwater by the water path (retention function of soils), whereas terrestrial test systems are used to assess the habitat function of soils. For the latter, a standardized test system using Enchytraeidae (a chronic test with end-point reproduction) is proposed.

This International Standard describes a method that is based on the determination of acute and sublethal effects of contaminated soils to adult Enchytraeidae of the genus *Enchytraeus*. Optionally, the method can be used for testing substances added to standard soils (e.g. artificial soil) for their sublethal hazard potential to Enchytraeidae.

Soil-dwelling annelids of the genus *Enchytraeus* are ecologically relevant, i.e. they are abundant in many soils where earthworms are scarce, but can also reach high population densities in soils well inhabited by earthworms. Enchytraeidae can be used in laboratory tests as well as in semi-field and field studies. From a practical point of view, many *Enchytraeus* species are easy to handle and breed, and their generation time is significantly shorter than that of earthworms [the test duration for a reproduction test with Enchytraeidae is four weeks to six weeks, compared to eight weeks (12 weeks including synchronization) with earthworms]. In addition, a much smaller volume of soil is needed in the enchytraeid test compared to the amount needed in earthworm tests.

This International Standard has been drawn up taking into consideration test procedures recommended by the Organization for Economic Cooperation and Development (see [\[22\]](#), [\[24\]](#)).

Soil quality — Effects of contaminants on *Enchytraeidae* (*Enchytraeus* sp.) — Determination of effects on reproduction

1 Scope

This International Standard specifies one of the methods for evaluating the habitat function of soils and determining effects of soil contaminants and substances on the reproduction of *Enchytraeus* sp. by dermal and alimentary uptake in a chronic test. It is applicable to soils and soil materials of unknown quality, e.g. from contaminated sites, amended soils, soils after remediation, agricultural or other sites under concern and waste materials.

Effects of substances are assessed using a standard soil, preferably a defined artificial soil substrate. For contaminated soils, the effects are determined in the soil to be tested and in a control soil. According to the objective of the study, the control and dilution substrate (dilution series of contaminated soil) are either an uncontaminated soil comparable to the soil to be tested (reference soil) or a standard soil (e.g. artificial soil).

This International Standard provides information on how to use this method for testing substances under temperate conditions.

The method is not applicable to volatile substances, i.e. substances for which H (Henry's constant) or the air/water partition coefficient is greater than 1, or for which the vapour pressure exceeds 0,013 3 Pa at 25 °C.

NOTE No provision is made in the test method for monitoring the persistence of the substance under test.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10381-6, *Soil quality — Sampling — Part 6: Guidance on the collection, handling and storage of soil under aerobic conditions for the assessment of microbiological processes, biomass and diversity in the laboratory*

ISO 10390, *Soil quality — Determination of pH*

ISO 10694, *Soil quality — Determination of organic and total carbon after dry combustion (elementary analysis)*

ISO 11260, *Soil quality — Determination of effective cation exchange capacity and base saturation level using barium chloride solution*

ISO 11277, *Soil quality — Determination of particle size distribution in mineral soil material — Method by sieving and sedimentation*

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

- 3.1 reproduction**
mean number of offspring per test vessel after incubation under the specified test conditions
- Note 1 to entry: The test period for the determination of the reproduction (definitive test) is six weeks.
- Note 2 to entry: offspring = hatched juvenile enchytraeids
- 3.2 reproduction rate**
mean number of offspring produced per a number of adults over the test period
- Note 1 to entry: The test period for the determination of the reproduction (definitive test) is six weeks.
- Note 2 to entry: offspring = hatched juvenile enchytraeids
- 3.3 EC_x**
effect concentration for x % effect
concentration (mass fraction) of a test substance that causes x % of an effect on a given endpoint within a given exposure period when compared with a control
- EXAMPLE An EC₅₀ is a concentration estimated to cause an effect on a test end point in 50 % of an exposed population over a defined exposure period.
- Note 1 to entry: The EC_x is expressed as a percentage of soil to be tested (dry mass) per soil mixture (dry mass). When substances are tested, the EC_x is expressed as mass of the test substance per dry mass of soil, in milligrams per kilogram.
- 3.4 LOEC**
lowest observed effect concentration
lowest test substance concentration that has a statistically significant effect (probability $p < 0,05$)
- Note 1 to entry: In this test the LOEC is expressed as a mass of test substance per dry mass of the soil to be tested. All test concentrations above the LOEC should usually show an effect that is statistically different from the control.
- 3.5 NOEC**
no observed effect concentration
highest test substance concentration immediately below the LOEC at which no effect is observed
- Note 1 to entry: In this test, the concentration corresponding to the NOEC, has no statistically significant effect ($p < 0,05$) within a given exposure period when compared with the control.
- 3.6 test mixture**
mixture of contaminated soil or test substance (e.g. chemical, biosolid, waste) with control soil
- 3.7 test mixture ratio**
ratio between the soil to be tested and the control soil in a test mixture
- 3.8 contaminant**
substance or agent present in the soil as a result of human activity
- 3.9 reference soil**
uncontaminated soil with comparable pedological properties (nutrient concentrations, pH, organic carbon content and texture) to the soil being studied

3.10

standard soil

field-collected soil or artificial soil whose main properties (pH, texture, organic matter content) are within a known range

EXAMPLE Euro soils, artificial soil, LUFA Standard soil

Note 1 to entry: The properties of standard soils can differ from the soil to be tested.

3.11

control soil

reference or standard soil used as a control and as a medium for preparing dilution series with soils to be tested or a reference substance, which fulfils the validity criteria

Note 1 to entry: In the case of natural soil, it is advisable to demonstrate its suitability for a test and for achieving the test validity criteria before using the soil in a definitive test.

4 Principle

The effects on survival and reproduction of adult Enchytraeidae (*Enchytraeus* sp.) exposed to a dilution range of contaminated soil or range of concentrations of a test substance are determined. Test mixtures are prepared at the start of the test and are not renewed within the test period.

The test can be divided into two distinct steps: a short (two weeks) test in which the range of toxic effects (mainly mortality) is determined, and a long-term (six weeks) definitive test in which the survival of parental worms and the fecundity (number of juveniles) are measured. The results obtained from the tests are compared with a control and are used to determine the dilutions or concentrations which cause no effects on survival and reproduction (NOEC) and the concentration (dilution) resulting in x % reduction of juveniles hatched from cocoons compared to the control (EC_x, 42 d).

All test dilutions/concentrations above the LOEC have a harmful effect equal to, or greater than that observed at the LOEC. Where there is no prior knowledge of the dilution/concentration of the test substance likely to have an effect, then it is useful to conduct the test in two steps:

- an acute toxicity test (range-finding test) is carried out, to give an indication of the effect dilution/concentration, and the dilution/concentration giving no mortality (NOEC). Dilutions/concentrations to be used in the definitive test can then be selected;
- the definitive test on reproduction to determine sublethal effects of (dilutions of) contaminated soil or the concentration of a substance which, when evenly mixed into the standard soil, causes no significant effects on numbers of offsprings hatched from cocoons compared with the control (NOEC), and the lowest concentration causing effects (LOEC).

NOTE The use of a suitable reference soil is an essential requirement to demonstrate the present status of the test population, and to avoid misinterpretation of results.

5 Reagents and material

5.1 Biological material, recommended test species is *Enchytraeus albidus* Henle 1837 (white potworm; Enchytraeidae, Oligochaeta, Annelida). *E. albidus* is one of the largest enchytraeid species, measuring 15 mm to 40 mm, and has a world-wide distribution (see e.g. [21], [31]). It can be easily recognized by two characteristics: four setae per bundle ventrally, and the very long seminal duct in the clitellum region as well as some segments behind it. The species can be found in marine, limnic and terrestrial habitats, mainly in decaying organic matter (seaweed, compost) and only rarely in meadows. This broad ecological tolerance and some morphological variations indicate that the species probably consists of several races (or ecotypes). *E. albidus* can be obtained commercially, since it is sold as food for fish. It should be verified whether such a culture is contaminated by other, usually smaller species (see e.g. [7], [10], [32]). If contamination of the culture occurs, all worms are washed in water in a Petri dish. With the help of a stereomicroscope, large adult specimens of *E. albidus* are selected to start a new culture. All other worms