

# SVENSK STANDARD

## SS-EN 16019:2014



Fastställt/Approved: 2014-03-30  
Publicerad/Published: 2014-03-31  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 45.040

---

### **Järnvägar – Automatkoppel – Prestandakrav, specifik gränssnittsgeometri och provningsmetod**

### **Railway applications – Automatic coupler – Performance requirements, specific interface geometry and test method**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-101575>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.


## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 16019:2014 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 16019:2014.

The European Standard EN 16019:2014 has the status of a Swedish Standard. This document contains the official version of EN 16019:2014.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Järnvägar, SIS/TK 254.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 16019**

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2014

---

ICS 45.040

English Version

## Railway applications - Automatic coupler - Performance requirements, specific interface geometry and test method

Applications ferroviaires - Attelage automatique - Exigences concernant la performance, la géométrie des interfaces et les méthodes d'essai

Bahnanwendungen - Automatische Kupplung - Leistungsanforderungen, spezifische Schnittstellengeometrie und Prüfverfahren

This European Standard was approved by CEN on 17 November 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

| <b>Contents</b>   | <b>Page</b> |
|---|-------------|
| Foreword.....   | 4           |
| <b>1 Scope .....</b>  | <b>5</b>    |
| <b>2 Normative references .....</b>   | <b>5</b>    |
| <b>3 Terms and definitions .....</b>  | <b>5</b>    |
| <b>4 Product requirements .....</b>   | <b>6</b>    |
| 4.1 Automatic coupler head characteristics .....  | 6           |
| 4.2 Coupling system positions .....   | 8           |
| 4.2.1 General.....  | 8           |
| 4.2.2 Ready-to-couple position.....   | 8           |
| 4.2.3 Coupled position.....   | 8           |
| 4.2.4 Uncoupled position .....  | 9           |
| 4.3 Coupling requirements .....   | 9           |
| 4.3.1 Mechanical coupling .....   | 9           |
| 4.3.2 Pneumatic coupling.....   | 10          |
| 4.4 Uncoupling .....  | 11          |
| <b>5 Tests.....</b>   | <b>11</b>   |
| 5.1 Type tests .....  | 11          |
| 5.1.1 General.....  | 11          |
| 5.1.2 Strength test.....  | 11          |
| 5.1.3 Dimension test .....  | 14          |
| 5.1.4 Gathering range test.....   | 15          |
| 5.2 Routine tests .....   | 15          |
| 5.2.1 General.....  | 15          |
| 5.2.2 Visual checks .....   | 15          |
| 5.2.3 Dimension test .....  | 15          |
| 5.2.4 Function tests .....  | 15          |
| <b>Annex A (normative) Automatic coupler interface .....</b>  | <b>17</b>   |
| <b>Annex B (informative) Gathering range .....</b>  | <b>22</b>   |
| <b>Annex C (informative) Example method of coupler lock play measurement.....</b>   | <b>23</b>   |
| <b>Annex D (normative) Air pipe connections .....</b>   | <b>26</b>   |
| <b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC .....</b> | <b>28</b>   |
| <b>Bibliography .....</b>   | <b>30</b>   |

| <b>Figures</b>  | <b>Page</b> |
|---|-------------|
| Figure 1 — Principle arrangement of coupler head .....  | 7           |
| Figure 2 — Ready-to-couple position.....  | 8           |
| Figure 3 — Coupled position.....  | 9           |
| Figure 4 — Uncoupled position .....   | 9           |
| Figure 5 — Successful coupling in curves .....  | 10          |
| Figure 6 — Unsuccessful coupling in curves.....   | 10          |
| Figure 7 — Strain gauges on the coupler head housing for the tensile test (tensile and compressive) ..... | 12          |
| Figure 8 — Strain gauge on the hook plate for the tensile test.....                                       | 13          |
| Figure 9 — Strain gauges on the coupling link for the tensile test.....                                   | 13          |
| Figure A.1 — Automatic coupler head (front view).....   | 17          |
| Figure A.2 — Automatic coupler head (top view) .....  | 18          |
| Figure A.3 — Automatic coupler head (lateral view) .....  | 19          |
| Figure A.4 — Automatic coupler head in the coupled position (cross section).....                          | 20          |
| Figure A.5 — Automatic coupler head (isometric view).....   | 21          |
| Figure B.1 — Typical gathering range of the Type 10 coupler .....   | 22          |
| Figure B.2 — Typical gathering range of the Type 10 coupler with guide bar.....                           | 22          |
| Figure C.1 — Coupler lock play gauge Type 10 .....  | 23          |
| Figure C.2 — Coupler lock play gauge.....   | 24          |
| Figure C.3 — Coupler lock play measurement.....   | 25          |
| Figure D.1 — Brake pipe valve.....  | 26          |
| Figure D.2 — Main reservoir and uncoupling valve.....   | 27          |

## SS-EN 16019:2014 (E)

### Foreword

This document (EN 16019:2014) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2014, and conflicting national standards shall be withdrawn at the latest by September 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of 2008/57/EC.

For relationship with EU Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



## 1 Scope

This European Standard specifies the requirements for Type 10 automatic couplers for railway applications.

It defines the minimum interface requirements in order to allow automatic coupling (mechanical and pneumatic) of two Type 10 automatic couplers.

The interfaces of the end coupler specified in this European Standard:

- enable the rescue of a train set in an event of a breakdown by another trainset of different type, without the need to use an intermediate coupler adapter, accessories or component;
- are the reference interfaces to which the rescue coupler defined by EN 15020 will comply.

It does not define:

- interface requirements concerning electrical connections;
- clearance requirements around the coupler head;
- the height above top of rail for the coupler;
- the position of the pivot point of the coupler.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15020, *Railway applications - Rescue coupler - Performance requirements, specific interface geometry and test methods*

EN ISO 6892-1, *Metallic materials - Tensile testing - Part 1: Method of test at room temperature (ISO 6892-1)*

ISO 2768 (all parts), *General tolerances*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### **Type 10 automatic coupler**

latch-type automatic coupler allowing the mechanical, pneumatic and in some cases electrical connection between two train units or train sets without manual assistance, also known as “Scharfenberg® system Type 10” automatic coupler<sup>1)</sup>

### 3.2

#### **coupler head**

part of couplers, consisting of coupler head housing with gathering elements, coupler lock, uncoupling device, air pipe connections and an appropriate interface towards the rear part of the coupler

---

<sup>1)</sup> Scharfenberg® is a registered trademark of Voith Turbo Scharfenberg, Salzgitter, Germany. This information is given for the convenience of users of this European Standard and does not constitute an endorsement by CEN of the product bearing this trademark. Equivalent products may be used if they can be shown to lead to the same results.

## SS-EN 16019:2014 (E)

### 3.3

#### **main reservoir pipe**

pipe containing air pressure at a value which is sufficient to supply subsystems, including the brake system

[SOURCE: EN 14478:2005, 4.9.6.10]

### 3.4

#### **brake pipe**

pipe containing and conveying air, enabling train brake control

[SOURCE: EN 14478:2005, 4.9.6.7, modified]

### 3.5

#### **uncoupling pipe**

pipe containing and conveying air, enabling uncoupling of the coupler locks


## 4 Product requirements

### 4.1 Automatic coupler head characteristics

The coupler head of the automatic coupler shall be equipped with a pivoting coupler lock, enabling the mechanical connection of two vehicles. The coupler lock consists of the following parts: hook plate, coupling link, central pin, tension springs, release bar holder, and release bar with trigger device. In order to ensure a maximum gathering range, both vertically and horizontally, the coupler head shall be provided with male cone, female cone and gathering horn, such that the couplers can be aligned and centred also in curves and in case of vertical mismatch. The coupler head dimensions shall be according to Annex A.

Tolerances for dimensions shall be according to ISO 2768, tolerance class mK, unless otherwise specified in this standard.

The principle arrangement of a coupler head is shown in Figure 1. Alternatives to this principle arrangement are allowed as long as functional and interface compatibility are maintained and the clauses of this standard remain applicable.

**Key**

|   |               |    |                      |    |                |
|---|---------------|----|----------------------|----|----------------|
| 1 | coupler face  | 6  | male cone            | 11 | trigger device |
| 2 | female cone   | 7  | tension spring       | 12 | release bar    |
| 3 | main pin      | 8  | coupling link pin    | 13 | trigger        |
| 4 | hook plate    | 9  | coupler head housing |    |                |
| 5 | coupling link | 10 | release bar holder   |    |                |

**Figure 1 — Principle arrangement of coupler head**

When coupled, the coupler lock elements are subjected to tensile load and form a parallelogram ensuring equilibrium of forces and an equal load distribution onto both coupling links. The equilibrium of forces prevents involuntary unlocking of the coupler locks and reduces wear.

Compressive loads are transmitted through the flat coupler faces of the coupler heads.

The automatic coupler head shall be designed to withstand the following forces without permanent deformation:

- tensile load = 1 000 kN;
- compressive load = 1 500 kN.

These values are for normal operating conditions. If the coupler is used only for rescue conditions, lower values are allowed; these loads are defined in EN 15020.