

# SVENSK STANDARD

## SS-EN 1487:2014



Fastställt/Approved: 2014-07-13  
Publicerad/Published: 2014-08-12  
Utgåva/Edition: 2  
Språk/Language: engelska/English  
ICS: 91.140.60

---

### **Vattenförsörjning – Byggnadsventiler – Hydrauliska säkerhetsgrupper – Provning och krav**

### **Building valves – Hydraulic safety groups – Tests and requirements**



# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 1487:2014 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 1487:2014.

Denna standard ersätter SS-EN 1487, utgåva 1.

The European Standard EN 1487:2014 has the status of a Swedish Standard. This document contains the official version of EN 1487:2014.

This standard supersedes the Swedish Standard SS-EN 1487, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Vattenförsörjning, SIS/TK 198/AG 164.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 1487**

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2014

ICS 91.140.60

Supersedes EN 1487:2000

English Version

## Building valves - Hydraulic safety groups - Tests and requirements

Robinetterie de bâtiment - Groupes de sécurité hydraulique  
- Essais et exigences

Gebäudearmaturen - Hydraulische Sicherheitsgruppen -  
Prüfungen und Anforderungen

This European Standard was approved by CEN on 22 May 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

Page

Foreword.....	4
Introduction .....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms and definitions .....	8
4 Materials and surface finishes .....	11
4.1 General.....	11
4.2 Materials .....	11
4.3 Detection of residual stress.....	11
4.3.1 Test.....	11
4.3.2 Test method (Procedure) .....	11
4.3.3 Requirements .....	12
4.4 Outside visible surfaces .....	12
4.4.1 Surfaces without coatings .....	12
4.4.2 Surfaces with coatings.....	13
4.5 Corrosion resistance .....	13
4.5.1 Test method.....	13
4.5.2 Requirements .....	13
4.6 Coating adherence.....	13
4.6.1 Test method.....	13
4.6.2 Requirements .....	14
4.7 Compatibility with the products used for disinfection of the networks.....	14
4.7.1 General.....	14
4.7.2 Test method.....	14
4.7.3 Requirements .....	14
5 Design and dimensional requirements .....	14
5.1 General guidance.....	14
5.2 Dimensional characteristics .....	15
5.2.1 End connections .....	15
5.3 Test port.....	17
5.4 Pressure tapping.....	17
5.5 Hydraulic safety valve outlet connection to air break to drain .....	18
5.6 Hydraulic safety valve discharge connection to drain device .....	18
5.7 Exclusions .....	18
5.8 Replacing of the safety valve .....	18
5.9 Check valve .....	18
6 Apparatus .....	18
6.1 General.....	18
6.2 Tolerances of parameters and accuracy of measure instruments .....	18
6.2.1 Tolerances on set parameters .....	18
6.2.2 Accuracy of measuring instruments .....	19
6.2.3 Test media .....	19
7 Hydraulic tests and requirements .....	19
7.1 Flow rate test.....	19
7.1.1 Procedure .....	19
7.1.2 Requirement .....	19
7.2 Tightness test.....	19

7.2.1	General .....	19
7.2.2	Tightness test for the isolating valve at a pressure of 1,6 MPa (16 bar) .....	19
7.2.3	Hydraulic safety group tightness test .....	20
8	Mechanical tests and requirements .....	20
8.1	Mechanical strength .....	20
8.1.1	Pressure test of the body of the hydraulic safety group.....	20
8.1.2	Bending test of the body and pull out test of the drainage of the hydraulic safety group .....	20
8.1.3	Torsional strength of the hydraulic safety group's body.....	22
8.1.4	Tensile strength of the captive rotating nuts .....	23
8.2	Mechanical strength of the easing gear of the pressure safety valve .....	23
8.2.1	Procedure .....	23
8.2.2	Requirement.....	23
9	Tests and requirements of the components of the hydraulic safety group .....	24
9.1	Isolating valve .....	24
9.1.1	General .....	24
9.1.2	Test of manual operation .....	24
9.1.3	Endurance test.....	24
9.1.4	Test for manual operation .....	24
9.2	Check valve .....	25
9.2.1	Verification of the leaktightness between the group's body and the check valve at low pressure.....	25
9.2.2	Verification of the leaktightness between the group's body and the check valve under high pressure .....	25
9.3	Pressure safety valve .....	25
9.3.1	Pressures .....	25
9.3.2	Cold water pressure tests.....	26
9.3.3	Steam test.....	27
9.4	Endurance test.....	28
9.4.1	Procedure .....	28
9.4.2	Requirement.....	28
9.5	Easing gear (manual control device).....	29
9.5.1	Operation of the easing gear .....	29
9.5.2	Easing gear endurance test.....	29
9.6	Manual drainage device .....	29
9.6.1	General .....	29
9.6.2	Flow rate test .....	29
9.7	Air break to drain .....	29
10	Resistance to thermal shocks.....	30
10.1	Test method .....	30
10.2	Requirement.....	30
11	Acoustic tests and requirements.....	30
12	Classification .....	31
13	Designation .....	31
14	Marking.....	32
15	Technical documents and presentation at delivery.....	32
Annex A	(informative) Test sequences .....	34

## Foreword

This document (EN 1487:2014) has been prepared by Technical Committee CEN/TC 164 "Water Supply", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2015, and conflicting national standards shall be withdrawn at the latest by January 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1487:2000.

The main changes compared to EN 1487:2000 are as follows:

- a) the Scope has been modified to nominal sizes DN 15 to DN 25;
- b) Normative references were updated;
- c) Terms and definitions were changed;
- d) subclause 4.1 (general wording for materials) was modified;
- e) subclauses 4.3 (Detection of residual stress), 4.4 (Outside visible surfaces), 4.5 (Corrosion resistance), 4.6 (Coating adherence) and 4.7 (Compatibility with the products used for disinfection of the networks) were added;
- f) subclauses 5.2 (Dimensional characteristics), 5.3 (Test port) and 5.4 (Pressure tapping) were modified;
- g) subclause 5.7 (Other threads) was deleted;
- h) subclauses 5.8 (Replacing of the safety valve) and 5.9 (Check valve) were added;
- i) Clause 6 (Apparatus) was added, thus renumbering of the following clauses was necessary;
- j) Clause 7 (Hydraulic tests and requirements) was modified;
- k) Clause 8 (Acoustic tests and requirements) was moved to Clause 11 and modified editorially;
- l) Clause 9 (Tests and requirements of the components of the hydraulic safety group) was modified;
- m) Clause 10 (Resistance to thermal shocks) was added;
- n) Clause 12 (Classification) was modified;
- o) Clause 13 (Designation) was modified editorially;
- p) Clause 15 (Technical documents, presentation at delivery) was added;
- q) informative Annex A was replaced by informative Annex A (Test sequences).



According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

In respect of potential adverse effect on the quality of water intended for human consumption, caused by the product covered by this standard:

- a) This standard provides no information as to whether the product may be used without restriction in any of the Member States of the EU or EFTA.
- b) It should be noted that, whilst awaiting the adoption of verifiable European criteria, existing national regulations concerning the use and or the characteristics of this product remain in force.

## 1 Scope

This European Standard specifies dimensions, materials and performance requirements (including methods of test) for hydraulic safety groups, of nominal sizes from DN 15 to DN 25, having working pressures<sup>1)</sup> from 0,1 MPa (1 bar) to 0,7 MPa (7 bar). Hydraulic safety groups are intended for fitting to the potable water supply of storage water heaters, having a maximum storage temperature of 95°C.

Hydraulic safety groups limit the pressure in hot water heaters, prevent the backflow of water into the main circuit and prevent the discharged water to get into contact with the water in the water heater.

Hydraulic safety groups do not control the temperature. They ensure the hydraulic safety of water heaters if the mechanical resistance of the water heater remains at least equal to the rating pressure.

NOTE The use of the device specified in this European Standard does not override the need to use controls (e.g. thermostats and cut-outs) which act directly on the power sources of water heaters.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 248:2002, *Sanitary tapware - General specification for electrodeposited coatings of Ni-Cr*

EN 806-1, *Specifications for installations inside buildings conveying water for human consumption - Part 1: General*

EN 806-2, *Specification for installations inside buildings conveying water for human consumption - Part 2: Design*

EN 806-3, *Specifications for installations inside buildings conveying water for human consumption - Part 3: Pipe sizing - Simplified method*

EN 806-4, *Specifications for installations inside buildings conveying water for human consumption - Part 4: Installation*

EN 806-5, *Specifications for installations inside buildings conveying water for human consumption - Part 5: Operation and maintenance*

EN 1488, *Building valves - Expansion groups - Tests and requirements*

EN 1567, *Building valves - Water pressure reducing valves and combination water pressure reducing valves - Requirements and tests*

EN 1717:2000, *Protection against pollution of potable water in water installations and general requirements of devices to prevent pollution by backflow*

EN 10226-1, *Pipe threads where pressure tight joints are made on the threads - Part 1: Taper external threads and parallel internal threads - Dimensions, tolerances and designation*

EN 13959, *Anti-pollution check valves - DN 6 to DN 250 inclusive family E, type A, B, C and D*

---

<sup>1)</sup> All pressures are gauge unless otherwise stated.