

**Markundersökningar – Karakterisering av
uppgrävd jord och jordmaterial för åter-
användning**

**Soil quality – Characterization of excavated
soil and other soil materials intended for re-use**

ICS 13.080.99

Språk: engelska

Publicerad: december 2003

Den internationella standarden ISO 15176:2002 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 15176:2002.

The International Standard ISO 15176:2002 has the status of a Swedish Standard. This document contains the official English version of ISO 15176:2002.

Dokumentet består av 55 sidor.

Upplysningar om **sakinnehållet** i standarden lämnas av SIS, Swedish Standards Institute, tel 08 - 555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar **allmänna upplysningar** om svensk och utländsk standard.

Postadress: SIS Förlag AB, 118 80 STOCKHOLM
Telefon: 08 - 555 523 10. *Telefax:* 08 - 555 523 11
E-post: sis.sales@sis.se. *Internet:* www.sis.se

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope.....	1
2 Normative reference.....	1
3 Terms and definitions	2
3.1 Types of soil and other soil materials.....	2
3.2 Soil characteristics	3
3.3 Land and sites	4
3.4 Utilization, reclamation and treatment.....	5
3.5 Assessment	6
4 Characterization of soil materials and sites.....	6
4.1 General	6
4.2 Investigation strategies	8
4.3 Sampling strategies	8
4.4 Characterization of soil materials.....	11
5 Data quality, handling and evaluation.....	30
6 Using this International Standard.....	30
Annex A (informative) Data quality, handling and evaluation.....	31
Annex B (informative) Good practice in the re-use of soil materials	33
B.1 General	33
B.2 General guidance for re-use	33
B.3 Handling and storing excavated soil and other soil materials.....	34
B.4 Placement at the target site	34
B.5 After-care of the target site	35
B.6 Use of soil materials in construction works.....	35
Annex C (informative) Guidance on determination of the scope of investigation needed before excavation of soil materials	36
C.1 General	36
C.2 Determining the need for investigation	36
C.3 Development of analytical strategies.....	37
Annex D (informative) Example of classification and evaluation of soils and other soil materials.....	40
D.1 General	40
D.2 The concept of suitability classes.....	40
D.3 Suitability classes depending on harmful substance content	40
D.4 Soil unsuitable for re-use	42
D.5 Additional suitability classes for soil improvement and reclamation	42
D.6 Suitability of soils and soil materials for combining.....	43
Annex E (informative) Examples of elements and compounds belonging to different contaminant groups	45
Bibliography.....	47

ISO 15176:2002(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15176 was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 7, *Soil and site assessment*.

Annexes A, B, C, D and E of this International Standard are for information only.

Introduction

This International Standard is one of a series providing guidance on the assessment of soils and soil materials in relation to certain functions and uses. It should be read in conjunction with these other International Standards, some of which give more specific guidance in relation to some of the uses listed in the Scope or particular aspects of assessments. For example, ISO 15800 gives guidance on assessments relating to human exposure to potentially harmful substances and ISO 15175 gives guidance on characterization of soil related to groundwater.

Soils are the dynamic product of chemical, physical and biological processes. They are the result of interactions between the inherent nature of the parent material, the prevailing environmental conditions and human activities. They are a valuable natural resource which should be conserved wherever possible. When construction, mining or other activities require soils to be excavated and moved from their natural situation, they should as far as possible be reused in a manner consistent with their natural properties and the intended use of the receiving location. Soils intended for re-use are usually required to have certain chemical, leaching, geotechnical, physical, biological and radiochemical attributes consistent with this future use. Particular attention must be paid in situations where there is reason to believe that the surplus soil may be contaminated.

Soils that are to be excavated should be investigated to determine how they may be re-used so as to minimize the quantities to be disposed of as waste and to determine environmental impacts that might arise during re-use. Treatment of soils and soil materials to remove or destroy contaminants or to reduce their availability to the environment may alter soil properties. These properties should therefore be determined before re-use. For manufactured soils, the characteristics of both the components and of the manufactured product may need to be determined.

The purpose of characterizing soil (or other media) as suggested in this International Standard is usually to enable judgements to be made about its suitability for a defined use (e.g. arable farming, domestic gardens). These judgements may be made by reference to published international or national guidance that sets out physical, chemical or other generic criteria that must be met, or against criteria set on a site-specific basis. When substances are present that might be harmful to human health or the environment, the judgement may also be made on the basis of a site-specific qualitative, semi-quantitative or fully quantitative risk assessment. In many jurisdictions, formal guidance on such assessments has been published. In some cases this guidance fits within a legislative framework. Guidance has also been provided by professional organizations and some standardization bodies.

When deciding whether to re-use soil material, other possibly competing or overriding objectives such as protection of soil, nature, water and air; physical planning requirements and national legislative requirements may have to be met.

Assessment of soil material for re-use may require the measurement of the chemical, physical, biological, geotechnical and radiochemical characteristics of soil material and of the source and target sites. The assessor should identify those parameters that are appropriate to the task in hand.

This International Standard identifies the functions and properties of soil materials at the source (point of origin) and also the properties of the target (receiving) site which may be relevant to the potential uses listed in the Scope, and indicates for which parameters or procedures there are International Standards available. Radiochemical and geotechnical aspects are not covered. For guidance on the geotechnical aspects of the use of soil materials as construction material, reference should be made to other relevant International Standards (e.g. those produced by ISO/TC 182, *Geotechnics in the field of civil engineering*) or national standards.

The way the soil is handled after excavation may affect soil properties. Some suggestions regarding good practice in soil handling and related practice and monitoring after placement are provided in annex B.

Soil quality — Characterization of excavated soil and other soil materials intended for re-use

1 Scope

This International Standard provides guidance on the range of tests that may be necessary to characterize soil materials intended to be excavated and re-used, with or without preliminary treatment. Soil materials include excavated soil, dredged materials, fill materials, manufactured soils and soil treated to remove or destroy contaminants.

It takes into account the different requirements of top soil, sub-soil and other soil materials such as sediments or treated soils. International Standard methods are listed where available.

The test methods are intended to cover a range of possible end uses, such as:

- play areas for small children, including nursery schools, kindergardens, etc.,
- schools,
- gardens and other residential areas,
- allotments,
- horticulture,
- agriculture,
- forestry,
- recreational areas, e.g. parks, sport fields,
- restoration of damaged ecosystems,
- construction sites.

It is intended to be of use in determining the suitability of soil materials for re-use, and the assessment of the environmental impacts that might arise from re-use.

This International Standard is not applicable to the placement of soil materials in an aqueous environment or to restore underground workings. It does not address geotechnical requirements when soil materials are to be used as construction material.

2 Normative reference

The following normative document contains provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For

ISO 15176:2002(E)

undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 11259, *Soil quality — Simplified soil description*

3 Terms and definitions

For the purposes of this International Standard, the following terms and definitions apply.

3.1 Types of soil and other soil materials

3.1.1

soil

upper layer of the earth's crust composed of mineral parts, organic substance, water, air and living matter

[ISO 11074-1]

3.1.2

top soil

upper part of a natural soil which is generally dark-coloured and has a higher humus and nutrient content when compared to the subsoil below

[ISO 11074-4]

3.1.3

sub-soil

material underlying the topsoil and overlying the solid (parent) rock beneath

NOTE All or much of the original rock structure has usually been obliterated by pedogenic processes.

3.1.4

soil material

excavated soil, dredged materials, manufactured soils, treated soils and fill materials

3.1.5

excavated soil

any natural material excavated from the ground, including top soil, sub soil, altered parent rock and parent rock itself

NOTE Excavated soil typically arises during construction works.

3.1.6

manufactured soil

manufactured soil material

manufactured product intended to perform specified soil functions produced by blending combinations of natural, waste or manufactured materials with the addition of nutrients or other additives when necessary

3.1.7

treated soil

soil that has been subjected to a process-based treatment method

3.1.8

dredged material

material excavated during maintenance, construction, reconstruction and extension measures from waters

NOTE Dredged material may consist of:

- sediments or subhydric soils,
- soils and their parent material beneath the surface water body.

3.1.9**fill material
made ground**

mixed natural (often displaced or disturbed) soil materials and other materials characteristic of urban and industrial sites

EXAMPLES Building rubble, timber and other wastes.

3.2 Soil characteristics**3.2.1****soil function**

use of soil which is significant to man and the environment

NOTE Important soil functions are:

- control of substance and energy cycles as compartments of ecosystems;
- basis for the production of agricultural products;
- basis for the life of plants, animals and man;
- carrier of genetic reservoir;
- basis for the stability of buildings;
- buffer inhibiting movement of water, contaminants or other agents into the groundwater;
- reservoir of archeological remains;
- reservoir of paleoecological remains.

NOTE Adapted from ISO 11074-4.

3.2.2**background concentration**

concentration of a substance characteristic of a soil type in an area or region arising from both natural sources and non-natural diffuse sources such as atmospheric deposition

cf. **natural background concentration** (3.2.4)

NOTE It is commonly expressed in terms of an average, median, a range of values, or a background value (3.2.3).

3.2.3**background value**

expression of the upper limit of the range of the background concentration

NOTE It is commonly expressed as the percentile value.

3.2.4**natural background concentration**

concentration of a substance that is derived solely from natural sources

NOTE 1 It is of geogenic origin.

NOTE 2 It is commonly expressed in terms of average, a range of values, or a natural-background value (3.2.5).

ISO 15176:2002(E)**3.2.5****natural background value**

expression of the upper limit of the range of the natural background concentration

NOTE It is commonly expressed as percentile value.

3.2.6**contaminant**

substance or agent present in soil as a result of human activity

cf. **pollutant** (3.2.7), **potentially harmful substance** (3.2.8)

NOTE There is no assumption in this definition that harm results from the presence of the contaminant.

3.2.7**pollutant**

substance or agent present in the soil which due to its properties, amount or concentration causes adverse impact on soil functions or soil use

cf. **contaminant** (3.2.6), **potentially harmful substance** (3.2.8)

NOTE See Introduction in ISO 11074-1:1996.

3.2.8**potentially harmful substance**

substance which, when present in sufficient concentration or amount, may be harmful to humans or the environment

NOTE It may be present as a result of human activity [**contaminant** (3.2.6)] or naturally.

3.2.9**residual contamination**

amount or concentration of contaminants remaining in specific media following remediation

[ISO 11074-4]

3.2.10**trace element**

element present in low concentration in soil material

NOTE A trace element may be essential at low concentration but harmful at higher concentration.

3.2.11**essential trace element**

element essential at low concentrations for plant or animal (including human) metabolism

NOTE An element may be essential at low concentrations but become harmful at higher concentrations.

3.3 Land and sites**3.3.1****damaged or degraded land**

land which, due to natural processes or human activity, is no longer able to properly sustain an economic function and/or its original natural, or near-natural ecological function

3.3.2**target site**

site at which soil is to be re-used

3.4 Utilization, reclamation and treatment

3.4.1

re-use of soil materials

useful and harmless utilization of soil materials

NOTE In the context of this International Standard, re-use means transfer of soil materials to another location for use in agriculture, horticulture, forestry, gardens, recreational areas and construction sites.

3.4.2

construction works

soil application including earthworks and embankments, landscape engineering, road construction, construction of waste disposal sites, and backfilling of excavated sites or mines

NOTE Construction works are applications where soil materials are not required to have a direct productive use, although they may support other layers intended to have productive use.

3.4.3

reclamation

restoration

rehabilitation

(of land) return of damaged, degraded or derelict land to beneficial use

NOTE The term **remediation** is commonly restricted to the process of dealing with contaminated/polluted sites.

3.4.4

soil rehabilitation

actions taken to improve the capability of damaged or degraded soil to perform specified functions

NOTE An example of such action is the addition of organic matter and nutrients to promote plant growth.

NOTE Adapted from ISO 11074-4.

3.4.5

remediation strategy

combination of remedial techniques and associated work programmes that will meet specified contamination-related remediation objectives and other objectives, and overcome possible restraints

NOTE 1 Adapted from ISO 11074-4.

NOTE 2 Examples of objectives are residual-contaminant concentrations, and engineering-related objectives.

3.4.6

process-based treatment method

application of physical, chemical or biological processes either to remove or destroy contaminants, or to reduce their availability to the environment

[ISO 11074-4]

NOTE Different treatment methods, e.g. biotreatment, are defined in ISO 11074-4.

3.4.7

stockpile

temporary deposit of soil material for later use

3.4.8

investigation for compliance or performance

investigation, or programme of on-going inspection, testing or monitoring, to confirm that a remediation strategy has been properly implemented and/or when a containment approach has been adopted, that this continues to perform to the specified level

EXAMPLE Testing to confirm that all contaminated material has been removed.

[ISO 11074-4]