

Avlopp – Översvämningsskydd –
Del 3: Kvalitetssäkring

Anti-flooding devices for buildings –
Part 3: Quality assurance

Europastandarden EN 13564-3:2003 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 13564-3:2003.

The European Standard EN 13564-3:2003 has the status of a Swedish Standard. This document contains the official English version of EN 13564-3:2003.

Upplysningar om **sakinnehållet** i standarden lämnas av SIS, Swedish Standards Institute, telefon 08 - 555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar **allmänna upplysningar** om svensk och utländsk standard.

Postadress: SIS Förlag AB, 118 80 STOCKHOLM
Telefon: 08 - 555 523 10. *Telefax:* 08 - 555 523 11
E-post: sis.sales@sis.se. *Internet:* www.sis.se

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 13564-3

November 2003

ICS 91.140.80

English version

Anti-flooding devices for buildings - Part 3: Quality assurance

Clapets anti-retour pour les bâtiments - Partie 3: Maîtrise
de la qualité

Rückstauverschlüsse für Gebäude - Teil 3:
Güteüberwachung

This European Standard was approved by CEN on 1 September 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN 13564-3:2003 (E)

Contents		page
Foreword		3
1 Scope		4
2 Normative references		4
3 Terms and definitions		4
4 Quality Assurance		4
4.1 General		4
4.2 Type testing		4
4.3 Factory production control		5
Annex A (informative) Control by third party (third party control)		7
A.1 General		7
A.2 Procedure of the third party control		7
A.3 Report by third party		8
A.4 Retesting		8
Bibliography		9

Foreword

This document (EN 13564-3:2003) has been prepared by Technical Committee CEN/TC 165 “Waste water engineering”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2004, and conflicting national standards shall be withdrawn at the latest by May 2004.

Annex A of this European Standard is informative.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and the United Kingdom.

EN 13564-3:2003 (E)

1 Scope

This European Standard specifies the requirements for anti-flooding devices for buildings to ensure conformity of these products with EN 13564-1.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 13564-1:2002, *Anti-flooding devices for buildings – Part 1: Requirements*.

EN 13564-2:2002, *Anti-flooding devices for buildings – Part 2: Test methods*.

3 Terms and definitions

For the purposes of this European Standard, the terms and definitions given in EN 13564-1:2002 apply.

4 Quality Assurance

4.1 General

Products manufactured to EN 13564-1 and EN 13564-2 shall be subjected to quality assurance procedure as follows:

- a) type testing;
- b) factory production control.

The control by a third party is recommended. If third party control is carried out, this should be done in accordance with annex A.

The actual practice of third party control in different countries may be maintained as long as third party control in this standard is a recommendation.

4.2 Type testing

The manufacturer shall hold a complete set of drawings of the product. Three production specimens shall be tested in accordance with EN 13564-2 and shall comply with all the relevant requirements of EN 13564-1.

If the design is subsequently amended or if the material is changed, three further specimens shall be tested in accordance with the previous procedure.

Full reports of these tests shall be retained by the manufacturer and shall be available to a third party, if applicable, for examination.