



SWEDISH
STANDARDS
INSTITUTE

SVENSK STANDARD
SS-EN 889:2004

Fastställd 2004-12-17

Utgåva 2

Processkemikalier för beredning av dricksvatten – Järn(II)sulfat

Chemicals used for treatment of water intended for human consumption – Iron (II) sulfate

ICS 13.060.20; 71.100.80

Språk: engelska

Publicerad: februari 2005

Europastandarden EN 889:2004 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 889:2004.

Denna standard ersätter SS-EN 889, utgåva 1.

I enlighet med Statens livsmedelsverks föreskrifter om dricksvatten, SLV FS 2001:30, är järn(II)sulfat tillåtet som processkemikalie för beredning av dricksvatten i Sverige.

The European Standard EN 889:2004 has the status of a Swedish Standard. This document contains the official English version of EN 889:2004.

This standard supersedes the Swedish Standard SS-EN 889, edition 1.

According to The National Food Administration's Ordinance with regulations and general advice on drinking water, SLV FS 2001:30, iron (II) sulfate is permitted in Sweden as a process chemical for treatment of water intended for human consumption.

Upplysningar om **sakinnehållet** i standarden lämnas av SIS, Swedish Standards Institute, telefon 08 - 555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar **allmänna upplysningar** om svensk och utländsk standard.

Postadress: SIS Förlag AB, 118 80 STOCKHOLM
Telefon: 08 - 555 523 10. *Telefax:* 08 - 555 523 11
E-post: sis.sales@sis.se. *Internet:* www.sis.se

EUROPEAN STANDARD

EN 889

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2004

ICS 71.100.80

Supersedes EN 889:1998

English version

Chemicals used for treatment of water intended for human consumption - Iron (II) sulfate

Produits chimiques utilisés pour le traitement de l'eau destinée à la consommation humaine - Sulfate de fer (II)

Produkte zur Aufbereitung von Wasser für den menschlichen Gebrauch - Eisen (II) sulfat

This European Standard was approved by CEN on 30 September 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Description	5
4 Purity criteria	7
5 Test methods	9
6 Labelling - Transportation - Storage	11
Annex A (informative) General information on iron (II) sulfate	12
Annex B (normative) Analytical methods	17
Annex C (informative) Determination of cadmium, chromium, nickel and lead (inductively coupled plasma optical emission spectrometry (ICP/OES))	30
Bibliography	32

Foreword

This document (EN 889:2004) has been prepared by Technical Committee CEN/TC 164 "Water supply", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2005, and conflicting national standards shall be withdrawn at the latest by May 2005.

This document supersedes EN 889:1998.

Significant technical differences between this edition and EN 889:1998 are as follows:

- a) replacement of the reference of to EU Directive 80/778 of 15 July 1980 with the latest Directive in force (see[1]);
- b) expansion of annex A by addition of A.2 "quality of commercial product";
- c) deletion of annex D.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

EN 889:2004 (E)

Introduction

In respect of potential adverse effects on the quality of water intended for human consumption, caused by the product covered by this Standard:

- a) this Standard provides no information as to whether the product may be used without restriction in any of the Member States of the EU or EFTA;
- b) It should be noted that, while awaiting the adoption of verifiable European criteria, existing national regulations concerning the use and/or the characteristics of this product remain in force.

NOTE Conformity with the standard does not confer or imply acceptance or approval of the product in any of the Member States of the EU or EFTA. The use of the product covered by this document is subject to regulation or control by National Authorities.

1 Scope

This document is applicable to iron (II) sulfate heptahydrate used for treatment of water intended for human consumption. It describes the characteristics of iron (II) sulfate heptahydrate and specifies the requirements and the corresponding analytical methods for iron (II) sulfate heptahydrate (analytical methods are given in Annex B) and gives information on its use in water treatment.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3696, *Water for analytical laboratory use - Specification and test methods* (ISO 3696:1987).

ISO 3165, *Sampling of chemical products for industrial use - Safety in sampling*.

ISO 6206, *Chemical products for industrial use - Sampling - Vocabulary*.

ISO 8213, *Chemical products for industrial use - Sampling techniques - Solid chemical products in the form of particles varying from powders to coarse lumps*.

3 Description

3.1 Identification

3.1.1 Chemical name

Iron (II) sulfate heptahydrate.

3.1.2 Synonym or common names

Ferrous sulfate, iron vitriol, copperas, green salt.

3.1.3 Relative molecular mass

278,02.

3.1.4 Empirical formula

$\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$.

3.1.5 Chemical formula

$\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$.

EN 889:2004 (E)

3.1.6 CAS Registry Number¹⁾

7782-63-0 (FeSO₄ · 7H₂O).

7720-78-7 (FeSO₄).

3.1.7 EINECS reference²⁾

231-753-5 (FeSO₄).

3.2 Commercial forms

The iron (II) sulfate heptahydrate is available as wet crystals (a) or free-flowing crystals (b).

3.3 Physical properties

3.3.1 Appearance

The iron (II) sulfate heptahydrate is a light green crystal.

3.3.2 Density

The density of iron (II) sulfate heptahydrate is equal to 1,9 g/cm³ at 20 °C.

The bulk density of commercial form a) is equal approximately to 1 kg/dm³ and of commercial form b) approximately to 0,8 kg/dm³.

3.3.3 Solubility (in water)

The solubility of iron (II) sulfate heptahydrate is 487 g/l at 20 °C.

3.3.4 Vapour pressure

Not applicable.

3.3.5 Boiling point at 100 kPa³⁾

Not applicable.

3.3.6 Melting point

For the iron (II) sulfate heptahydrate the melting starts at approximately 64 °C, leading to decomposition.

3.3.7 Specific heat

Not known.

3.3.8 Viscosity (dynamic)

Not applicable.

¹⁾ Chemical Abstracts Service Registry Number.

²⁾ European Inventory of Existing Commercial Chemical Substances.

³⁾ 100 kPa = 1 bar.

3.3.9 Critical temperature

Not applicable.

3.3.10 Critical pressure

Not applicable.

3.3.11 Physical hardness

Not applicable.

3.4 Chemical properties

Iron (II) sulfate heptahydrate and especially solutions of iron (II) sulfate heptahydrate have acid and reducing properties. They react by oxidation or hydrolysis (depending on the pH).

4 Purity criteria

4.1 General

This document specifies the minimum purity requirements for iron (II) sulfate used for the treatment of water intended for human consumption. Limits are given for impurities commonly present in the product. Depending on the raw material and the manufacturing process other impurities may be present and, if so, this shall be notified to the user and when necessary to relevant authorities.

NOTE Users of this product should check the national regulations in order to clarify whether it is of appropriate purity for treatment of water intended for human consumption, taking into account raw water quality, required dosage, contents of other impurities and additives used in the product not stated in this product standard.

Limits have been given for impurities and chemical parameters where these are likely to be present in significant quantities from the current production process and raw materials. If the production process or raw materials leads to significant quantities of impurities, by-products, or additives being present, this shall be notified to the user.

4.2 Composition of commercial product

The product shall contain not less than a mass fraction of 82,1 % of $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ (i.e. not less than a mass fraction of 16 % of Fe) and shall be within ± 3 % of the manufacturer's declared values.

4.3 Impurities and main by-products

The product shall conform to the requirements specified in Table 1.

The concentration limits refer to Fe (II).

Table 1 — Impurities

Impurity	Limit Mass fraction of Fe (II) content in %		
	Grade 1	Grade 2	Grade 3
Manganese max.	0,5	1	2
Insoluble matters :			
- wet crystal form (a) max.	0,6	0,6	0,6
- free flowing form (b) max.	3	3	3
NOTE An excess of insoluble matters indicates the presence of foreign matter. Iron as a component of the product will usually be removed in the treatment process.			

4.4 Chemical parameters

The product shall conform to the requirements specified in Table 2.

The concentration limits are specified in milligrams per kilogram of Fe (II).

Table 2 — Chemical parameters

Parameter	Limit in mg/kg of Fe (II)		
	type 1	type 2	type 3
Arsenic (As) max.	1	20	50
Cadmium (Cd) max.	1	25	50
Chromium (Cr) max.	100	350	500
Mercury (Hg) max.	0,1	5	10
Nickel (Ni) max.	300	350	500
Lead (Pb) max.	10	100	400
Antimony (Sb) max.	10	20	60
Selenium (Se) max.	1	20	60
NOTE Cyanide (CN ⁻),pesticides and polycyclic aromatic hydrocarbons are not relevant since the raw materials used in the manufacturing process are free of them. For maximum impact of iron (II) sulfate on trace metal content in drinking water see A.2.			

5 Test methods

5.1 Sampling

Observe the general recommendations of ISO 3165 and take into account ISO 6206. Prepare the laboratory sample required by the relevant procedure described in ISO 8213.

5.2 Analyses

5.2.1 Main product

Iron (II) sulfate is determined as Fe (II) content in the test sample by titrimetry with potassium dichromate solution (see B.1).

5.2.2 Impurities

5.2.2.1 Manganese

The manganese content shall be determined by flame atomic absorption spectrometry (FAAS) (see B.2).

5.2.2.2 Insoluble matters

The percentage mass fraction of the insoluble matters shall be determined in accordance with the method described in B.3.

5.2.3 Chemical parameters

5.2.3.1 General

The contents of chemical parameters shall be determined by atomic absorption spectrometry (AAS).

5.2.3.2 Preparation of sample solution

5.2.3.2.1 General

Oxidation and wet digestion is used to bring the samples into a stable solution.

5.2.3.2.2 Principle

Oxidation with hydrogen peroxide (H_2O_2) followed by digestion with hydrochloric acid (HCl).

5.2.3.2.3 Reagents

All reagents shall be of a recognized analytical grade and the water used shall conform to the grade 3 specified in EN ISO 3696.

5.2.3.2.3.1 Hydrochloric acid (HCl), solution, mass fraction 30 %.

5.2.3.2.3.2 Hydrogen peroxide (H_2O_2), solution, mass fraction 30 %.