

SVENSK STANDARD

SS-EN 1993-1-11:2006

Fastställt/Approved: 2006-11-06

Publicerad/Published: 2009-03-02

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 91.010.30; 91.070.03; 91.070.80; 91.080.10; 93.040

Eurokod 3: Dimensionering av stålkonstruktioner – Del 1-11: Dragbelastade komponenter

Eurocode 3: Design of steel structures – Part 1-11: Design of structures with tension components

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-46840>

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements. Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Europastandarden EN 1993-1-11:2006 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 1993-1-11:2006.

SS-EN 1993-1-11:2006, utgåva 1 och SS-ENV 1993-2, utgåva 1, gäller parallellt längst till 2010-03-30.

The European Standard EN 1993-1-11:2006 has the status of a Swedish Standard. This document contains the official English version of EN 1993-1-11:2006.

SS-EN 1993-1-11:2006, edition 1 and SS-ENV 1993-2, edition 1, are valid for and run parallel longest to 2010-03-30.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.
E-mail: sis.sales@sis.se Internet: www.sis.se

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 1993-1-11

October 2006

ICS 91.010.30; 91.080.10; 93.040

Supersedes ENV 1993-2:1997

English Version

Eurocode 3 - Design of steel structures - Part 1-11: Design of structures with tension components

Eurocode 3 - Calcul des structures en acier - Partie 1-11:
Calcul des structures à câbles ou éléments tendus

Eurocode 3 - Bemessung und Konstruktion von
Stahlbauten - Teil 1-11: Bemessung und Konstruktion von
Tragwerken mit Zuggliedern aus Stahl

This European Standard was approved by CEN on 13 January 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

SS-EN 1993-1-11:2006 (E)

Contents

Page

1	General	4
1.1	Scope	4
1.2	Normative references.....	5
1.3	Terms and definitions.....	6
1.4	Symbols	7
2	Basis of design.....	8
2.1	General	8
2.2	Requirements.....	8
2.3	Actions.....	9
2.4	Design situations and partial factors.....	11
3	Material	11
3.1	Strength of steels and wires	11
3.2	Modulus of elasticity	11
3.3	Coefficient of thermal expansion	13
3.4	Cutting to length of Group B tension components	14
3.5	Lengths and fabrication tolerances	14
3.6	Friction coefficients.....	14
4	Durability of wires, ropes and strands.....	14
4.1	General	14
4.2	Corrosion protection of individual wires.....	15
4.3	Corrosion protection of the interior of Group B tension components	15
4.4	Corrosion protection of the exterior of Group B tension components	15
4.5	Corrosion protection of Group C tension components	16
4.6	Corrosion protection at connections	16
5	Structural analysis.....	16
5.1	General	16
5.2	Transient construction phase	16
5.3	Persistent design situation during service.....	17
5.4	Non-linear effects from deformations	17
6	Ultimate limit states.....	18
6.1	Tension rod systems	18
6.2	Prestressing bars and Group B and C components.....	18
6.3	Saddles.....	19
6.4	Clamps.....	22
7	Serviceability limit states	23
7.1	Serviceability criteria.....	23
7.2	Stress limits	23
8	Vibrations of cables	24
8.1	General	24
8.2	Measures to limit vibrations of cables.....	25
8.3	Estimation of risks	25
9	Fatigue	25
9.1	General	25
9.2	Fluctuating axial loads.....	26
Annex A (informative) Product requirements for tension components		27
Annex B (informative) Transport, storage, handling		30

Annex C (informative) Glossary31

Foreword

This European Standard EN 1993-1-11, Eurocode 3: Design of steel structures: Part 1-11 Design of structures with tension components, has been prepared by Technical Committee CEN/TC250 « Structural Eurocodes », the Secretariat of which is held by BSI. CEN/TC250 is responsible for all Structural Eurocodes.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by April 2007 and conflicting National Standards shall be withdrawn at latest by March 2010.

This Eurocode partially supersedes ENV 1993-2.

According to the CEN-CENELEC Internal Regulations, the National Standard Organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

National annex for EN 1993-1-11

This standard gives alternative procedures, values and recommendations with notes indicating where national choices may have to be made. The National Standard implementing EN 1993-1-11 should have a National Annex containing all Nationally Determined Parameters to be used for the design of tension components to be constructed in the relevant country.

National choice is allowed in EN 1993-1-11 through:

- 2.3.6(1)
- 2.3.6(2)
- 2.4.1(1)
- 3.1(1)
- 4.4(2)
- 4.5(4)
- 5.2(3)
- 5.3(2)
- 6.2(2)
- 6.3.2(1)
- 6.3.4(1)
- 6.4.1(1)P
- 7.2(2)
- A.4.5.1(1)
- A.4.5.2(1)
- B(6)

SS-EN 1993-1-11:2006 (E)

1 General

1.1 Scope

(1) prEN1993-1-11 gives design rules for structures with tension components made of steel, which, due to their connections with the structure, are adjustable and replaceable see Table 1.1.

NOTE: Due to the requirement of adjustability and replaceability such tension components are generally prefabricated products delivered to site and installed into the structure. Tension components that are not adjustable or replaceable, e.g. air spun cables of suspension bridges, or for externally post-tensioned bridges, are outside the scope of this part. However, rules of this standard may be applicable.

(2) This standard also gives rules for determining the technical requirements for prefabricated tension components for assessing their safety, serviceability and durability.

Table 1.1: Groups of tension components

Group	Main tension element	Component
A	rod (bar)	tension rod (bar) system, prestressing bar
B	circular wire	spiral strand rope
	circular and Z-wires	fully locked coil rope
	circular wire and stranded wire	strand rope
C	circular wire	parallel wire strand (PWS)
	circular wire	bundle of parallel wires
	seven wire (prestressing) strand	bundle of parallel strands

NOTE 1: Group A products in general have a single solid round cross section connected to end terminations by threads. They are mainly used as

- bracings for roofs, walls, girders
- stays for roof elements, pylons
- tensioning systems for steel-wooden truss and steel structures, space frames

NOTE 2: Group B products are composed of wires which are anchored in sockets or other end terminations and are fabricated primarily in the diameter range of 5 mm to 160 mm, see EN 12385-2.

Spiral strand ropes are mainly used as

- stay cables for aerials, smoke stacks, masts and bridges
- carrying cables and edge cables for light weight structures
- hangers or suspenders for suspension bridges
- stabilizing cables for cable nets and wood and steel trusses
- hand-rail cables for banisters, balconies, bridge rails and guardrails

Fully locked coil ropes are fabricated in the diameter range of 20 mm to 180 mm and are mainly used as

- stay cables, suspension cables and hangers for bridge construction
- suspension cables and stabilizing cables in cable trusses
- edge cables for cable nets
- stay cables for pylons, masts, aerials

Structural strand ropes are mainly used as

- stay cables for masts, aerials
- hangers for suspension bridges
- damper / spacer tie cables between stay cables
- edge cables for fabric membranes
- rail cables for banister, balcony, bridge and guide rails.

NOTE 3: Group C products need individual or collective anchoring and appropriate protection.

Bundles of parallel wires are mainly used as stay cables, main cables for suspension bridges and external tendons.

Bundles of parallel strands are mainly used as stay cables for composite and steel bridges.

(4) The types of termination dealt with in this part for Group B and C products are

- metal and resin sockets, see EN 13411-4
- sockets with cement grout
- ferrules and ferrule securing, see EN 13411-3
- swaged sockets and swaged fitting
- U-bolt wire rope grips, see EN 13411-5
- anchoring for bundles with wedges, cold formed button heads for wires and nuts for bars.

NOTE: For terminology see Annex C.

1.2 Normative references

(1) This European Standard incorporates dated and undated reference to other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments or revisions to any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 10138 *Prestressing steels*

Part 1 General requirements

Part 2 Wires

Part 3 Strands

Part 4 Bars

EN 10244 *Steel wire and wire products – Non-ferrous metallic coatings on steel wire*

Part 1 General requirements

Part 2 Zinc and zinc alloy coatings

Part 3 Aluminium coatings

EN 10264 *Steel wire and wire products – Steel wire for ropes*

Part 1 General requirements

Part 2 Cold drawn non-alloyed steel wire for ropes for general applications

Part 3 Cold drawn and cold profiled non alloyed steel wire for high tensile applications

Part 4 Stainless steel wires

EN 12385 *Steel wire ropes – safety*

Part 1 General requirements

Part 2 Definitions, designation and classification

SS-EN 1993-1-11:2006 (E)

Part 3 Information for use and maintenance

Part 4 Stranded ropes for general lifting applications

Part 10 Spiral ropes for general structural applications

EN 13411 *Terminations for steel wire ropes – safety*

Part 3 Ferrules and ferrule-securing

Part 4 Metal and resin socketing

Part 5 U-bolt wire rope grips

1.3 Terms and definitions

(1) For the purpose of this European Standard the following terms and definitions apply.

1.3.1

strand

an element of rope normally consisting of an assembly of wires of appropriate shape and dimensions laid helically in the same or opposite direction in one or more layers around a centre

1.3.2

strand rope

an assembly of several strands laid helically in one or more layers around a core (single layer rope) or centre (rotation-resistant or parallel-closed rope)

1.3.3

spiral rope

an assembly of a minimum of two layers of wires laid helically over a central wire

1.3.4

spiral strand rope

spiral rope comprising only round wires

1.3.5

fully locked coil rope

spiral rope having an outer layer of fully locked Z-shaped wires

1.3.6

fill factor f

the ratio of the sum of the nominal metallic cross-sectional areas of all the wires in a rope (A) and the circumscribed area (A_u) of the rope based on its nominal diameter (d)

1.3.7

spinning loss factor k

reduction factor for rope construction included in the breaking force factor K

1.3.8

breaking force factor (K)

an empirical factor used in the determination of minimum breaking force of a rope and obtained as follows:

$$K = \frac{\pi f k}{4}$$

where f is the fill factor for the rope

k is the spinning loss factor

NOTE: K -factors for the more common rope classes and constructions are given in the appropriate part of EN 12385.

1.3.9

minimum breaking force (F_{\min})

minimum breaking force which should be obtained as follows:

$$F_{\min} = \frac{d^2 R_r K}{1000} \text{ [kN]}$$

where d is the diameter of the rope in mm

K is the breaking force factor

R_r is the rope grade in N/mm²

1.3.10

rope grade (R_r)

a level of requirement of breaking force which is designated by a number (e.g. 1770 [N/mm²], 1960 [N/mm²])

NOTE: Rope grades do not necessarily correspond to the tensile strength grades of the wires in the rope.

1.3.11

unit weight (w)

the self weight of rope based on the metallic cross-section (A_m) and the unit length taking account of the densities of steel and the corrosion protection system

1.3.12

cable

main tension component in a structure (e.g. a stay cable bridge) which may consist of a rope, strand or bundles of parallel wires or strands

1.4 Symbols

- (1) For this standard the symbols given in 1.6 of EN 1993-1-1 and 1.6 of EN 1993-1-9 apply.
- (2) Additional symbols are defined where they first occur.

NOTE: Symbols may have various meanings.