

**Aerospace series – Electrical contacts used in
elements of connection –**

**Part 040: Contacts, electrical, coaxial, size 12, male,
type D, solder, class R – Product standard**

ICS 49.060

Språk: engelska

Publicerad: juni 2007

Europastandarden EN 3155-040:2007 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 3155-040:2007.

The European Standard EN 3155-040:2007 has the status of a Swedish Standard. This document contains the official English version of EN 3155-040:2007.

Uppllysningar om **sakinnehållet** i standarden lämnas av SIS, Swedish Standards Institute, telefon 08 - 555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar **allmänna upplysningar** om svensk och utländsk standard.

Postadress: SIS Förlag AB, 118 80 STOCKHOLM
Telefon: 08 - 555 523 10. *Telefax:* 08 - 555 523 11
E-post: sis.sales@sis.se. *Internet:* www.sis.se

EUROPEAN STANDARD

EN 3155-040

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2007

ICS 49.060

English Version

Aerospace series - Electrical contacts used in elements of connection - Part 040: Contacts, electrical, coaxial, size 12, male, type D, solder, class R - Product standard

Série aérospatiale - Contacts électriques utilisés dans les organes de connexion - Partie 040 : Contacts, électriques, coaxiaux, taille 12, mâles, type D, à souder, classe R - Norme de produit

Luft- und Raumfahrt - Elektrische Kontakte zur Verwendung in Verbindungselementen - Teil 040: Elektrische koaxiale Stiftkontakte, Größe 12, Typ D, zum Löten, Klasse R - Produktnorm

This European Standard was approved by CEN on 6 January 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....3

Introduction4

1 Scope4

2 Normative references4

3 Terms and definitions5

4 Required characteristics5

4.1 Specific characteristics5

4.2 Dimensions and mass5

4.3 Marking by colour code6

4.4 Material, surface treatment6

4.4.1 Material6

4.4.2 Protective coating6

4.4.3 Dielectric6

4.4.4 Heat shrinkable tubing6

4.4.5 Solder rings7

4.5 Permissible cables7

4.6 Stripping of cables and wiring method7

4.6.1 Assembly instructions7

4.6.2 Preparation of coaxial cable7

4.7 Tooling9

4.7.1 Contact termination tooling9

4.7.2 Insertion/extraction tooling9

4.8 Tests10

4.9 Gauge13

5 Designation14

6 Marking14

7 Technical specification14

Foreword

This document (EN 3155-040:2007) has been prepared by the European Association of Aerospace Manufacturers - Standardization (AECMA-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of AECMA, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2007, and conflicting national standards shall be withdrawn at the latest by October 2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

EN 3155-040:2007 (E)**Introduction**

The contacts defined by this standard are derived from those of AS 39029/74 and are intermateable with those of AS 39029/73.

1 Scope

This standard specifies the required characteristics, tests and tooling applicable to size 12, male coaxial, electrical contacts, type D, solder, class R, used in elements of connection according to EN 3155-002.

It shall be used together with EN 3155-001.

The associated female contacts are defined in EN 3155-031 and EN 3155-041.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2591*, *Aerospace series — Elements of electrical and optical connection — Test methods.*

EN 3155-001, *Aerospace series — Electrical contacts used in elements of connection — Part 001: Technical specification.* ¹⁾

EN 3155-002, *Aerospace series — Electrical contacts used in elements of connection — Part 002: List and utilization of contacts.*

EN 3155-031, *Aerospace series — Electrical contacts used in elements of connection — Part 031: Contacts, electrical, coaxial, size 12, female, type D, crimp, class R — Product standard.* ¹⁾

EN 3155-041, *Aerospace series — Electrical contacts used in elements of connection — Part 041: Contacts, electrical, coaxial, size 12, female, type D, solder, class R — Product standard.*

MIL-I-81969, *Installing and removal tools, connector electrical contact, general specification for.* ²⁾

MIL-PRF-7808L, *Lubricating oil, aircraft turbine engine, synthetic base.* ²⁾

MIL-PRF-7870C, *Lubricating oil, general purpose, low temperature.* ²⁾

MIL-PRF-23699F, *Lubricating oil, aircraft turbine engine, synthetic base, NATO code number O-156.* ²⁾

MIL-PRF-87937D, *Cleaning compound, aerospace equipment.* ²⁾

* All parts quoted in this standard.

1) Published as AECMA Prestandard at the date of publication of this standard.

2) Published by: Department of Defense (DOD), The Pentagon, Washington D.C. 20301, USA.

AS 1241C, *Fire resistant phosphate ester hydraulic fluid for aircraft.* ³⁾

AS 31971, *Pin, gage, for socket contact engagement test.* ³⁾

AS 39029/73, *Contact, electrical connectors, socket, solder, removable shielded, size 12 (For MIL-C-83723 Series III, MIL-C-26482 Series 2, MIL-C-83733 and DOD-C-83527 connectors).* ³⁾

AS 39029/74, *Contact, electrical connectors, pin, solder, removable shielded, size 12 (For MIL-C-83723 Series III, MIL-C-26482 Series 2, MIL-C-83733 and DOD-C-83527 connectors).* ³⁾

AMS 1424, *Deicing/Anti-icing fluid, aircraft - SAE type 1.* ³⁾

J-STD-004, *Requirements for soldering fluxes replaces QQ-S-571.* ⁴⁾

TR 6058, *Aerospace series — Cable code identification list.* ⁵⁾

3 Terms and definitions

For the purposes of this standard, the terms and definitions given in EN 3155-001 apply.

4 Required characteristics

4.1 Specific characteristics

Type D contacts are contacts with screening feature, class R corresponds to an operating temperature range from – 65 °C to 150 °C.

4.2 Dimensions and mass

See Figure 1 for dimensions.

Dimensions and tolerances are given in millimetres.


Contact mass: 2,50 g max.

3) Published by: Society of Automotive Engineering (SAE), 400 Commonwealth Drive, Warrendale, PA 15096, USA.

4) Published by: Electronic Industries Alliance (EIA), 2500 Wilson Boulevard, Arlington, Virginia 22201.

5) Published as AECMA Technical Report at the date of publication of this standard.

EN 3155-040:2007 (E)



Key

- 1 Male external contact body
- 2 Female central contact body
- 3 Dielectric
- 4 Heat shrinkable tubing
- 5 Solder rings
- 6 Inspection windows
- 7 See Note.
- a Depth
- b After termination

NOTE Mates with 0,749/0,711 male contact diameter

Figure 1

4.3 Marking by colour code

Not applicable

4.4 Material, surface treatment

4.4.1 Material

Body: Copper alloy

4.4.2 Protective coating

Gold on appropriate undercoat for copper alloy parts

Thickness not specified

4.4.3 Dielectric

ETFE Fluoropolymer or equivalent

4.4.4 Heat shrinkable tubing

Radiation crosslinked polyvinylidene fluoride