

# SVENSK STANDARD

## SS-EN 1501-4:2007

Fastställt/Approved: 2007-10-22

Publicerad/Published: 2007-11-15

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 17.140.30; 43.160

---

### **Avfallshanteringsfordon och tillhörande lyftanordningar – Allmänna krav och säkerhetskrav – Del 4: Regler för bullerprovning för avfallshanteringsfordon**

### **Refuse collection vehicles and their associated lifting devices – General requirements and safety requirements – Part 4: Noise test code for refuse collection vehicles**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-63555>

# Hitta rätt produkt och ett leveranssätt som passar dig

## Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

## Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

## Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

## Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på [sis.se](http://sis.se) och ger dig en bra bild över hur olika produkter hör ihop.

## Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

# Find the right product and the type of delivery that suits you

## Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

## Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

## Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

## Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at [sis.se](http://sis.se), provide an overview of which publications belong together.

## Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Europastandarden EN 1501-4:2007 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 1501-4:2007.

The European Standard EN 1501-4:2007 has the status of a Swedish Standard. This document contains the official English version of EN 1501-4:2007.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00.

Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.

E-mail: [sis.sales@sis.se](mailto:sis.sales@sis.se) Internet: [www.sis.se](http://www.sis.se)



EUROPEAN STANDARD

**EN 1501-4**

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2007

---

ICS 17.140.30; 43.160

English Version

**Refuse collection vehicles and their associated lifting devices -  
General requirements and safety requirements - Part 4: Noise  
test code for refuse collection vehicles**

Bennes de collecte des déchets et leurs lève-conteneurs  
associés - Exigences générales et exigences de sécurité -  
Partie 4 - Code d'essai acoustique des bennes de collecte  
des déchets

Abfallsammelfahrzeuge und die dazugehörigen  
Schüttungen - Allgemeine Anforderungen und  
Sicherheitsanforderungen - Teil 4: Geräuschprüfverfahren  
für Abfallsammelfahrzeuge

This European Standard was approved by CEN on 8 September 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: rue de Stassart, 36 B-1050 Brussels**

# Contents

Page

Foreword.....	3
Introduction .....	4
1 Scope .....	5
2 Normative references .....	5
3 Terms and definitions .....	6
4 Preparation of the RCV for measurements .....	6
4.1 Test environment .....	6
4.2 Choice of the RCV.....	6
4.3 Position of the RCV during measurement .....	6
5 Operating conditions (before and) during measurement.....	6
5.1 RCV conditions .....	6
5.2 Presetting the engine speed.....	6
5.3 Fan speed .....	7
5.4 Selection of operations .....	7
5.5 Chassis operation.....	8
5.6 Compaction system operation .....	8
5.7 Lifting, tilting and lowering of a container operation.....	8
5.8 Dumping of specified waste into the hopper.....	8
6 Noise measurement.....	9
6.1 General.....	9
6.2 Microphone positions .....	9
6.3 Measurement durations .....	9
6.4 Measurements.....	10
7 Determination of the averaged sound power level for a combination of operating conditions.....	11
8 Uncertainties .....	12
8.1 Measurement uncertainties .....	12
8.2 Production uncertainties .....	12
9 Information to be reported.....	12
10 Declaration, labelling and information for use .....	13
Annex A (normative) Information to be reported .....	14
Annex B (normative) Microphone positions .....	15
Annex C (informative) Proposed classification of RCVs for noise measurement purposes (Valid for rear/side/front loaded) .....	17
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 98/37/EC, amended by 98/79/EC.....	18
Annex ZB (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC .....	19

## Foreword

This document (EN 1501-4:2007) has been prepared by Technical Committee CEN/TC 183 "Waste management", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2008, and conflicting national standards shall be withdrawn at the latest by April 2008.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annexes ZA and ZB, which are an integral part of this document.

This European Standard is the fourth part of the series of co-ordinated standards of EN 1501 about "Refuse collection vehicles and their associated lifting devices - General requirements and safety requirements -" comprising the other following parts:

- *Part 1: Rear-end loaded refuse collection vehicles*
- *Part 2: Side loaded refuse collection vehicles*
- *Part 3: Front loaded refuse collection vehicles (under preparation)*
- *Part 5: Lifting devices for refuse collection vehicles (under preparation).*

It augments the above mentioned type C standards.

Its purpose is to provide a means for the determination and declaration of noise emission by RCVs falling within the scope of the standards of the EN 1501 series. The determination of noise emission values is a prerequisite for a manufacturer to assess the noise reduction obtained at the design stage.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

## EN 1501-4:2007 (E)

### Introduction

EU Directive 2000/14/EC “Noise Emission in the Environment by Equipment for Use Outdoor” requires manufacturers within the EU and importers from outside the EU to mark and certify RCVs with a guaranteed sound power level.

This European Standard provides a procedure for the measurement and calculation of sound power emitted by RCVs thus enabling manufacturers and importers to mark and certify all three types of RCV in compliance with the above mentioned EU Directive.

This standard also covers the noise information requirements of EU Directive 98/37/EC relating to Machinery for the measurement of the sound pressure levels at the operator’s positions.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document.

This document is a type C standard as stated in EN ISO 12100.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C Standard.



## 1 Scope

This European Standard specifies the method for measuring the noise emission, which is a significant hazard of refuse collection vehicles (RCVs).

Its goal is to obtain, on one hand, the emission sound pressure level at the operator's position(s) and, on the other hand, the sound power level of the RCV during waste collection. It specifies a standardized procedure for measurement and later comparison of RCVs noise emission, consisting of four operating conditions: chassis operation, compaction operation, lifting, tilting and lowering operation of a container and dumping of specified waste into the RCV.

Together with information concerning other parameters, the test results obtained in accordance with this standard are also applicable to the evaluation of the hazards generated by noise from RCVs.

This standard addresses the uncertainties due to measurement procedures.

This standard deals with the noise measurement conditions for the types of RCVs defined and described in the standards of the EN 1501 series.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 840-1, *Mobile waste containers — Part 1: Containers with 2 wheels with a capacity up to 400 l for comb lifting devices, dimensions and design*

EN 1452-2, *Plastics piping systems for water supply — Unplasticized poly (vinyl chloride) (PVC-U) — Part 2: Pipes*

EN 1501-1, *Refuse collection vehicles and their associated lifting devices - General requirements and safety requirements - Part 1: Rear-end loaded refuse collection vehicles*

EN 1501-2, *Refuse collection vehicles and their associated lifting devices — General requirements and safety requirements — Part 2: Side loaded refuse collection vehicles*

prEN 1501-3, *Refuse collection vehicles and their associated lifting devices — General requirements and safety requirements — Part 3: Front loaded refuse collection vehicles*

EN ISO 3744:1995, *Acoustics - Determination of sound power levels of noise sources using sound pressure - Engineering method in an essentially free field over a reflecting plane (ISO 3744:1994)*

EN ISO 4871:1996, *Acoustics - Declaration and verification of noise emission values of machinery and equipment (ISO 4871:1996)*

EN ISO 11201:1995, *Acoustics - Noise emitted by machinery and equipment - Measurement of emission sound pressure levels at a work station and at other specified positions - Engineering method in an essentially free field over a reflecting plane (ISO 11201:1995)*

EN ISO 12100-1:2003, *Safety of machinery - Basic concepts, general principles for design - Part 1: Basic terminology, methodology (ISO 12100-1:2003)*

EN ISO 12100-2:2003, *Safety of machinery - Basic concepts, general principles for design - Part 2: Technical principles (ISO 12100-2:2003)*

## **EN 1501-4:2007 (E)**

### **3 Terms and definitions**

For the purposes of this document, the terms and definitions given in EN ISO 3744:1995, EN ISO 4871:1996, EN ISO 12100-1:2003, EN ISO 12100-2:2003, EN ISO 11201:1995 and in the series of standards EN 1501 apply, together with the following.

**3.1 shaking mode**  
part of the lifting cycle where the waste container, in its tilted position, is moved back and forth and/or hits a mechanical stop device, either by a specific command or automatically, in order to get all the waste out of it

### **4 Preparation of the RCV for measurements**

#### **4.1 Test environment**

For the test site, test environment and measurement conditions, the requirements of EN ISO 11201:1995 and EN ISO 3744:1995 shall be fulfilled.

#### **4.2 Choice of the RCV**

Measurements shall be carried out on a sample RCV that has the noise emission characteristics of a series of produced RCVs or of a specific RCV class or group (see the note in Clause 9 and Annex C).

#### **4.3 Position of the RCV during measurement**

The RCV shall be tested in a stationary position.

The RCV shall be positioned with its longitudinal axis along the x-axis of the co-ordinate system used to fix the microphone positions and with its mid-length over the origin (see Figure B.2).

### **5 Operating conditions (before and) during measurement**

#### **5.1 RCV conditions**

The engine and hydraulic system shall be warmed up in accordance with the instructions and safety requirements. The information specified in the information for use manual shall also be observed.

No signalling device such as warning horn or reverse auditory signal (buzzer) shall be operated during the test.

If the RCV is fitted with several engines, they shall work simultaneously during the tests. If this is not possible, each possible combination of engines shall be tested.

For measurements inside the cab, the doors and windows shall be closed and any noisy in-cab equipment (fan, radio, air conditioner, etc) off.

#### **5.2 Presetting the engine speed**

For all four noise measurement operations of chassis, compaction, lifting, tilting and lowering of an empty waste container and dumping of waste into the hopper, the engine speed shall be that provided by the automatic engine accelerator which has been preset by the RCV manufacturer.

The engine speed shall be measured for each of the four operations.

If the measured engine speed is lower than the preset speed provided by the RCV manufacturer by more than 5 %, the engine speed shall be increased by the cab accelerator to the intended preset speed.

If the engine speed for any of the four operations is not provided by the RCV manufacturer or if the vehicle is not provided with an automatic accelerator, the engine speed shall be set up at 1 200 rpm by the cab accelerator.

## 5.3 Fan speed

### 5.3.1 General

If the engine of the RCV and/or its hydraulic system are (is) fitted with one or more fan(s), they (it) shall operate during the test. The fan speed to be used shall be in accordance with one of the following conditions (5.3.2 to 5.3.4), depending on the conditions set by the manufacturer of the equipment, and shall appear in the test report, this speed being used in further measurements.

### 5.3.2 Fan drive directly connected to the engine

If the fan drive is directly connected to the engine and/or hydraulic equipment (e.g. by belt drive) it shall operate during the test.

### 5.3.3 Fan drive with several distinct speeds

If the fan can work at several distinct speeds, the test shall be carried out:

- either at its maximum speed,
- or in a first test with the fan set at zero speed and in a second test with the fan set at maximum speed.

### 5.3.4 Fan drive with continuous variable speed

If the fan can work at continuous variable speed, the test shall be carried out either according to 5.3.3) or with the fan speed set by the manufacturer at no less than 70 % of the maximum speed.

NOTE If the fan speed is automatically regulated by the engine temperature and if preliminary noise measurement investigations have shown that the influence of the fan speed measured at microphone positions is less than 1 dB (A), then only one fan speed condition can be used.

## 5.4 Selection of operations

The noise emission of the RCV is determined considering four operating conditions:

- chassis operation,
- compaction operation,
- lifting, tilting and lowering operation of an empty waste container,
- dumping operation of specified waste into the hopper.

This standard does not address the discharge operation as this operation is short in time (1 % of the working period) and the noise emission is of the same order of magnitude as the noise emission of the main operation (compaction).