

SVENSK STANDARD

SS-ISO 8667:2007

Fastställt/Approved: 2007-11-08

Publicerad/Published: 2007-12-03

Utgåva/Edition: 2

Språk/Language: engelska/English

ICS: 43.080.01; 43.080.10; 43.080.20

Vägfordon – Krysstandade växellådsflänsar, typ T (ISO 8667:1992, IDT)

Commercial vehicles and buses – Cross-tooth gearbox flanges, type T (ISO 8667:1992, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-63830>

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Den internationella standarden ISO 8667:2007 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 8667:2007.

Denna standard ersätter SS-ISO 8667, utgåva 1.

The International Standard ISO 8667:2007 has the status of a Swedish Standard. This document contains the official English version of ISO 8667:2007.

This standard supersedes the Swedish Standard SS-ISO 8667, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00.

Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.

E-mail: sis.sales@sis.se Internet: www.sis.se

SS-ISO 8667:2007 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 8667 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Sub-Committee SC 15, *Interchangeability of components of commercial vehicles and buses*.

This second edition cancels and replaces the first edition (ISO 8667:1986), of which it constitutes a technical revision.

Introduction

0.1 Gearbox flanges of types A and S, as specified in ISO 7646:1986, *Commercial vehicles and buses — Gearbox flanges — Type A* and ISO 7647:1986, *Commercial vehicles and buses — Gearbox flanges — Type S* respectively, are designed for force-locking (friction) torque transmission, their capacity for transmission being determined by the size of the flange and the bolts. As static or dynamic torque loads increase, however, a point is reached when these are inadequate, and there is a need for form-locking components.

Increasing problems are being encountered with the flange joint in the assembly of drive shafts for heavy lorries, as power tools cannot be used because of space limitations, and because the large bolts, M16 type, have to be tightened steadily to a torque loading of about 300 N·m for example.

With special vehicles it may also be necessary to replace the engine, transmission units or axles in the shortest possible time, but this can be impracticable with a conventional flange joint which has, for example, ten M16 bolts.

0.2 This form-locking flange joint has been developed to avoid the need to increase the size of the flange or bolts while achieving the required performance or to simplify assembly.

Initially, a flange joint with spiral bevel-type teeth was developed but this is expensive to manufacture. The flange joint specified in this International Standard overcomes the problems described above. It requires only four bolts which are smaller than comparable flanges of conventional construction, and the alignment of the drive shaft is not dependent on them. The drive shaft flange and the transmission flange centre themselves through the groups of teeth which intersect at 70°; this improves alignment, and play, which occurs in conventional joints, is eliminated. As the drive is transmitted through the teeth, the axial force arising under torque loading, which must be carried by the bolts, is relatively low. A further feature is that jamming between flanges during dismantling is prevented.

0.3 The teeth can be produced on a universal milling machine with special cutters for short production runs, while for mass production the use of a surface broaching machine is envisaged. The simple tooth form can be measured easily, thus ensuring interchangeability between components made by different manufacturers.

This page intentionally left blank

Commercial vehicles and buses — Cross-tooth gearbox flanges, type T

1 Scope

This International Standard specifies the nominal dimensions and tolerances which affect interchangeability between cross-tooth gearbox flanges, type T, and mating parts used on commercial vehicles and buses.

2 Dimensions and tolerances

Nominal dimensions and tolerances which affect the interchangeability of type T gearbox flanges shall be as shown in figure 1 and table 1.

Where the flange is formed by forging, an additional groove either side of the driving teeth is permissible. In this case the additional grooves do not form part of the drive.

Dimensions and tolerances of the mating parts, other than those occurring at the interface of the two

flanges, are left to the discretion of the manufacturer of that component.

3 Designation

Gearbox flanges meeting the requirements of this International Standard shall be identified by a certain number of elements, to be given in the following order:


- a) reference to this International Standard;
- b) type code: T;
- c) size: d_1 .

EXAMPLE

Designation of a type T gearbox flange with $d_1 = 150$ mm:

Flange ISO 8667 - T 150

Dimensions in millimetres,
 surface roughness values in micrometres



Adjacent pitch error 0,02
 Cumulative pitch error 0,04
 Tooth to tooth pitch error 0,02

1) See table 1, footnote 2).

2) For comparative measurements, flatness shall be measured at a minimum distance of 5 mm from the diameter d_5 hole and at the outside edges for diameters d_1 and d_3 . Run-out shall be measured on the diameter d_2 circle, at a minimum distance of 5 mm from the diameter d_5 hole.

Figure 1