

SVENSK STANDARD

SS-EN 12899-3:2007

Fastställt/Approved: 2007-11-13

Publicerad/Published: 2007-12-13

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 93.080.30

Vägutrustning – Permanenta vägmärken – Del 3: Kantstolpar och retroreflektorer

Fixed, vertical road traffic signs – Part 3: Delineator posts and retroreflectors

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-63871>

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Europastandarden EN 12899-3:2007 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 12899-3:2007.

The European Standard EN 12899-3:2007 has the status of a Swedish Standard. This document contains the official English version of EN 12899-3:2007.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00.

Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.

E-mail: sis.sales@sis.se Internet: www.sis.se

EUROPEAN STANDARD

EN 12899-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2007

ICS 93.080.30

English Version

Fixed, vertical road traffic signs - Part 3: Delineator posts and retroreflectors

Signaux fixes de signalisation routière verticale - Partie 3:
Délinéateurs et rétroreflecteurs

Ortsfeste, vertikale Straßenverkehrszeichen - Teil 3:
Leitpfosten und Retroreflektoren

This European Standard was approved by CEN on 4 February 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....	3
Introduction	4
1 Scope.....	5
2 Normative references	5
3 Terms, definitions, symbols and abbreviations	6
4 Dimensions and tolerances	7
5 Types of delineator post and retroreflector	7
5.1 Types of delineator post.....	7
5.2 Types of retroreflector.....	7
6 Performance requirements	7
6.1 General.....	7
6.2 Fixing of retroreflectors on delineator posts	8
6.3 Visual performance.....	8
6.4 Physical performance.....	10
7 Test methods.....	12
7.1 Test conditions.....	12
7.2 Test products	12
7.3 Visual performance tests	12
7.4 Physical performance tests	13
8 Marking, labelling and product information.....	15
8.1 Complete traffic delineators, delineator posts only or fixed retroreflectors only.....	15
8.2 Components	16
9 Evaluation of conformity.....	16
10 Dangerous substances.....	16
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive	17
ZA.1 Scope and relevant characteristics.....	17
ZA.2 Procedure for attestation of conformity of delineator posts and fixed retroreflectors.....	21
ZA.3 CE marking and labelling	23

Foreword

This document (EN 12899-3:2007) has been prepared by Technical Committee CEN/TC 226 "Road equipment" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2008, and conflicting national standards shall be withdrawn at the latest by August 2012.

No existing European Standard is superseded.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association and supports essential requirements of EU Directives.

For relationship with EU Directives, see informative Annex ZA, which is an integral part of this document.

This European Standard consists of the following Parts under the general title:

Fixed, vertical road traffic signs —

Part 1: *Fixed signs*

Part 2: *Transilluminated traffic bollards (TTB)*

Part 3: (this part) *Delineator posts and retroreflectors*

Part 4: *Factory production control*

Part 5: *Initial type testing*

It is based on performance requirements and test methods published in CEN, CENELEC, CIE (International Commission on Illumination) and ISO documents together with standards of the CEN member organizations.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

This European Standard is designed for use by road authorities. It can also be used by private developers who wish to use signs on their own land similar to those used on public highways.

It can be used to implement type approval and certification testing.

It derives from performance requirements and test methods published in CEN, CENELEC, CIE and ISO documents together with standards of the CEN member organizations.

1 Scope

This Part 3 of EN 12899 specifies requirements for new delineator posts and for new retroreflectors as separate products or combined together to be used in traffic circulation areas.

It covers performance requirements and test methods.

Colorimetric and retroreflective properties are specified taking into account CIE recommendations.

Structural requirements include performance under static and dynamic loading.

Provision is made for safety in use, including vehicle impact.

To define durability this standard also includes performance levels to be maintained after natural weathering exposure.

No requirements are given for the use of colours, dimensions and tolerances of delineator posts and retroreflectors.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12767, *Passive safety of support structures for road equipment — Requirements and test methods*

EN 12899-1:2007, *Fixed, vertical road traffic signs — Part 1: Fixed signs*

EN 12899-4:2007, *Fixed, vertical road traffic signs — Part 4: Factory production control*

EN 12899-5:2007, *Fixed, vertical road traffic signs — Part 5: Initial type testing*

EN ISO 877:1996, *Plastics — Methods of exposure to direct weathering, to weathering using glass-filtered daylight, and to intensified weathering by daylight using Fresnel mirrors (ISO 877:1994)*

EN ISO 9001, *Quality management systems — Requirements (ISO 9001:2000)*

ISO 4:1997, *Information and documentation — Rules for the abbreviation of title words and titles of publications*

ISO 9227, *Corrosion tests in artificial atmospheres — Salt spray tests*

ISO/CIE 10526, *CIE standard illuminants for colorimetry*

ISO/CIE 10527, *CIE standard colorimetric observers*

CIE 15, *Colorimetry*

CIE 54.2, *Retroreflection — Definition and measurement*

3 Terms, definitions, symbols and abbreviations


For the purposes of this document, the symbols and abbreviations given in ISO 4:1997 and the following apply.

3.1 delineator post
 post, placed at the edge of a carriageway, to indicate the alignment of the road and/or to warn of a hazard during daytime conditions.

NOTE The delineator post can be equipped with one or more retroreflectors

3.2 ground line
 notional horizontal line on the delineator post which, when it is installed correctly, is level with the ground (see Figure 1) or with the top of the safety barrier (see Figure 2) on which it is installed


NOTE Delineator posts are normally installed in the level part of the verge so as to fulfil their function of indicating the alignment of that part of the highway on which it is safe to drive and/or to indicate the presence of a hazard.



Key:

1	Carriageway	5	Verge
2	Height	6	Slope
3	Delineator post	7	Retroreflector
4	Ground line		

Figure 1 — Illustration of ground line (1)



Key:

1	Carriageway	5	Verge
2	Safety barrier	6	Slope
3	Delineator post	7	Retroreflector
4	Ground line		

Figure 2 — Illustration of ground line (2)

3.3

retroreflector

device, made using any available technology, that retroreflects incident light.

NOTE Retroreflectors may be installed on delineator posts

3.4

test product

product (delineator post or retroreflector) in original size and design, or part of it prepared by the manufacturer or the supplier, to be subjected to testing in accordance with the applicable part of this standard

4 Dimensions and tolerances

Dimensions and tolerances of delineators and retroreflectors shall conform to the customer's requirements.

5 Types of delineator post and retroreflector

5.1 Types of delineator post

The classification of types of delineator post shall be:

- D1 delineator posts for ground fixing which are not specifically designed to be reusable after the impact test described in 7.4.1.3;
- D2 delineator posts for ground fixing which are designed to be reusable after the impact test described in 7.4.1.3 (e.g. those posts which may be dislodged, but are designed to be remounted);
- D3 delineator posts for ground fixing which are designed to deflect and after the impact test as described in 7.4.1.3 return to an upright position (spring-back or flexible);
- D4 delineator posts for fixing to structures (fixed), e.g. bridges, crash barriers and guard rails.

5.2 Types of retroreflector

The classification of types of retroreflector shall be:

- R1 retroreflective sheeting (material);
- R2 plastic corner cube retroreflectors;
- R3 biconvex glass retroreflectors.

6 Performance requirements

6.1 General

All parts of delineator posts of types D1, D2 and D3 shall present no sharp edges above the ground line.

If the materials are suitable for recycling this shall be indicated by the appropriate material code.