

Teknisk specifikation

SIS-ISO/TS 16610-40:2008

Publicerad/Published: 2008-02-04

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 17.040.20

Geometriska produktspecifikationer (GPS) – Filtrering – Del 40: Morfologiska profilfilter: Grundläggande begrepp

Geometrical product specifications (GPS) – Filtration – Part 40: Morphological profile filters: Basic concepts

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-64199>

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Denna tekniska specifikation är inte en svensk standard. Detta dokument innehåller den engelska språkversionen av ISO/TS 16610-40:2006.

This Technical Specification is not a Swedish Standard. This document contains the English version of ISO/TS 16610-40:2006.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00.

Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.

E-mail: sis.sales@sis.se Internet: www.sis.se

Contents

Page

Foreword	iv
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Basic concepts	3
4.1 Minkowski sums	3
4.2 Morphological operations	4
5 Morphological filters	7
5.1 General	7
5.2 Fill transform	7
5.3 Discrete morphological filters	8
5.4 Envelope filters	8
5.5 Sampling and reconstruction	9
Annex A (informative) Concept diagram	13
Annex B (informative) Relationship to the filtration matrix model	14
Annex C (informative) Relationship to the GPS matrix model	15
Bibliography	16

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of normative document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 16610-40 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

ISO/TS 16610 consists of the following parts, under the general title *Geometrical product specifications (GPS) — Filtration*:

- *Part 1: Overview and basic concepts*
- *Part 20: Linear profile filters: Basic concepts*
- *Part 22: Linear profile filters: Spline filters*
- *Part 29: Linear profile filters: Spline wavelets*
- *Part 31: Robust profile filters: Gaussian regression filters*
- *Part 32: Robust profile filters: Spline filters*
- *Part 40: Morphological profile filters: Basic concepts*

- *Part 41: Morphological profile filters: Disk and horizontal line-segment filters*
- *Part 49: Morphological profile filters: Scale space techniques*

The following parts are under preparation:

- *Part 21: Linear profile filters: Gaussian filters*
- *Part 26: Linear profile filters: Filtration on nominally orthogonal grid planar data sets*
- *Part 27: Linear profile filters: Filtration on nominally orthogonal grid cylindrical data sets*
- *Part 30: Robust profile filters: Basic concepts*
- *Part 42: Morphological profile filters: Motif filters*
- *Part 60: Linear areal filters: Basic concepts*
- *Part 61: Linear areal filters: Gaussian filters*
- *Part 62: Linear areal filters: Spline filters*
- *Part 69: Linear areal filters: Spline wavelets*
- *Part 70: Robust areal filters: Basic concepts*
- *Part 71: Robust areal filters: Gaussian regression filters*
- *Part 72: Robust areal filters: Spline filters*
- *Part 80: Morphological areal filters: Basic concepts*
- *Part 81: Morphological areal filters: Sphere and horizontal planar segment filters*
- *Part 82: Morphological areal filters: Motif filters*
- *Part 89: Morphological areal filters: Scale space techniques*

Introduction

This part of ISO/TS 16610 is a geometrical product specification (GPS) Technical Specification and is to be regarded as a global GPS Technical Specification (see ISO/TR 14638). It influences the chain links 3 and 5 of all chains of standards.

For more detailed information about the relation of this part of ISO/TS 16610 to the GPS matrix model, see Annex C.

This part of ISO/TS 16610 develops the terminology and concepts for morphological operations and filters, including envelope filters.

Geometrical product specifications (GPS) — Filtration —

Part 40:

Morphological profile filters: Basic concepts

1 Scope

This part of ISO/TS 16610 sets out the basic concepts and terminology for morphological operations and filters, including envelope filters.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14660-1:1999, *Geometrical Product Specifications (GPS) — Geometrical features — Part 1: General terms and definitions*

ISO/TS 16610-1:2006, *Geometrical product specifications (GPS) — Filtration — Part 1: Overview and basic concepts*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14660-1 and ISO/TS 16610-1 and the following apply.

3.1

morphological operation

binary operation involving two sets of geometrical objects, resulting in another geometrical object

NOTE Dilation and erosion are two primary morphological operations, and closing and opening are two secondary morphological operations.

3.2

morphological filter

morphological operation (3.1) that is both **monotonically increasing** (3.11) and **idempotent** (3.12)

3.3

envelope filter

closing (3.10) or **opening** (3.9) filter, whose output envelops the input profile or surface

NOTE A closing filter generates the upper envelope; an opening filter generates the lower envelope.

3.4

Minkowski addition

vector sum of points in two given geometrical sets

SIS-ISO/TS 16610-40:2008 (E)

3.5

Minkowski subtraction

binary operation defined using **Minkowski addition** (3.4) of two sets

NOTE It is the complement of the Minkowski addition of the complement of the first set with the second set.

3.6

structuring element

⟨morphological filters⟩ second geometrical object used in morphological operations

3.7

dilation

⟨morphological⟩ morphological operation that expands one input set by another

NOTE Dilation is not a morphological filter because it is not idempotent.

3.8

erosion

⟨morphological⟩ morphological operation that shrinks one input set by another

NOTE Erosion is not a morphological filter because it is not idempotent.

3.9

opening

⟨morphological filters⟩ morphological operation obtained by applying the **erosion** (3.8) followed by the **dilation** (3.7)

NOTE An opening is both a morphological filter and one of the two basic building blocks for other morphological filters.

3.10

closing

⟨morphological filters⟩ morphological operation obtained by applying the **dilation** (3.7) followed by the **erosion** (3.8)

NOTE A closing is both a morphological filter and one of the two basic building blocks for other morphological filters.

3.11

monotonically increasing

⟨morphological filters⟩ property of an operation that preserves the set containment condition on its operands

3.12

idempotent

property of an operation such that applying the operation more than once does not change the outcome

3.13

extensive

⟨morphological filters⟩ property of an operation that the output of the operation contains the input

3.14

anti-extensive

⟨morphological filters⟩ property of an operation that the output of an operation is contained in the input

3.15

fill transform

operation that converts a profile into a two-dimensional object, and a surface into a three-dimensional object

3.16

umbra transform

fill transform (3.15) applicable to open profiles and open surfaces

3.17

rigid body transformation

operation on a geometric object involving translations and rotations that do not change the distance between any two points in the object

3.18

rigid motion invariant

property of an operation that does not change under **rigid body transformation** (3.17)

4 Basic concepts

4.1 Minkowski sums

4.1.1 General

Minkowski sums refer to Minkowski additions and Minkowski subtractions involving sets of geometric objects in any dimension. Geometric objects are represented by sets of points.

NOTE A concept diagram for the concepts for morphological filters is given in Annex A. The relationship to the filtration matrix model is given in Annex B.

4.1.2 Minkowski addition

Minkowski addition of two sets, A and B , is denoted $A \oplus B$, and is defined as the vector addition


$$A \oplus B = \{a + b : a \in A, b \in B\} \tag{1}$$

Figure 1 illustrates the Minkowski addition of two sets, A and B , in two dimensions.

NOTE 1 Sets A and B can be of any dimensionality. They can also be of mixed dimensionality, e.g. A can be three-dimensional and B can be two-dimensional. Sets in one, two and three dimensions are of interest.

NOTE 2 Minkowski addition can be viewed as the sweep of one set over the other set. This can be seen in the construction of $A \oplus B$ in Figure 1. Minkowski addition leads to an enlargement of the sets that are added.

NOTE 3 Minkowski addition is commutative, i.e. $A \oplus B = B \oplus A$, as can be verified from the definition of Minkowski addition.



NOTE Shaded areas are the sets

Figure 1 — Minkowski addition of two sets