

# SVENSK STANDARD

## SS-EN 14761:2006+A1:2008

Fastställt/Approved: 2008-07-17

Publicerad/Published: 2008-10-06

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 79.080; 94.300

---

**Trägolv – Massiv stavparkett med grada kanter – Kort läkt  
samt kloss**

**Wood flooring – Solid wood parquet – Vertical finger, wide  
finger and module brick**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-66905>



SWEDISH  
STANDARDS  
INSTITUTE

# Hitta rätt produkt och ett leveranssätt som passar dig

## Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

## Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

## Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

## Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på [sis.se](http://sis.se) och ger dig en bra bild över hur olika produkter hör ihop.

## Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

# Find the right product and the type of delivery that suits you

## Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

## Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

## Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

## Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at [sis.se](http://sis.se), provide an overview of which publications belong together.

## Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Europastandarden EN 14761:2006+A1:2008 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 14761:2006+A1:2008.

Denna standard ersätter SS-EN 14761:2006, utgåva 1.

The European Standard EN 14761:2006+A1:2008 has the status of a Swedish Standard. This document contains the official English version of EN 14761:2006+A1:2008.

This standard supersedes the Swedish Standard SS-EN 14761:2006, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00.

Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.

E-mail: [sis.sales@sis.se](mailto:sis.sales@sis.se) Internet: [www.sis.se](http://www.sis.se)



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 14761:2006+A1**

July 2008

ICS 79.080

Supersedes EN 14761:2006

English Version

## Wood flooring - Solid wood parquet - Vertical finger, wide finger and module brick

Plancher en bois - Parquet en bois massif - Lamelle  
verticale, sur chant et à coupe de pierre

Holzfußböden - Massivholzparkett - Hochkantlamelle,  
Breitlamelle und Modulklotz

This European Standard was approved by CEN on 30 December 2005 and includes Amendment 1 approved by CEN on 30 May 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: rue de Stassart, 36 B-1050 Brussels**

## Contents

Page

Foreword.....	3
1 Scope .....	4
2 Normative references .....	4
3 Terms and definitions .....	5
4 Symbols and abbreviations .....	5
5 Specific product requirements.....	6
5.1 Wood species.....	6
5.2 Appearance .....	6
5.2.1 General rules .....	6
5.2.2 Rules for wide fingers and module bricks .....	6
5.2.3 Rules for vertical finger.....	7
5.2.4 Free class .....	8
5.3 Moisture content.....	8
5.4 Geometrical characteristics.....	8
5.4.1 General.....	8
5.4.2 Vertical finger.....	8
5.4.3 Wide finger .....	9
5.4.4 Module brick.....	10
5.4.5 Vertical finger laying unit – like a ladder.....	11
5.4.6 Wide finger laying unit – like a ladder .....	11
5.4.7 Module parquet laying unit – made up from component squares.....	12
5.4.8 Machining .....	12
5.5 Technical specifications and properties .....	12
5.5.1 Technical characteristics required when in service .....	12
5.5.2 Specific site requirements .....	12
5.5.3 Appearance .....	12
5.5.4 Renovation and repair.....	13
6 Marking .....	13
Annex A (informative) Botanical and trade names of the most commonly used species for wood flooring (hardwood and softwood species) .....	14
Annex B (normative) Principles for the classification of the free class .....	20
Bibliography.....	21

## Foreword

This document (EN 14761:2006+A1:2008) has been prepared by Technical Committee CEN/TC 175 “Round and sawn timber”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2009 and conflicting national standards shall be withdrawn at the latest by January 2009.

This document includes Amendment 1, approved by CEN on 2008-05-30.

This document supersedes EN 14761:2006.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 and A1.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

## SS-EN 14761:2006+A1:2008 (E)

### 1 Scope

This European Standard specifies the characteristics of solid vertical and wide finger as well as Module brick including the laying units made of softwood or hardwood for internal use as flooring. This standard covers products without surface treatments.

This standard covers also treated or untreated elements.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 844-1:1995, *Round and sawn timber – Terminology – Part 1 : General terms common to round timber and sawn timber*

EN 844-3:1995, *Round and sawn timber – Terminology – Part 3 : General terms relating to sawn timber*

EN 844-4:1997, *Round and sawn timber – Terminology – Part 4 : Terms relating to structure content*

EN 844-6:1997, *Round and sawn timber – Terminology – Part 6 : Terms relating to dimensions of sawn timber*

EN 844-7:1997, *Round and sawn timber – Terminology – Part 7 : Terms relating to anatomical structure of timber*

EN 844-9:1997, *Round and sawn timber – Terminology – Part 9 : Terms relating to features of sawn timber*

EN 844-10:1998, *Round and sawn timber – Terminology – Part 10 : Terms relating to stain and fungal attack*

EN 844-11:1998, *Round and sawn timber – Terminology – Part 11 : Terms relating to degrade by insects*

EN 844-12:2000, *Round and sawn timber – Terminology – Part 12 : Additional terms and general index*

EN 1310, *Round and sawn timber – Method of measurement of features*

EN 1534, *Wood and parquet flooring - Determination of resistance to indentation (Brinell) - Test method*

EN 13183-1, *Moisture content of a piece of sawn timber - Part 1: Determination by oven dry method*

EN 13183-2, *Moisture content of a piece of sawn timber - Part 2: Estimation by electrical resistance method*

EN 13647, *Wood and parquet flooring and wood panelling and cladding - Determination of geometrical characteristics*

EN 13756:2002, *Wood flooring – Terminology*

EN 14342, *Wood flooring – Characteristics, evaluation of conformity and marking*



### 3 Terms and definitions

For the purposes of this European Standard the terms and definitions given in EN 844-1:1995, EN 844-3:1995, EN 844-4:1997, EN 844-6:1997, EN 844-7:1997, EN 844-9:1997, EN 844-10:1998, EN 844-11:1998, EN 844-12:2000 and EN 13756:2002 and the following apply.

#### 3.1

##### **vertical finger**

element of solid sawn wood, of small dimensions having flat edges similar to the mosaic parquet finger, and with tolerances in regard of the rectangular shape and the dimensions regarding the width and the thickness

#### 3.2

##### **wide finger**

small element of solid wood, with rectangular shape, having flat edges

NOTE See dimensions in Tables 4 (wide finger) and 5 (module brick)

#### 3.3

##### **module brick**

element of solid wood, with rectangular shape having flat edges

NOTE See dimensions in Tables 4 (wide finger) and 5 (module brick)

#### 3.4

##### **vertical finger laying unit**

pre-assembled laying unit made up of a certain number of fingers laid on their longest edge forming a pattern like a ladder

NOTE The particular fingers are held together by an adequate material either on their face and/or at the back for means of transportation and installation

#### 3.5

##### **wide finger laying unit**

pre-assembled laying unit made up from a certain number of wide fingers which are assembled edge to edge forming a pattern like a ladder

NOTE The particular fingers are held together by an adequate material on their back for means of transportation and installation

#### 3.6

##### **module parquet laying unit**

pre-assembled laying unit made up of module bricks which are assembled edge to edge in a certain way in order to form a pattern, e. g. squares or other designs

NOTE The module bricks are held together by an adequate material on their face and/or at the back for means of transportation and installation

### 4 Symbols and abbreviations

*l* Length of the face of the element

*b* Width of the face of the element

*t* Thickness between the face and the back of the element

## SS-EN 14761:2006+A1:2008 (E)

### 5 Specific product requirements

#### 5.1 Wood species

A list of the most commonly used species for elements and laying units as described in this standard is given in Annex A.

#### 5.2 Appearance

##### 5.2.1 General rules

A classification with three appearance classes is specified, designated ○, △ and □.

Tables 1 and 2 define the classification relating to appearance rules for the face of wide fingers and module bricks made of oak, beech and ash.

Appearance rules for vertical fingers are given in 5.2.3.

A classification named "Free class" is based on the principle laid out in Annex B.

The wood shall be sound and the surface free of insect galleries. All annual growth layer as well as medullary ray are permitted.

##### 5.2.2 Rules for wide fingers and module bricks

###### 5.2.2.1 For *Quercus* spp. (oak)

Rules for oak are given in Table 1.

**Table 1 — Classification for Quercus spp. (oak)**

Features	Class		
	○	Δ	□
<b>Sapwood</b>	Not permitted	Permitted	Permitted
<b>Knots <sup>a</sup></b>	Not permitted	Not permitted	Permitted
<b>Checks</b>	Not permitted	Not permitted	Permitted
<b>Bark pocket</b>	Not permitted	Not permitted	Permitted
<b>Lightning shakes</b>	Not permitted	Not permitted	Permitted
<b>Slope of grain</b>	Permitted	Permitted	Permitted
<b>Biodeterioration</b>	Not permitted	Not permitted	Permitted
<b>Colour variation</b>	Large variation not permitted	Permitted	Permitted

<sup>a</sup> Sound knots not exceeding 2 mm in diameter and black knots not exceeding 1 mm in diameter are permitted, if they do not occur in clusters.

**5.2.2.2 For Fraxinus excelsior (ash) and Fagus sylvatica (beech)**

Rules for ash and beech shall be as specified in Table 1 except for the specific features given in Table 2.

**Table 2 — Classification for Fraxinus excelsior (ash) and Fagus sylvatica (beech)**

Features	Class		
	○	Δ	□
<b>For ash:</b>			
<b>Sound brown heart</b>	Not permitted	Permitted	Permitted
<b>Sapwood</b>	Permitted	Permitted	Permitted
<b>For beech:</b>			
<b>Sound red heart</b>	Not permitted	Permitted	Permitted

**5.2.3 Rules for vertical finger**

The vertical finger shall have no limitations regarding colour, knots and structure.

Sapwood and stain shall be permitted.