

SVENSK STANDARD

SS-ISO 17616:2008

Fastställt/Approved: 2008-11-27

Publicerad/Published: 2009-01-13

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 13.080.05

Markundersökningar – Vägledning för val och utvärdering av bioanalys för ekotoxikologisk karaktärisering av jord och jordmaterial (ISO 17616:2008, IDT)

Soil quality – Guidance on the choice and evaluation of bioassays for ecotoxicological characterization of soils and soil materials (ISO 17616:2008, IDT)



SWEDISH
STANDARDS
INSTITUTE

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Den internationella standarden ISO 17616:2008 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 17616:2008.

The International Standard ISO 17616:2008 has the status of a Swedish Standard. This document contains the official English version of ISO 17616:2008.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00.

Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.

E-mail: sis.sales@sis.se Internet: www.sis.se

Contents	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
3.1 Assessment	2
3.2 Types of soil and other soil materials	3
3.3 Terms relating to soil characteristics	3
3.4 Land and sites	4
4 Principles and use of test batteries	4
5 Testing strategy and interpretation of test results according to the use and re-use of soils, soil materials and soil functions	5
5.1 Monitoring and control of the success of soil treatments	5
5.2 Assessment of the ecotoxic potential of soils and soil materials with respect to their intended use	5
Annex A (informative) Tests with soil eluate — Expression of results	10
Bibliography	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 17616 was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 7, *Soil and site assessment*.

Introduction

The characterization of contaminated soils may be based on strategies considering chemical analysis and/or bioassays. ISO 15799 provides guidance on the selection of experimental methods for the assessment of the ecotoxic potential of soils and soil materials (e.g. excavated and remediated soils, refills, embankments) with respect to their intended use, and possible adverse effects on aquatic and soil dwelling organisms. An assessment strategy giving instructions for the choice and evaluation of bioassays, and for the evaluation of the test results including empirically derived critical dilution levels that take into account the sensitivity of the test system and the intended use/re-use of the site under investigation, is proposed. This approach is based on the results of a research program and intends to contribute to an effective and comparable risk assessment within the ecotoxicological characterization of contaminated soil. The test systems included in this approach are not mandatory and may be replaced or accomplished by other test methods. Nevertheless, the test systems selected have proved to characterize contaminated soils appropriately with respect to their ecotoxic properties towards aquatic and terrestrial organisms maintaining the essential soil functions.

Soil quality — Guidance on the choice and evaluation of bioassays for ecotoxicological characterization of soils and soil materials

1 Scope

This International Standard is one of a series providing guidance on the characterization of soils and soil materials in relation to their retention and habitat function and uses. It should be read in conjunction with the other standards in this series. It provides guidance on the choice and evaluation of tests applied for ecotoxicological characterization of soils and soil materials. Recommendations for test strategies with respect to the protection of ground and surface waters and the maintenance of the habitat function of soil are included. The tests recommended represent a minimum test battery that may be accomplished by additional tests, or even be replaced by others, according to the intended uses or protection goals envisaged. The effect values indicated in this International Standard do not refer to regulation, but represent the lowest level at which a response is supposed to result in an adverse effect.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6341, *Water quality — Determination of the inhibition of the mobility of Daphnia magna Straus (Cladocera, Crustacea) — Acute toxicity test*

ISO 8692, *Water quality — Freshwater algal growth inhibition test with unicellular green algae*

ISO 11074:2005, *Soil quality — Vocabulary*

ISO 11267, *Soil quality — Inhibition of reproduction of Collembola (Folsomia candida) by soil pollutants*

ISO 11268-1, *Soil quality — Effects of pollutants on earthworms (Eisenia fetida) — Part 1: Determination of acute toxicity using artificial soil substrate*

ISO 11268-2, *Soil quality — Effects of pollutants on earthworms (Eisenia fetida) — Part 2: Determination of effects on reproduction*

ISO 11269-2, *Soil quality — Determination of the effects of pollutants on soil flora — Part 2: Effects of chemicals on the emergence and growth of higher plants*

ISO 11348 (all parts), *Water quality — Determination of the inhibitory effect of water samples on the light emission of Vibrio fischeri (Luminescent bacteria test)*

ISO 13829, *Water quality — Determination of the genotoxicity of water and waste water using the umu-test*

ISO 15176:2002, *Soil quality — Characterization of excavated soil and other soil materials intended for re-use*

ISO 15685, *Soil quality — Determination of potential nitrification and inhibition of nitrification — Rapid test by ammonium oxidation*

SS-ISO 17616:2008 (E)

ISO 15799:2003, *Soil quality — Guidance on the ecotoxicological characterization of soils and soil materials*

ISO 15952, *Soil quality — Effects of pollutants on juvenile land snails (Helicidae) — Determination of the effects on growth by soil contamination*

ISO 16240, *Water quality — Determination of the genotoxicity of water and waste water — Salmonella/microsome test (Ames test)*

ISO 16387, *Soil quality — Effects of pollutants on Enchytraeidae (Enchytraeus sp.) — Determination of effects on reproduction and survival*

ISO 17155:—¹⁾, *Soil quality — Determination of abundance and activity of soil microflora using respiration curves*

ISO 17402:—¹⁾, *Soil quality — Guidance for the selection and application of methods for the assessment of bioavailability in soil and soil materials*

ISO 20079, *Water quality — Determination of the toxic effect of water constituents and waste water on duckweed (Lemna minor) — Duckweed growth inhibition test*

ISO 20665:—¹⁾, *Water quality — Determination of chronic toxicity to Ceriodaphnia dubia*

ISO 20666:—¹⁾, *Water quality — Determination of the chronic toxicity to Brachionus calyciflorus in 48 h*

ISO 20963, *Soil quality — Effects of pollutants on insect larvae (Oxythyrea funesta) — Determination of acute toxicity*

ISO 22030, *Soil quality — Biological methods — Chronic toxicity in higher plants*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 Assessment

3.1.1

soil-related assessment

assessment of the ecotoxic potential of soils, soil substrates and soil materials based on chemical analysis, biological tests and field inventories (monitoring) such as that mentioned in the TRIAD approach ^[9]

NOTE TRIAD means an assessment approach based on a combination of chemical (i.e. residue analysis), ecotoxicological (i.e. laboratory tests) and ecological (i.e. monitoring) data.

3.1.2

risk

expression of the probability that an adverse effect on soil functions will occur under defined conditions and the magnitude of the consequences of the effect occurring

1) To be published.

3.1.3

LID-value

lowest-ineffective-dilution value

lowest value of the dilution factor (LID) for which the test gives an ecotoxicological relevant reduction (e.g. 20 % inhibition of luminescence)

EXAMPLE A LID 8 corresponds to a dilution of soil extract of 1:8.

NOTE 1 The exact definitions are given in the standard of the respective bioassay. According to ISO 13829 for the umu-test, it is the “ D_{Li} value”. According to ISO 16240, it is the “decisive D_{min} value”.

NOTE 2 For further information, see Annex A.

3.2 Types of soil and other soil materials

3.2.1

soil

upper layer of the Earth's crust composed of mineral particles, organic matter, water, air and organisms

[ISO 11074:2005]

3.2.2

soil material

material coming from soil and displaced and/or modified by human activity, including excavated soil, dredged materials, manufactured soils, and treated soils and fill materials

[ISO 17402:—¹]

3.2.3

topsoil

upper part of a natural soil which is generally dark coloured and has a higher organic matter and nutrient content when compared to the subsoil below

3.3 Terms relating to soil characteristics

3.3.1

habitat function

ability of soils/soil materials to serve as a habitat for microorganisms, plants, soil-living animals and their interactions (biocenoses)

[ISO 15799:2003]

3.3.2

retention function

ability of soils/soil materials to adsorb pollutants in such a way that they cannot be mobilized via the water pathway and translocated into the food chain

[ISO 15799:2003]

3.3.3

contaminant

substance or agent present in the soil as a result of human activity

cf. **pollutant** (3.3.4)

NOTE There is no assumption in this definition that harm results from the presence of the contaminant.

[ISO 15176:2002]

SS-ISO 17616:2008 (E)

3.3.4

pollutant

substances, which due to their properties, amount or concentration cause impacts on the soil function or soil use

cf. **contaminant** (3.3.3)

NOTE Adapted from ISO 15176:2002. Also see the introduction to ISO 11074:2005.

3.4 Land and sites

3.4.1

re-use

useful and harmless utilization of soil materials

[ISO 15176:2002]

4 Principles and use of test batteries

Sensitivity of animal and plant communities to toxicants may vary significantly from one species to another. Thereby, it is therefore admitted that the results of several ecotoxicity tests can only give a clear view of toxic effects of soil or water samples.

This combination of ecotoxicity tests, defined as a battery, shall include organisms belonging to various trophic levels, several endpoints (acute toxicity, chronic toxicity, genotoxicity) as well as varied functional activities, in order to take into account the variability of species sensitivity within the studied compartment.

The ecotoxicity tests included in batteries should at least have the following characteristics:

- sensitivity;
- practicability;
- standardized protocols;
- high cost efficiency.

These tests should allow the identification of the most sensitive trophic level and give information on toxic effects. The tests should also be representative of the soil ecosystem or at least representative of the selected scenario. According to the scenario (e.g. habitat function, agricultural use of waste), the applied test battery can differ.

Evaluation of results from ecotoxicological tests applies for

- monitoring and control of the success of soil treatment (off-site, on-site, *in-situ*),
- assessment of the ecotoxic potential of soils and soil materials (e.g. excavated and remediated soils, refills, embankments) with respect to their intended use and possible adverse effects on aquatic and soil-dwelling organisms, and
- assessment of mobile and bioavailable potentially harmful substances, in cases where the soil/soil material can affect the ground and surface water and in cases where pollutants are added to soils and may enter the food chain, e.g. agricultural use of wastes (sludge, composts, etc.).

5 Testing strategy and interpretation of test results according to the use and re-use of soils, soil materials and soil functions

5.1 Monitoring and control of the success of soil treatments

For assessing the success of soil treatments, the following procedure may be applied:

- a) ecotoxicological assessment of the soil sample with a test battery before the treatment (5.2);
- b) monitoring of the soil treatment with a simple test selected from the battery [e.g. the most sensitive and practical (5.1)];
- c) new assessment with the same test battery, in order to judge the success of the treatment (5.2).

5.2 Assessment of the ecotoxic potential of soils and soil materials with respect to their intended use

5.2.1 General

If soils or soil materials are assessed with respect to their intended use or re-use, tests (see ISO 15799) appropriate to assess the soil quality with respect to the retention function (see Table 1) and to the habitat function (see Table 2) should be applied. A strategy for the assessment of the ecotoxicological characterization of soils and soil materials is proposed in Figure 1.

A test battery usually includes genotoxicity test(s), acute and chronic toxicity tests. If acute toxicity is detected, it is not necessary to perform other tests. Conclusions, indeed, can be drawn on the results of the acute toxicity test(s). On the other hand, if no acute effect is detected, chronic toxicity test(s) and genotoxicity test(s) shall be performed.