

# SVENSK STANDARD

## SS-EN ISO 19136:2009

Fastställt/Approved: 2009-03-19

Publicerad/Published: 2009-06-15

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 35.020; 35.240.01; 35.240.30; 35.240.50; 35.240.60; 35.240.70

---

### **Geografisk information – GML (ISO 19136:2007)**

### **Geographic information – Geography Markup Language, (GML) (ISO 19136:2007)**



SWEDISH  
STANDARDS  
INSTITUTE

# Hitta rätt produkt och ett leveranssätt som passar dig

## Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

## Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på.

På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

## Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

## Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på [sis.se](http://sis.se) och ger dig en bra bild över hur olika produkter hör ihop.

## Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

# Find the right product and the type of delivery that suits you

## Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

## Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

## Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

## Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at [sis.se](http://sis.se), provide an overview of which publications belong together.

## Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Europastandarden EN ISO 19136:2009 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 19136:2009.

ISO 19136:2007 finns tidigare utgiven som svensk standard med beteckning SS-ISO 19136:2007, utgåva 1.

The European Standard EN ISO 19136:2009 has the status of a Swedish Standard. This document contains the official English version of EN ISO 19136:2009.

ISO 19136:2007 has been implemented and published as a Swedish Standard with the designation SS-ISO 19136:2007 edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.  
E-mail: [sis.sales@sis.se](mailto:sis.sales@sis.se) Internet: [www.sis.se](http://www.sis.se)



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN ISO 19136**

March 2009

---

ICS 35.240.70

English Version

**Geographic information - Geography Markup Language (GML)  
(ISO 19136:2007)**

Information géographique - Langage de balisage en  
géographie (GML) (ISO 19136:2007)

This European Standard was approved by CEN on 25 January 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**



# Contents

Page

Foreword.....	vi
Introduction .....	vii
<b>1 Scope .....</b>	<b>1</b>
<b>2 Conformance.....</b>	<b>1</b>
2.1 Conformance requirements .....	1
2.2 Conformance classes related to GML application schemas.....	2
2.3 Conformance classes related to GML profiles .....	2
2.4 Conformance classes related to GML documents .....	4
2.5 Conformance classes related to software implementations.....	4
<b>3 Normative references .....</b>	<b>4</b>
<b>4 Terms and symbols .....</b>	<b>5</b>
4.1 Terms and definitions.....	5
4.2 Symbols and abbreviated terms .....	12
<b>5 Conventions .....</b>	<b>13</b>
5.1 XML namespaces.....	13
5.2 Versioning .....	14
5.3 Deprecated parts of previous versions of GML.....	14
5.4 UML notation .....	14
5.5 XML Schema.....	16
<b>6 Overview of the GML schema.....</b>	<b>16</b>
6.1 GML schema.....	16
6.2 GML application schemas .....	16
6.3 Relationship between the ISO 19100 series of International Standards, the GML schema and GML application schemas .....	17
6.4 Organization of this International Standard.....	18
6.5 Deprecated and experimental schema components.....	19
<b>7 GML schema — General rules and base schema components .....</b>	<b>20</b>
7.1 GML model and syntax.....	20
7.2 gmlBase schema components .....	22
<b>8 GML schema — Xlinks and basic types .....</b>	<b>33</b>
8.1 Xlinks — Object associations and remote properties .....	33
8.2 Basic types .....	34
<b>9 GML schema — Features .....</b>	<b>43</b>
9.1 General concepts.....	43
9.2 Relationship with ISO 19109.....	43
9.3 Features .....	43
9.4 Standard feature properties.....	44
9.5 Geometry properties.....	46
9.6 Topology properties .....	48
9.7 Temporal properties .....	48
9.8 Defining application-specific feature types .....	49
9.9 Feature collections .....	50
9.10 Spatial reference system used in a feature or feature collection .....	52
<b>10 GML schema — Geometric primitives .....</b>	<b>52</b>
10.1 General concepts.....	52
10.2 Abstract geometric primitives .....	58
10.3 Geometric primitives (0-dimensional) .....	59

10.4	Geometric primitives (1-dimensional).....	60
10.5	Geometric primitives (2-dimensional).....	72
10.6	Geometric primitives (3-dimensional).....	81
11	GML schema — Geometric complex, geometric composites and geometric aggregates .....	83
11.1	Overview .....	83
11.2	Geometric complex and geometric composites .....	84
11.3	Geometric aggregates .....	86
12	GML schema — Coordinate reference systems schemas.....	91
12.1	Overview .....	91
12.2	Reference systems .....	93
12.3	Coordinate reference systems.....	95
12.4	Coordinate systems.....	103
12.5	Datums .....	110
12.6	Coordinate operations.....	117
13	GML schema — Topology.....	129
13.1	General concepts .....	129
13.2	Abstract topology .....	130
13.3	Topological primitives .....	130
13.4	Topological collections .....	135
13.5	Topology complex .....	137
14	GML schema — Temporal information and dynamic features.....	139
14.1	General concepts .....	139
14.2	Temporal schema.....	140
14.3	Temporal topology schema .....	148
14.4	Temporal reference systems .....	151
14.5	Representing dynamic features.....	158
15	GML schema — Definitions and dictionaries.....	162
15.1	Overview .....	162
15.2	Dictionary schema .....	162
16	GML schema — Units, measures and values.....	165
16.1	Introduction .....	165
16.2	Units schema .....	165
16.3	Measures schema .....	171
16.4	Value objects schema.....	172
17	GML schema — Directions.....	179
17.1	Direction schema .....	179
17.2	direction, DirectionPropertyType .....	179
17.3	DirectionVectorType .....	180
17.4	DirectionDescriptionType .....	180
18	GML schema — Observations .....	181
18.1	Observations .....	181
18.2	Observation schema.....	182
19	GML schema — Coverages.....	185
19.1	The coverage model and representations .....	185
19.2	Grids schema.....	188
19.3	Coverage schema .....	191
20	Profiles .....	205
20.1	Profiles of GML and application schemas.....	205
20.2	Definition of profile .....	205
20.3	Relation to application schema .....	205
20.4	Rules for elements and types in a profile.....	206
20.5	Rules for referencing GML profiles from application schemas .....	207
20.6	Recommendations for application schemas using GML profiles.....	207
20.7	Summary of rules for GML profiles .....	208



<b>21</b>	<b>Rules for GML application schemas</b> .....	<b>208</b>
<b>21.1</b>	<b>Instances of GML objects</b> .....	<b>208</b>
<b>21.2</b>	<b>GML application schemas</b> .....	<b>209</b>
<b>21.3</b>	<b>Schemas defining Features and Feature Collections</b> .....	<b>212</b>
<b>21.4</b>	<b>Schemas defining spatial geometries</b> .....	<b>213</b>
<b>21.5</b>	<b>Schemas defining spatial topologies</b> .....	<b>214</b>
<b>21.6</b>	<b>Schemas defining time</b> .....	<b>215</b>
<b>21.7</b>	<b>Schemas defining coordinate reference systems</b> .....	<b>215</b>
<b>21.8</b>	<b>Schemas defining coverages</b> .....	<b>216</b>
<b>21.9</b>	<b>Schemas defining observations</b> .....	<b>218</b>
<b>21.10</b>	<b>Schemas defining dictionaries and definitions</b> .....	<b>219</b>
<b>21.11</b>	<b>Schemas defining values</b> .....	<b>220</b>
<b>21.12</b>	<b>GML profiles of the GML schema</b> .....	<b>220</b>
<b>Annex A</b>	<b>(normative) Abstract test suites for GML application schemas, GML profiles and GML documents</b> .....	<b>223</b>
<b>Annex B</b>	<b>(normative) Abstract test suite for software implementations</b> .....	<b>238</b>
<b>Annex C</b>	<b>(informative) GML schema</b> .....	<b>242</b>
<b>Annex D</b>	<b>(normative) Implemented Profile of the ISO 19100 series of International Standards and Extensions</b> .....	<b>244</b>
<b>Annex E</b>	<b>(normative) UML-to-GML application schema encoding rules</b> .....	<b>309</b>
<b>Annex F</b>	<b>(normative) GML-to-UML application schema encoding rules</b> .....	<b>329</b>
<b>Annex G</b>	<b>(informative) Guidelines for subsetting the GML schema</b> .....	<b>339</b>
<b>Annex H</b>	<b>(informative) Default styling</b> .....	<b>352</b>
<b>Annex I</b>	<b>(informative) Backwards compatibility with earlier versions of GML</b> .....	<b>363</b>
<b>Annex J</b>	<b>(informative) Modularization and dependencies</b> .....	<b>380</b>
	<b>Bibliography</b> .....	<b>382</b>
	<b>Index</b> .....	<b>384</b>

## Foreword

The text of ISO 19136:2007 has been prepared by Technical Committee ISO/TC 211 "Geographic information/Geomatics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 19136:2009 by Technical Committee CEN/TC 287 "Geographic Information" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2009, and conflicting national standards shall be withdrawn at the latest by September 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

### Endorsement notice

The text of ISO 19136:2007 has been approved by CEN as a EN ISO 19136:2009 without any modification.

## Introduction

Geography Markup Language is an XML grammar written in XML Schema for the description of application schemas as well as the transport and storage of geographic information.

The key concepts used by Geography Markup Language (GML) to model the world are drawn from the ISO 19100 series of International Standards and the OpenGIS Abstract Specification.

A feature is an “abstraction of real world phenomena” (ISO 19101); it is a geographic feature if it is associated with a location relative to the Earth. So a digital representation of the real world may be thought of as a set of features. The state of a feature is defined by a set of properties, where each property may be thought of as a {name, type, value} triple.

The number of properties a feature may have, together with their names and types, is determined by its type definition. Geographic features with geometry are those with properties that may be geometry-valued. A feature collection is a collection of features that may itself be regarded as a feature; as a consequence a feature collection has a feature type and thus may have distinct properties of its own, in addition to the features it contains.

Following ISO 19109, the feature types of an application or application domain is usually captured in an application schema. A GML application schema is specified in XML Schema and can be constructed in two different and alternative ways:

- by adhering to the rules specified in ISO 19109 for application schemas in UML, and conforming to both the constraints on such schemas and the rules for mapping them to GML application schemas specified in this International Standard;
- by adhering to the rules for GML application schemas specified in this International Standard for creating a GML application schema directly in XML Schema.

Both ways are supported by this International Standard. To ensure proper use of the conceptual modelling framework of the ISO 19100 series of International Standards, all application schemas are expected to be modelled in accordance with the General Feature Model as specified in ISO 19109. Within the ISO 19100 series, UML is the preferred language by which to model conceptual schemas.

GML specifies XML encodings, conformant with ISO 19118, of several of the conceptual classes defined in the ISO 19100 series of International Standards and the OpenGIS Abstract Specification. These conceptual models include those defined in:

- ISO/TS 19103 — Conceptual schema language (units of measure, basic types);
- ISO 19107 — Spatial schema (geometry and topology objects);
- ISO 19108 — Temporal schema (temporal geometry and topology objects, temporal reference systems);
- ISO 19109 — Rules for application schemas (features);
- ISO 19111 — Spatial referencing by coordinates (coordinate reference systems);
- ISO 19123 — Schema for coverage geometry and functions.

The aim is to provide a standardized encoding (i.e. a standardized implementation in XML) of types specified in the conceptual models specified by the International Standards listed above. If every application schema were encoded independently and the encoding process included the types from, for example, ISO 19108, then,

without unambiguous and completely fixed encoding rules, the XML encodings would be different. Also, since every implementation platform has specific strengths and weaknesses, it is helpful to standardize XML encodings for core geographic information concepts modelled in the ISO 19100 series of International Standards and commonly used in application schemas.

In many cases, the mapping from the conceptual classes is straightforward, while in some cases the mapping is more complex (a detailed description of the mapping is part of this International Standard).

In addition, GML provides XML encodings for additional concepts not yet modelled in the ISO 19100 series of International Standards or the OpenGIS Abstract Specification, for example, dynamic features, simple observations or value objects.

Predefined types of geographic feature in GML include coverages and simple observations.

A coverage is a subtype of feature that has a coverage function with a spatiotemporal domain and a value set range of homogeneous 1- to  $n$ -dimensional tuples. A coverage may represent one feature or a collection of features “to model and make visible spatial relationships between, and the spatial distribution of, Earth phenomena” (OGC Abstract Specification Topic 6 [20]) and a coverage “acts as a function to return values from its range for any direct position within its spatiotemporal domain” (ISO 19123).

An observation models the act of observing, often with a camera or some other procedure, a person or some form of instrument (Merriam-Webster Dictionary: “an act of recognizing and noting a fact or occurrence often involving measurement with instruments”). An observation is considered to be a GML feature with a time at which the observation took place, and with a value for the observation.

A reference system provides a scale of measurement for assigning values to a position, time or other descriptive quantity or quality.

A coordinate reference system consists of a set of coordinate system axes that is related to the Earth through a datum that defines the size and shape of the Earth.

A temporal reference system provides standard units for measuring time and describing temporal length or duration.

A reference system dictionary provides definitions of reference systems used in spatial or temporal geometries.

Spatial geometries are the values of spatial feature properties. They indicate the coordinate reference system in which their measurements have been made. The “parent” geometry element of a geometric complex or geometric aggregate makes this indication for its constituent geometries.

Temporal geometries are the values of temporal feature properties. Like their spatial counterparts, temporal geometries indicate the temporal reference system in which their measurements have been made.

Spatial or temporal topologies are used to express the different topological relationships between features.

A units of measure dictionary provides definitions of numerical measures of physical quantities, such as length, temperature and pressure, and of conversions between units.

# Geographic information — Geography Markup Language (GML)

## 1 Scope

The Geography Markup Language (GML) is an XML encoding in compliance with ISO 19118 for the transport and storage of geographic information modelled in accordance with the conceptual modelling framework used in the ISO 19100 series of International Standards and including both the spatial and non-spatial properties of geographic features.

This International Standard defines the XML Schema syntax, mechanisms and conventions that:

- provide an open, vendor-neutral framework for the description of geospatial application schemas for the transport and storage of geographic information in XML;
- allow profiles that support proper subsets of GML framework descriptive capabilities;
- support the description of geospatial application schemas for specialized domains and information communities;
- enable the creation and maintenance of linked geographic application schemas and datasets;
- support the storage and transport of application schemas and datasets;
- increase the ability of organizations to share geographic application schemas and the information they describe.

Implementers may decide to store geographic application schemas and information in GML, or they may decide to convert from some other storage format on demand and use GML only for schema and data transport.

**NOTE** If an ISO 19109 conformant application schema described in UML is used as the basis for the storage and transportation of geographic information, this International Standard provides normative rules for the mapping of such an application schema to a GML application schema in XML Schema and, as such, to an XML encoding for data with a logical structure in accordance with the ISO 19109 conformant application schema.

## 2 Conformance

### 2.1 Conformance requirements

Clauses 7 to 19 of this International Standard specify XML Schema components, i.e. the GML schema, which shall be used in GML application schemas in accordance with Clause 21. Clause 20 specifies rules for the specification of a GML profile that may be defined for use in a GML application schema.

Few applications will require the full range of capabilities described by the GML schema. This clause, therefore, defines a set of conformance classes that will support applications whose requirements range from the minimum necessary to define simple feature types to full use of the GML schema.

Most of the schema components specified in this International Standard implement concepts defined in the ISO 19100 series of International Standards. In these cases, the conformance classes defined in this International Standard are based on the conformance classes defined in the corresponding standard.

Any GML application schema, GML profile or software implementation claiming conformance with one of the conformance classes shall pass all test cases of the corresponding abstract test suite.

Any software implementation claiming conformance to this International Standard shall document the GML profile supported by the implementation. The GML profile shall pass all mandatory test cases of the abstract test suite corresponding to GML profiles.

## 2.2 Conformance classes related to GML application schemas

GML application schemas claiming conformance to this International Standard shall conform to the rules specified in Clauses 7 to 21 and pass all relevant test cases of the abstract test suite in A.1.

Depending on the characteristics of a GML application schema, 12 conformance classes are distinguished. Table 1 lists these classes and the corresponding subclause of the abstract test suite.

**Table 1 — Conformance classes related to GML application schemas**

Conformance class	Subclause of the abstract test suite
All GML application schemas	A.1.1
GML application schemas converted from an ISO 19109 application schema in UML	A.1.2
GML application schemas to be converted to an ISO 19109 application schema in UML	A.1.3
GML application schemas defining features and feature collections	A.1.4
GML application schemas defining spatial geometries	A.1.5
GML application schemas defining spatial topologies	A.1.6
GML application schemas defining time	A.1.7
GML application schemas defining coordinate reference systems	A.1.8
GML application schemas defining coverages	A.1.9
GML application schemas defining observations	A.1.10
GML application schemas defining dictionaries and definitions	A.1.11
GML application schemas defining values	A.1.12

## 2.3 Conformance classes related to GML profiles

The requirements of an application schema determine the XML Schema components from the GML schema that shall be included in a GML profile. GML profiles claiming conformance to this International Standard shall satisfy the requirements of the abstract test suite in A.2.

Depending on the contents and requirements concerning a specific GML profile, 31 conformance classes are distinguished. Table 2 lists these classes and the corresponding subclause of the abstract test suite.

**Table 2 — Conformance classes related to GML profiles**

Conformance class	Subclause of the abstract test suite
All GML profiles	A.2.1
Geometric primitives (spatial) — 0-dimensional	A.2.2.1.1
Geometric primitives (spatial) — 0/1-dimensional	A.2.2.1.2
Geometric primitives (spatial) — 0/1/2-dimensional	A.2.2.1.3
Geometric primitives (spatial) — 0/1/2/3-dimensional	A.2.2.1.4
Geometric complexes (spatial) — 0/1-dimensional	A.2.3.1.1
Geometric complexes (spatial) — 0/1/2-dimensional	A.2.3.1.2
Geometric complexes (spatial) — 0/1/2/3-dimensional	A.2.3.1.3
Topologic complexes (spatial) — 0/1-dimensional	A.2.4.1.1
Topologic complexes (spatial) — 0/1/2-dimensional	A.2.4.1.2
Topologic complexes (spatial) — 0/1/2/3-dimensional	A.2.4.1.3
Topologic complexes with geometric realization (spatial) — 1-dimensional	A.2.5.1.1
Topologic complexes with geometric realization (spatial) — 2-dimensional	A.2.5.1.2
Topologic complexes with geometric realization (spatial) — 3-dimensional	A.2.5.1.3
Coordinate reference systems	A.2.6
Coordinate operations between two coordinate reference systems	A.2.7
Temporal geometry — 0-dimensional	A.2.8.1
Temporal geometry — 0/1-dimensional	A.2.8.2
Temporal topology	A.2.9
Temporal reference systems	A.2.10
Dynamic features	A.2.11
Dictionaries	A.2.12
Units dictionaries	A.2.13
Observations	A.2.14
Abstract coverage	A.2.15.1
Discrete point coverage	A.2.15.2
Discrete curve coverage	A.2.15.3
Discrete surface coverage	A.2.15.4
Discrete solid coverage	A.2.15.5
Grid coverage	A.2.15.6
Continuous coverage	A.2.15.7

Curve implementations, for those GML profiles including 1-dimensional spatial geometry objects, shall always include a “linear” interpolation technique. Surface implementations, for those GML profiles including 2-dimensional spatial geometry objects, shall always include a “planar” interpolation technique. Additional curve and surface interpolation mechanisms are optional but, if implemented, they shall follow the definition included in this International Standard.

NOTE 1 Compare these conformance classes with ISO 19107:2003, Clause 2, ISO 19108:2002, 2.2, and ISO 19123:2005, Clause 2.

NOTE 2 A GML profile conforming to the three conformance classes “Geometric primitives (spatial) — 0-dimensional”, “Geometric primitives (spatial) — 0/1-dimensional”, and “Geometric primitives (spatial) — 0/1/2-dimensional” (in addition to conformance class “All GML profiles”) conforms to the spatial profile defined in ISO 19137:2007 and the respective conformance tests in ISO 19137:2007, B.1, B.2 and B.3.

## 2.4 Conformance classes related to GML documents

GML documents claiming conformance to this International Standard shall conform to the rules specified in Clauses 7 to 21 and pass all relevant test cases of the abstract test suite in A.3.

## 2.5 Conformance classes related to software implementations

Software implementations reading or writing GML or GML application schemas claiming conformance to this International Standard shall pass all of the corresponding abstract test suites described in the abstract test suite in Annex B.

Depending on the capabilities of the implementation, 11 conformance classes are distinguished. Table 3 lists these classes and the corresponding subclause of the abstract test suite.

**Table 3 — Conformance classes related to implementations**

Conformance class	Subclause of the abstract test suite
All software implementations	B.1
Support for remote simple Xlinks	B.2.1
Support for extended Xlinks	B.2.2
Support for nillable properties	B.2.3
Support for units of measurement	B.2.4
Support for ownership semantics of properties	B.2.5
Metadata properties	B.2.6
Support for GML profiles in instance validation	B.2.7
Writing GML	B.3
Reading GML	B.4
Writing GML application schemas	B.5
Reading GML application schemas	B.6

## 3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8601, *Data elements and interchange formats — Information interchange — Representation of dates and times*

ISO/IEC 11404:1996, *Information technology — Programming languages, their environments and system software interfaces — Language-independent datatypes*

ISO/TS 19103:2005, *Geographic information — Conceptual schema language*

ISO 19107:2003, *Geographic information — Spatial schema*



- ISO 19108:2002, *Geographic information — Temporal schema*
- ISO 19109:2005, *Geographic information — Rules for application schema*
- ISO 19111:2007, *Geographic information — Spatial referencing by coordinates*
- ISO 19115:2003, *Geographic information — Metadata*
- ISO 19118:2005, *Geographic information — Encoding*
- ISO 19123:2005, *Geographic information — Schema for coverage geometry and functions*
- ISO/TS 19139, *Geographic information — Metadata — XML schema implementation*
- ISO/IEC 19757-3, *Information technology — Document Schema Definition Languages (DSDL) — Part 3: Rule-based validation — Schematron*
- ISO 80000-3, *Quantities and units — Part 3: Space and time*
- IETF RFC 2396, *Uniform Resource Identifiers (URI): Generic Syntax* (August 1998)
- W3C XLink, *XML Linking Language (XLink) Version 1.0*, W3C Recommendation (27 June 2001)
- W3C XML, *Extensible Markup Language (XML) 1.0 (Third Edition)*, W3C Recommendation (4 February 2004)
- W3C XML Namespaces, *Namespaces in XML*, W3C Recommendation (14 January 1999)
- W3C XML Schema Part 1, *XML Schema Part 1: Structures*, W3C Recommendation (2 May 2001)
- W3C XML Schema Part 2, *XML Schema Part 2: Datatypes*, W3C Recommendation (2 May 2001)

## 4 Terms and symbols

### 4.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 4.1.1

##### **application schema**

conceptual **schema** for data required by one or more applications

[ISO 19101:2002]

#### 4.1.2

##### **association**

semantic relationship between two or more classifiers that specifies connections among their instances

[ISO/IEC 19501:2005:]

#### 4.1.3

##### **attribute <XML>**

name-value pair contained in an **element**

NOTE In this document an attribute is an XML attribute unless otherwise specified. The syntax of an XML attribute is "Attribute::= Name = AttValue". An attribute typically acts as an XML element modifier (e.g. <Road gml:id = "r1" />; here gml:id is an attribute).

**4.1.4****boundary**

**set** that represents the limit of an entity

[ISO 19107:2003]

**4.1.5****child element <XML>**

immediate descendant **element** of an **element**

**4.1.6****closure**

union of the **interior** and **boundary** of a **topological** or **geometric object**

[ISO 19107:2003]

**4.1.7****codelist**

value domain including a code for each permissible value

**4.1.8****codespace**

rule or authority for a code, name, term or category

EXAMPLE        Examples of codespaces include dictionaries, authorities, codelists, etc.

**4.1.9****composite curve**

**sequence** of **curves** such that each **curve** (except the first) starts at the end point of the previous **curve** in the **sequence**

[ISO 19107:2003]

NOTE        A composite curve, as a set of direct positions, has all the properties of a curve.

**4.1.10****composite solid**

connected **set** of **solids** adjoining one another along shared **boundary surfaces**

[ISO 19107:2003]

NOTE        A composite solid, as a set of direct positions, has all the properties of a solid.

**4.1.11****composite surface**

connected **set** of **surfaces** adjoining one another along shared **boundary curves**

[ISO 19107:2003]

NOTE        A composite surface, as a set of direct positions, has all the properties of a surface.

**4.1.12****coordinate**

one of a **sequence** of  $n$  numbers designating the position of a **point** in  $n$ -dimensional space

[ISO 19111:2007]

NOTE        In a coordinate reference system, the  $n$  numbers shall be qualified by units.

**4.1.13****coordinate reference system**

**coordinate system** that is related to an object by a **datum**

[ISO 19111:2007]

**4.1.14****coordinate system**

set of mathematical rules for specifying how **coordinates** are to be assigned to **points**

[ISO 19111:2007]

**4.1.15****coordinate tuple**

**tuple** composed of a sequence of **coordinates**

[ISO 19111:2007]

**4.1.16****coverage**

**feature** that acts as a function to return values from its range for any **direct position** within its spatial, temporal or spatiotemporal **domain**

[ISO 19123:2005]

**4.1.17****curve**

1-dimensional **geometric primitive**, representing the continuous image of a line

[ISO 19107:2003]

NOTE The boundary of a curve is the set of points at either end of the curve. If the curve is a cycle, the two ends are identical, and the curve (if topologically closed) is considered to not have a boundary. The first point is called the start point, and the last is the end point. Connectivity of the curve is guaranteed by the "continuous image of a line" clause. A topological theorem states that a continuous image of a connected set is connected.

**4.1.18****data type**

specification of a value **domain** with operations allowed on values in this **domain**

[ISO/TS 19103:2005]

EXAMPLE Integer, Real, Boolean, String, Date (conversion of data into a series of codes).

NOTE Data types include primitive predefined types and user-definable types. All instances of a data type lack identity.

**4.1.19****datum**

parameter or set of parameters that define the position of the origin, the scale, and the orientation of a coordinate system

[ISO 19111:2007]

NOTE A datum may be a geodetic datum, a vertical datum, an engineering datum, an image datum or a temporal datum.

**4.1.20****direct position**

position described by a single **set of coordinates** within a **coordinate reference system**

[ISO 19107:2003]

**4.1.21****domain**

well-defined **set**

[ISO/TS 19103:2005]

NOTE 1 A mathematical **function** may be defined on this set, i.e. in a function  $f:A \rightarrow B$ , A is the domain of the function f.

NOTE 2 A domain as in domain of discourse refers to a subject or area of interest.