

SVENSK STANDARD

SS-ISO 10381-6:2009

Fastställt/Approved: 2009-05-08
Publicerad/Published: 2009-06-09
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 13.080.05

**Markundersökningar – Provtagning –
Del 6: Vägledning för insamling, hantering och förvaring av
jordprover under aeroba förhållanden för bedömning av
mikrobiologiska processer, biomassa och diversitet på
laboratorium (ISO 10381-6:2009, IDT)**

**Soil quality – Sampling –
Part 6: Guidance on the collection, handling and storage of
soil under aerobic conditions for the assessment of
microbiological processes, biomass and
diversity in the laboratory
(ISO 10381-6:2009, IDT)**

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-69669>

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på.

På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Den internationella standarden ISO 10381-6:2009 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 10381-6:2009.

The International Standard ISO 10381-6:2009 has the status of a Swedish Standard. This document contains the official English version of ISO 10381-6:2009.

! © Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

■ © Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.
E-mail: sis.sales@sis.se Internet: www.sis.se

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Terms and definitions	1
3	Procedure	1
3.1	Selection of sampling locations	1
3.2	Description of field site	2
3.3	Sampling conditions	2
3.4	Sampling methods	2
3.5	Sample marking	2
3.6	Transportation conditions	2
3.7	Soil processing	2
3.8	Storage conditions and storage periods	3
3.9	Pre-incubation	4
4	Sampling report	4
Bibliography		6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10381-6 was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological methods*.

This second edition cancels and replaces the first edition (ISO 10381-6:1993), Subclauses 3.6, 3.7, 3.8 and Clause 4 of which have been technically revised. Table 1 has been added.

ISO 10381 consists of the following parts, under the general title *Soil quality — Sampling*:

- *Part 1: Guidance on the design of sampling programmes*
- *Part 2: Guidance on sampling techniques*
- *Part 3: Guidance on safety*
- *Part 4: Guidance on the procedure for investigation of natural, near-natural and cultivated sites*
- *Part 5: Guidance on the procedure for the investigation of urban and industrial sites with regard to soil contamination*
- *Part 6: Guidance on the collection, handling and storage of soil under aerobic conditions for the assessment of microbiological processes, biomass and diversity in the laboratory*
- *Part 7: Guidance on sampling of soil gas*
- *Part 8: Guidance on sampling of stockpiles*

Introduction

Soils are both complex and heterogeneous because they consist of both living and non-living components occurring in different combinations. Therefore, the condition of the soil, from collection to completion of an experiment, should be considered in relation to effects on the soil microflora. Temperature, water content, availability of oxygen and duration of storage are all known to affect the soil microflora, and thus the processes they mediate.

Soils can however be used effectively in laboratory systems to investigate microbially-mediated processes, provided that the dynamics of the living microflora are appreciated. This part of ISO 10381 provides guidance on the collection, handling and storage of soil for laboratory use where aerobic microbial activity is the main component of the study. It describes how to minimize the effects of differences in temperature, water content and availability of oxygen on aerobic processes to facilitate reproducible laboratory determinations ^[10], ^[11].

Soil quality — Sampling —

Part 6:

Guidance on the collection, handling and storage of soil under aerobic conditions for the assessment of microbiological processes, biomass and diversity in the laboratory

1 Scope

This part of ISO 10381 provides guidance on the collection, handling and storage of soil for subsequent testing under aerobic conditions in the laboratory. The recommendations in this document are not applicable to the handling of soil where anaerobic conditions are to be maintained throughout.

This part of ISO 10381 is mainly applicable to temperate soils. Soils collected from extreme climates (e.g. permafrost, tropical soils) may require special handling.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

aerobic

descriptive of a condition in which molecular oxygen is freely available

2.2

anaerobic

descriptive of a condition in which molecular oxygen is not available

2.3

water content on a dry mass basis

mass of water evaporating from the soil when dried to constant mass at 105 °C divided by the dry mass of the soil and multiplied by 100

[ISO 11465:1993, 3.2]

3 Procedure

3.1 Selection of sampling locations

The locations of the sites from which samples are taken should be selected according to the purpose of the study.

These locations should be identified and recorded, e.g. on a map by reference to easily recognizable static objects or by using a detailed map reference or by GIS. If practicable, the locations should be marked so that they may be used for comparative tests or for obtaining replicate samples.

3.2 Description of field site

Selection of a soil sampling site depends on the purpose of a particular study, and knowledge of the field site history is always desirable. The site should be accurately described and its history given. Details of vegetation cover, the morphology of the sampling area (e.g. flat area, slopes, steepness), and of chemical and biological additions or accidental contamination, should be recorded and reported.

3.3 Sampling conditions

Soil required for studies conducted under laboratory conditions should, if practicable, be sampled in the field with a soil water content which facilitates sieving. Sampling should, unless the purpose of the study requires otherwise, be avoided during or immediately following long periods (e.g. 1 month) of drought, freezing or flooding. If laboratory tests are to be used for field monitoring, conditions existing in the field should be accepted. Soil samples may be frozen before investigations of, for example, ammonium oxidations.

3.4 Sampling methods

The sampling technique depends on the purpose of the study. If aerobic agricultural soil is required, sampling is usually conducted to the actual ploughing depth. Any surface vegetation cover, moss-covered litter layer, visible roots, large pieces of plant or woody plant litter and visible soil fauna should be removed to minimize the addition of fresh organic carbon to the soil. Organic constituents introduced from roots or other sources can cause unpredictable changes in the activities and composition of the soil microflora. If natural soils show distinct horizons, samples should be taken from these horizons.

3.5 Sample marking

Sample containers should be clearly and unambiguously marked and identified so that each sample can be related to the location from which it was taken. Use of containers which either absorb water from the soil or release materials, e.g. solvents or plasticizers, into the soil should be avoided.

3.6 Transportation conditions

Samples should be transported in a manner which minimizes changes in the soil water content, and should be kept in the dark with free access of air; a loosely-tied polyethylene bag is generally adequate for this purpose. Extreme environmental conditions should be avoided: the soil should be kept as cool as possible but it is essential that it is not allowed to dry out or become water-logged. Exposure to light for extended periods should be avoided as this encourages the growth of algae on the surface of the soil. Physical compaction should be avoided as far as is practicable.

Samples for DNA or RNA analysis shall be frozen quickly in the field using dry ice. During transportation to the laboratory, dry ice shall be used to maintain the temperature of those for RNA analysis. Samples for DNA analysis may be transported in a cooling box unless the circumstances are such that dry ice is needed for these as well.

3.7 Soil processing

The soil should be processed as soon as possible after sampling. Vegetation, larger soil fauna and stones should be removed prior to passing the soil through a 2 mm sieve. Sieving soil through a 2 mm sieve facilitates gaseous exchange between particles and is therefore recommended for maintaining the aerobic nature of the soil. It also removes small stones, fauna and plant debris. Some organic materials such as moor layers or peat do not pass easily through a 2 mm sieve and should be sieved in the moist condition through a 5 mm sieve. This necessitates manual operation and the quality of the material passing the sieve depends on the operator. If the soil is too wet to sieve, it should be spread out, in a gentle air stream where possible, to facilitate uniform drying. The soil should be finger crumbled and turned over frequently to avoid excessive surface drying. Usually, this should be performed at ambient temperature. If drying is required, the soil should not be dried more than necessary to facilitate sieving. Generally, drying of soils is not recommended although air-drying and rewetting is a common physiological stress for the microbial communities in surface soils. It has been shown that drying-rewetting events can induce significant changes in microbial C and N dynamics which