

SVENSK STANDARD

SS-ISO 27955:2010

Fastställt/Approved: 2010-08-16
Publicerad/Published: 2010-10-26
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 43.020

Vägfordon – Säkring av last i personbilar och kombifordon – Krav och provningsmetoder (ISO 27955:2010, IDT)

**Road vehicles – Securing of cargo in passenger cars, station
wagons and multi-purposes vehicles – Requirements and test
methods (ISO 27955:2010, IDT)**

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-74835>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 27955:2010 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 27955:2010.

The International Standard ISO 27955:2010 has the status of a Swedish Standard. This document contains the official version of ISO 27955:2010.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Kollisionsprovning, trafikskadeanalyser och EEVC-samordning, SIS/TK 237.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements.....	3
4.1 General	3
4.2 Backrests/seats	4
4.3 Partitioning system	4
4.4 Lashing points	5
4.5 Loading instructions	6
5 Testing.....	6
5.1 Equipment	6
5.2 Test preparation	7
5.2.1 General	7
5.2.2 Test block positioning for seat testing	7
5.2.3 Test block positioning for testing of the partitioning system	11
5.3 Dynamic testing of backrests and partitioning systems.....	14
5.4 Testing of lashing points	14
5.4.1 Test procedure.....	14
5.4.2 Calculation	14
Bibliography.....	15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 27955 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 12, *Passive safety crash protection systems*.

Introduction

Vehicles with variable space for transporting passengers, cargo, luggage and recreational equipment have been developed, produced and marketed successfully in recent years by nearly all vehicle manufacturers. In order to ensure all-embracing internal safety of these vehicles, it is necessary to effectively reduce the danger to occupants which could arise from the above-mentioned objects during extreme driving manoeuvres and also in accidents.

Regulations governing the resistance capabilities of the backrests of the rear seats and for the retaining equipment (partitioning systems) of vehicles of the M₁ class, which are intended to protect the occupants from the danger of shifting cargo during a frontal impact, are included in UNECE Regulation No.17, which first came into force in March 1999.

Since November 2007, uniform conditions have been included in UNECE Regulation No.126 for the approval of retrofit partitioning systems intended to protect the occupants from shifting cargo.

Up until now, there has been no complete and internationally recognized and harmonized specification of testing conditions for the resistance capability of front and rear seats in vehicles having a variable space concept.

DIN 75410-2, published in July 1992, is used increasingly, even at international level. In this standard, minimum requirements and tests are defined for devices for the securing of cargo (strength of seat backs, partitioning systems and lashing points) in cars, station wagons and multi-purpose vehicles. This is intended to enable a transport and an operational securing of cargo in vehicles, in order to reduce the risk of injuries to occupants caused. The main idea behind DIN 75410-2 was that lashing points in the luggage compartment, as well as sufficiently resistant seat backs and a partitioning system, are the basic elements for the protection of occupants.

For all commercially-used cars, station wagons and multi-purpose vehicles that are concerned by the accident prevention regulation for vehicles (BGV D29), compliance with DIN 75410-2 is mandatory in Germany. Furthermore, in certain countries, drivers are obliged by law to properly secure cargo in vehicles in compliance with state of the art.

In this context, ISO/TC 22/SC 12/WG 9 has analysed the requirements of UNECE Regulation No.17, UNECE Regulation No.126 and DIN 75410-2 and has harmonized requirements and test methods in accordance with state of the art. The result is this International Standard, which is a contribution to the international harmonization of requirements to increase the safety of vehicles.

Road vehicles — Securing of cargo in passenger cars, station wagons and multi-purpose vehicles — Requirements and test methods

1 Scope

This International Standard applies to devices for the securing of cargo in passenger cars¹⁾, station wagons¹⁾ and multi-purpose passenger cars¹⁾, where the seats directly delimit the loading space.

This International Standard defines minimum requirements and tests for front and rear seats and partitioning systems, in order to improve the protection of the vehicle occupants against shifting load during a frontal impact. In addition, this International Standard defines minimum requirements and tests for lashing points in the above-mentioned vehicles in order to be able to secure a load (luggage or goods) in a reliable and roadworthy way.

For vehicles²⁾ primarily designed for the transportation of cargo and derived from a passenger car¹⁾, only the requirements concerning the lashing points of this International Standard apply. Additional requirements for these vehicles²⁾ and requirements for any other delivery vans are specified in ISO 27956.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6549, *Road vehicles — Procedure for H- and R-point determination*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

single seat

seat structure, complete with trim, having a backrest not attached to the vehicle structure, and intended to seat one occupant

3.2

seat bench

seat structure, complete with trim, intended to seat more than one occupant

1) M₁ class vehicles (see 70/156/EEC), also defined as Category 1-1 Vehicles in UN ECE WP29 — Special resolution No. 1 (TRANS/WP.29/1045).

2) N₁ class vehicles (see ECE document TRANS/WP.29/78/Rev.1/Amend.2).

- 3.3 foldable seat or bench**
seat or bench intended for normal use, or occasional use, or both, and which can be folded
- 3.4 anchorage**
system by which the seat assembly is secured to the vehicle structure, including the affected parts of the vehicle structure
- 3.5 locking system**
device ensuring that the seat and its parts are maintained in the position of use
- 3.6 adjustment system**
device by which the seat or its parts can be adjusted to a position suited to the anthropometry of the seated occupant
- NOTE This device can, in particular, permit longitudinal, vertical and angular displacement.
- 3.7 displacement system**
device by which the seat or one of its parts can be displaced, or rotated, or both, to permit easy access of occupants to the space behind the seat concerned
- 3.8 head restraint**
device whose purpose is to limit the rearward displacement of an adult occupant's head in relation to his torso, in order to reduce the risk of injury in the event of an accident
- 3.9 lashing point**
attachment part on the vehicle or an integrated device, to which **lashing devices** (3.10) can be connected in a form-fit manner, and designed to transfer the forces applied by the lashing devices to the vehicle structure
- EXAMPLE Ring, loop, tie-down, hook, eye, lug, hook-in edge, thread connection, rail.
- 3.10 lashing device**
device that is designed to be attached to the lashing points in order to secure the load (luggage and goods) in the vehicle
- NOTE Such a device can consist of a net, a tensioning device (e.g. belt, strap), a tensioning element (e.g. wrench, ratchet, spanner) and connections (e. g. hook, eyelet), as defined by the vehicle manufacturer.
- 3.11 partitioning system**
parts or devices (e.g. partition, bulkhead, grid, net) which, in addition to the seat backs, are intended to protect occupants from displaced luggage
- 3.12 longitudinal plane**
plane parallel to the median longitudinal plane of the vehicle

[ISO 3409:1975, definition 3.5]

3.13**transverse plane**

plane vertical to the median longitudinal plane of the vehicle

NOTE Adapted from ISO 3409:1975, definition 3.4.

3.14**test block**

test equipment, simulating cargo

3.15**luggage compartment**

area in the vehicle behind the second seat row or behind the last unfoldable/undetachable seat row (whatever row is located more rearward) normally used for the transportation of cargo

See Figure 2.

3.16**loading space**

area in the vehicle consisting of the luggage compartment plus an area which can variably be used for the transportation of occupants, or cargo, or both, as specified by the vehicle manufacturer

See Figure 3.

3.17**cargo**

load, luggage and goods which might be transported in the loading space

3.18**backrest**

part of the seat, designed to support the back, the shoulders and possibly the head of the occupant

4 Requirements**4.1 General**

Table 1 provides a summary of the applicable requirements of this International Standard.

Table 1 — Overview

Element to which requirements apply	Passenger cars having backrests directly delimiting the loading space ^a	Station wagons, multi-purpose vehicles	Applicable test procedure
Backrests	Yes	Yes	5.3
Partitioning systems	Yes ^b	Yes ^{cd}	5.3
Lashing points	Yes ^b	Yes ^c	5.4
^a For example, sedans, notchbacks, hatchbacks. ^b If equipped. ^c At least optional equipment. ^d Only required if test block positioning in accordance with 5.2.3 is possible.			