

# SVENSK STANDARD

## SS-EN 1948-4:2010



Fastställt/Approved: 2010-10-25  
Publicerad/Published: 2010-11-30  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 13.040.40

---

### **Utsläpp och utomhusluft – Bestämning av masskoncentrationen av PCDD/PCDF och dioxinliknande PCBs – Del 4: Provtagning och analys av dioxinliknande PCBs**

### **Stationary source emissions – Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs – Part 4: Sampling and analysis of dioxin-like PCBs**



# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 1948-4:2010 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 1948-4:2010.

Denna standard ersätter SIS-CEN/TS 1948-4:2007, utgåva 1.

The European Standard EN 1948-4:2010 has the status of a Swedish Standard. This document contains the official version of EN 1948-4:2010.

This standard supersedes SIS-CEN/TS 1948-4:2007, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Luftkvalitet, SIS/TK 423.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 1948-4**

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2010

ICS 13.040.40

Supersedes CEN/TS 1948-4:2007

English Version

**Stationary source emissions - Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 4: Sampling and analysis of dioxin-like PCBs**

Émissions de sources fixes - Détermination de la concentration massique en PCDD/PCDF et PCB de type dioxine - Partie 4: Prélèvement et analyse des PCB de type dioxine

Emissionen aus stationären Quellen - Bestimmung der Massenkonzentration von PCDD/PCDF und dioxin-ähnlichen PCB - Teil 4: Probenahme und Analyse dioxin-ähnlicher PCB

This European Standard was approved by CEN on 28 August 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

Page

Foreword.....	4
Introduction .....	5
1 Scope .....	6
2 Normative references .....	7
3 Terms and definitions .....	7
4 Symbols and abbreviations .....	10
4.1 General.....	10
4.2 Polychlorinated biphenyls .....	10
5 Principle of the measurement procedure.....	11
6 Device, materials and <sup>13</sup> C <sub>12</sub> -labelled standards .....	12
6.1 Device and materials .....	12
6.2 <sup>13</sup> C <sub>12</sub> -labelled standards .....	12
7 Safety measures .....	13
8 Measurement procedure .....	13
8.1 Sampling.....	13
8.2 Extraction .....	13
8.3 Clean-up.....	14
8.4 Final concentration of the sample extracts .....	14
8.5 Addition of recovery standards.....	15
8.6 Principle of identification and quantification.....	15
8.7 Calibration of the HRGC/HRMS .....	15
8.8 Quantification of HRGC/HRMS results .....	17
8.8.1 Quantification of the sample .....	17
8.8.2 Calculation of the recovery rates of the extraction standards .....	18
8.8.3 Calculation of the recovery rates of the sampling standards .....	19
8.9 Calculation of the measurement results .....	19
8.10 Analytical report.....	20
9 Method validation .....	21
9.1 General.....	21
9.2 Validation of sampling .....	21
9.3 Validation of Analytical Extraction and Clean-up.....	22
9.3.1 Extraction .....	22
9.3.2 Clean-up.....	22
10 Quality control requirements for the measurement.....	22
10.1 Use of a validated method .....	22
10.2 Use of <sup>13</sup> C <sub>12</sub> -labelled standards .....	22
10.3 Minimum requirements for sampling.....	23
10.4 Minimum requirements for extraction and clean-up.....	23
10.5 Minimum requirements for identification of PCB congeners .....	24
10.6 Minimum requirements for quantification.....	25
11 Quality assurance criteria for extraction/clean-up/quantification procedure blanks.....	25
11.1 Analytical blank.....	25
11.2 If the analytical blank values exceed the values mentioned above, the laboratory specific quantification limit has to be adopted (increased) correspondingly. HRGC/HRMS blank .....	26
12 Performance characteristics .....	26

<b>12.1</b>	<b>General</b> .....	<b>26</b>
<b>12.2</b>	<b>Results of the validation campaign</b> .....	<b>27</b>
<b>13</b>	<b>Interferences (informative)</b> .....	<b>28</b>
<b>Annex A</b> (informative)	<b>Toxicity and toxic equivalency</b> .....	<b>29</b>
<b>Annex B</b> (informative)	<b>Examples of extraction and clean-up procedures</b> .....	<b>30</b>
<b>Annex C</b> (informative)	<b>Evaluation of the performance characteristics</b> .....	<b>41</b>
<b>Annex D</b> (informative)	<b>Recommendations for measuring high concentrations of dioxin-like PCBs</b> .....	<b>48</b>
<b>Annex E</b> (informative)	<b>Possible interferences in dioxin-like PCB analysis</b> .....	<b>49</b>
<b>Annex F</b> (informative)	<b>Measurement of the marker PCBs 28, 52, 101, 138, 153, and 180 in addition to the 12 dioxin-like PCBs</b> .....	<b>52</b>
<b>Annex G</b> (informative)	<b>Measurement of hexachlorobenzene (HCB)</b> .....	<b>55</b>
<b>Annex H</b> (informative)	<b>Significant technical changes</b> .....	<b>56</b>
<b>Annex ZA</b> (informative)	<b>Relationship between this European Standard and the essential requirements of EU Directives</b> .....	<b>57</b>
<b>Bibliography</b> .....		<b>58</b>

## Foreword

This document (EN 1948-4:2010) has been prepared by Technical Committee CEN/TC 264 "Air quality", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2011, and conflicting national standards shall be withdrawn at the latest by April 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 1948-4:2007.

Annex H provides details of significant technical changes between this European Standard and the previous document CEN/TS 1948-4:2007

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

EN 1948 consists of several parts dealing with the determination of the mass concentration of PCDDs, PCDFs and PCBs in stationary source emissions:

- *Part 1: Sampling of PCDDs/PCDFs*
- *Part 2: Extraction and clean-up of PCDDs/PCDFs*
- *Part 3: Identification and quantification of PCDDs/PCDFs*
- *Part 4: Sampling and analysis of dioxin-like PCBs*

The first three parts are necessary for the performance of the PCDD/PCDF measurements. In addition this document EN 1948-4 describes the sampling, extraction and analyses of dioxin-like PCBs and requires references to EN 1948-1, -2, -3.

The precision and the performance characteristics of the measurement of PCBs were determined between 2006 and 2008 in a comparison and validation trial at both a waste incinerator and a shredder plant sponsored by the European Commission and the European Free Trade Association. The basic requirements of the determination of PCBs were first published as CEN/TS 1948-4, which served as a basis for these mandated validation measurements. This document EN 1948-4 additionally includes important guidance for sampling and analysis over a broad concentration range gained during the mandated validation measurements.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.



## Introduction

Polychlorinated biphenyls (PCBs) are a group of chlorinated aromatic compounds similar in structure to polychlorinated dibenzo-*p*-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) which consist of 209 individual substances (see Figure 1 for the basic structure).

PCBs have been produced intentionally over approximately 50 years until the end of the 1990s with different uses in open and closed systems, e.g. as electrical insulators or dielectric fluids in capacitors and transformers, specialised hydraulic fluids, as a plasticiser in sealing material, etc. Worldwide, more than one million tons of PCBs were produced.

PCBs as well as PCDD/PCDF are emitted from thermal and other processes. PCB can contribute to the Total WHO-TEQ as reported for Germany [1]; [2], Great Britain [3], Poland [4], Spain [5], Japan [6]; [7], Korea [8].

In 1997 a group of experts of the World Health Organisation (WHO) defined toxicity equivalent factors (TEFs) for PCDDs/PCDFs and 12 PCBs, known as dioxin-like PCBs [9, 10] (see Annex A). These 12 dioxin-like PCBs consist of four non-ortho PCBs and eight mono-ortho PCBs (no or only one chlorine atoms in 2-, 2'-, 6- and 6'-position), having a planar or mostly planar structure, see Figure 1. In the meanwhile these toxicity equivalent factors were revised (see Annex A).

This document deals with the determination of these *dioxin-like* PCBs in emissions from stationary sources. Additionally informative annexes are provided, describing the analyses of the marker PCBs and hexachlorobenzene (HCB) in the same sample (Annex F and Annex G).

Only skilled operators who are trained in handling highly toxic compounds should apply this document.




Figure 1 —Structure of PCB

## 1 Scope

This European Standard specifies sampling from stationary sources, extraction, clean-up, identification and quantification procedures of the dioxin-like PCBs. The procedure described lays down requirements to measure the PCB congeners given in Annex A (see Table A.1). It is applicable to the 12 non- and mono-ortho PCB designated by the WHO. It is optimised to measure PCB concentrations of about 0,01 ng WHO-TEQ<sub>PCB</sub>/m<sup>3</sup>.

In addition to the 12 non- and mono-ortho-PCB the present document is also applicable to measure further PCB-congeners like the "marker PCB" 28, 52, 101, 138, 153, 180 (see Annex F).

This document specifies a framework of quality control requirements for any PCB sampling, extraction, clean-up, identification and quantification methods to be applied.

As a result of their similar chemical behaviour PCBs, as shown in the validation campaign, can be sampled from stationary sources together with the PCDDs/PCDFs. Therefore, it is possible to measure PCBs together with PCDDs/PCDFs by applying EN 1948-1, -2, -3 and -4. The complete sampling procedure is described in EN 1948-1. Each of the three sampling methods of EN 1948-1 can be combined with the methods described in this document to complete the measurement procedure. EN 1948-1 is an integral part of the complete measurement procedure and is necessary for the determination of PCBs.

The analyses of the following PCB congeners is described in this European Standard and is validated in the validation campaign:

a) Non-ortho substituted PCBs

- 1) 3,3',4,4'-TeCB(77)
- 2) 3,4,4',5-TeCB (81)
- 3) 3,3',4,4',5-PeCB (126)
- 4) 3,3',4,4',5,5'-HxCB (169)

b) Mono-ortho substituted PCBs

- 1) 2,3,3',4,4'-PeCB (105)
- 2) 2,3,4,4',5-PeCB (114)
- 3) 2,3',4,4',5-PeCB (118)
- 4) 2',3,4,4',5-PeCB (123)
- 5) 2,3,3',4,4',5-HxCB (156)
- 6) 2,3,3',4,4',5'-HxCB (157)
- 7) 2,3',4,4',5,5'-HxCB (167)
- 8) 2,3,3',4,4',5,5'-HpCB (189)

c) Marker PCBs

- 1) 2,4,4'- TriCB (28)

- 2) 2,2',5,5'-TeCB (52)
- 3) 2,2',4,5,5'- PeCB (101)
- 4) 2,2',3,4,4',5'- HxCB (138)
- 5) 2,2',4,4',5,5'- HxCB (153)
- 6) 2,2',3,4,4',5,5'- HpCB (180)

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1948-1:2006, *Stationary source emissions — Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs — Part 1: Sampling of PCDDs/PCDFs*

EN 1948-2:2006, *Stationary source emissions — Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs — Part 2: Extraction and clean-up of PCDDs/PCDFs*

EN 1948-3:2006, *Stationary source emissions — Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs — Part 3: Identification and quantification of PCDDs/PCDFs*

EN 13284-1:2001, *Stationary source emissions — Determination of low range mass concentration of dust — Part 1: Manual gravimetric method*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1948-1:2006, EN 1948-2:2006, EN 1948-3:2006 and the following apply.

### 3.1

#### **analytical blank value**

value determined by a blank sample covering the complete analytical procedure including extraction, clean-up, identification and quantification including all the relevant reagents and materials

### 3.2

#### **congener**

any one of the 209 individual PCBs

### 3.3

#### **dioxin-like PCB**

#### **WHO-PCB**

non- and mono-ortho PCB with an affinity to the Ah-receptor, showing similar toxic effects as the 2,3,7,8-substituted PCDDs/PCDFs according to WHO [9]

### 3.4

#### **extraction standard**

#### **quantification standard**

<sup>13</sup>C<sub>12</sub>-labelled PCBs, added before extraction and used for calculating results