

SVENSK STANDARD

SS-EN 413-1:2011



Fastställt/Approved: 2011-05-09
Publicerad/Published: 2011-06-15
Utgåva/Edition: 2
Språk/Language: engelska/English
ICS: 91.100.10

Murcement –

Del 1: Sammansättning, fordringar och kriterier för överensstämmelse

Masonry cement –

Part 1: Composition, specifications and conformity criteria

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-79414>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.



Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.


Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 413-1:2011 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 413-1:2011.

Denna standard ersätter SS-EN 413-1:2004, utgåva 1.

The European Standard EN 413-1:2011 has the status of a Swedish Standard. This document contains the official version of EN 413-1:2011.

This standard supersedes the Swedish Standard SS-EN 413-1:2004, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Cement och byggkalk, SIS/TK 185.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 413-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2011

ICS 91.100.10

Supersedes EN 413-1:2004

English Version

Masonry cement - Part 1: Composition, specifications and conformity criteria

Putz- und Mauerbinder - Teil 1: Zusammensetzung,
Anforderungen und Konformitätskriterien

This European Standard was approved by CEN on 10 March 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

page

Foreword	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Notation	8
5 Requirements	8
5.1 General	8
5.2 Constituents and composition	8
5.3 Physical and mechanical requirements	9
5.3.1 Fineness (sieve residue)	9
5.3.2 Initial setting time	9
5.3.3 Final setting time	9
5.3.4 Soundness	9
5.3.5 Fresh mortar requirements	9
5.3.6 Compressive strength	10
5.4 Chemical requirements	10
5.5 Durability requirements	11
6 Standard designation	11
7 Conformity criteria	11
7.1 General requirements	11
7.2 Conformity criteria for physical, mechanical and chemical properties and evaluation procedure	12
7.2.1 General	12
7.2.2 Statistical conformity criteria	12
7.2.3 Single result conformity criteria	16
7.3 Conformity criteria for masonry cement composition	17
Annex A (informative) Water-soluble hexavalent chromium	18
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive	19
Bibliography	26
Tables	
Table 1 — Composition of masonry cements	9
Table 2 — Fresh mortar requirements given as characteristic values	10
Table 3 — Compressive strength requirements given as characteristic values	10
Table 4 — Chemical requirements given as characteristic values	11
Table 5 — Properties, test methods and minimum testing frequencies for the autocontrol testing by the manufacturer, and the statistical assessment procedure	13
Table 6 — Required values of P_k and CR	14
Table 7 — Acceptability constant	15

Table 8 — Values of c_A	16
Table 9 — Limit values for single results	17
Table ZA.1— Harmonised clauses	20
Table ZA.2— System of attestation of conformity	21
Table ZA.3— Assignment of evaluation of conformity tasks for masonry cement under system 1+	22

Foreword

This document (EN 413-1:2011) has been prepared by Technical Committee CEN/TC 51 "Cement and building limes", the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2011, and conflicting national standards shall be withdrawn at the latest by October 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 413-1:2004.

The European Standard, EN 413, "Masonry cement", consists of the following parts:

Part 1: Composition, specifications and conformity criteria;

Part 2: Test methods.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

EN 413-1 has been prepared to provide a range of materials from which users of EN 998-1, EN 998-2 and EN 1996-1-1 (Eurocode 6) can select with confidence to achieve the level of strength and durability required of masonry and rendering.

The main changes from EN 413-1:2004 are as follows:

- introduction of a class MC 22,5 (air-entrained) cement;
- removal of references to EN 459-2 for compressive strength testing;
- the upper limit for SO₃ content is increased.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

Masonry cement should be defined and specified precisely with sufficiently stringent requirements to satisfy those who are responsible for the design and construction of buildings and other structures for maximum safety and durability.

This European Standard is a carefully balanced document that has been thoroughly discussed, taking into account the need to provide clear definitions and specifications and to arrive at a usable standard.

The requirements of this European Standard are, where appropriate, based on the results from tests on masonry cement in accordance with EN 196 'Methods of testing cement'. Strength is measured on a standard mortar prepared in accordance with EN 196-1 with a fixed water/cement ratio and compacted using the equipment described in EN 196-1. However, some additional tests have been found necessary and these tests are described in EN 413-2.

CEN/TC 51 recognises the importance of workability (cohesivity at standard consistence) of mortars prepared from masonry cements. A test method is available in CR 13933, and in which results of a test programme are also given. This test method was not found valid for standard requirement purposes due to its lack of reproducibility, however it provides valuable information for the manufacturers and users on the property in use of masonry cements.

The properties of bond and durability (resistance to frost and/or chemical attack) of mortars are very important and appropriate mortar tests are being developed by CEN/TC 125, Masonry. In many applications, particularly in severe environmental conditions, the choice of the type/class of masonry cement from EN 413-1 can influence the durability of mortar, e.g. in respect of frost and chemical resistance.

1 Scope

This European Standard specifies the definition and composition of masonry cements as commonly used in Europe for the production of mortar for bricklaying and blocklaying and for rendering and plastering. It includes physical, mechanical and chemical requirements and defines strength classes. EN 413-1 also states the conformity criteria and the related rules. Necessary durability requirements are also given.

NOTE For normal applications the information given in EN 413-1, in EN 998-1 and in EN 998-2 is generally sufficient. However, in special cases, an exchange of additional information between the masonry cement producer and user can be helpful. The details of such an exchange are not within the scope of EN 413-1 but should be dealt with in accordance with national standards or other regulations or can be agreed between the parties concerned.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 196-1, *Methods of testing cement — Part 1: Determination of strength*

EN 196-2, *Methods of testing cement — Part 2: Chemical analysis of cement*

EN 196-3, *Methods of testing cement — Part 3: Determination of setting time and soundness*

EN 196-6, *Methods of testing cement — Part 6: Determination of fineness*

EN 196-7, *Methods of testing cement — Part 7: Methods of taking and preparing samples of cement*

EN 197-1, *Cement — Part 1: Composition, specifications and conformity criteria for common cements*

EN 413-2, *Masonry cement — Part 2: Test methods*

EN 459-1, *Building lime - Part 1: Definitions, specifications and conformity criteria*

EN 12878, *Pigments for the colouring of building materials based on cement and/or lime - Specifications and methods of test*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

masonry cement

factory made finely powdered hydraulic binder which relies essentially upon the presence of Portland cement clinker to develop strength. When mixed with sand and water only and without the addition of further materials it produces a workable mortar suitable for use in rendering, plastering and masonry work

3.2

additives

constituents which are added to improve the manufacture or the properties of the masonry cement, e.g. grinding aids, air-entraining agents

3.3

autocontrol testing

continual testing by the manufacturer, of masonry cement spot samples taken at the point(s) of release from the factory/depot

3.4

control period

period of production and despatch identified for the evaluation of the autocontrol test results

3.5

characteristic value

value of a required property outside of which lies a specified percentage, the percentile P_k , of all the values of the population

3.6

specified characteristic value

characteristic value of a mechanical, physical or chemical property which in the case of an upper limit is not to be exceeded or, in the case of a lower limit is, as a minimum, to be reached

3.7

single result limit value

value of a mechanical, physical or chemical property which, for any single test result as in the case of an upper limit is not to be exceeded or, in the case of a lower limit is, as a minimum, to be reached

3.8

allowable probability of acceptance CR

for a given sampling plan, the allowed probability of acceptance of masonry cement with a characteristic value outside the specified characteristic value

3.9

sampling plan

specific plan which states the (statistical) sample size(s) to be used, the percentile P_k and the allowable probability of acceptance CR

3.10

spot sample

sample taken at the same time and from one and the same place, relating to the intended tests. It can be obtained by combining one or more immediately consecutive increments (see EN 196-7)