

SVENSK STANDARD

SS-EN ISO 14253-3:2011



Fastställt/Approved: 2011-05-09
Publicerad/Published: 2011-07-06
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 17.040.01

Geometrisk produktspecifikation (GPS) – Kontroll genom mätning av arbetsstycken och mätinstrument – Del 3: Riktlinjer för att nå överenskommelse om mätosäkerhetsangivelse (ISO 14253-3:2011)

Geometrical product specifications (GPS) – Inspection by measurement of workpieces and measuring equipment – Part 3: Guidelines for achieving agreements on measurement uncertainty statements (ISO 14253-3:2011)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-79504>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.


Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN ISO 14253-3:2011 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 14253-3:2011.

Denna standard ersätter SIS-ISO/TS 14253-3:2005, utgåva 1.

The European Standard EN ISO 14253-3:2011 has the status of a Swedish Standard. This document contains the official version of EN ISO 14253-3:2011.

This standard supersedes the Swedish Standard SIS-ISO/TS 14253-3:2005, edition 1.

**Förhållandet till övriga delar under samma huvudtitel - Utdrag ur Förord i ISO 14253-3:2011/
Relations to other parts under the same general title - Extract from the Foreword of
ISO 14253-3:2011**

ISO 14253 consists of the following parts, under the general title *Geometrical product specifications (GPS) – Inspection by measurement of workpieces and measuring equipment*:

- *Part 1: Decision rules for proving conformance or non-conformance with specifications*
- *Part 2: Guidance for the estimation of uncertainty in GPS measurement, in calibration of measuring equipment and in product verification*
- *Part 3: Guidelines for achieving agreements on measurement uncertainty statements*
- *Part 4: Background on functional limits and specification limits in decision rules [Technical Specification]*

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Mätteknik GPS och Ytstruktur, SIS/TK 507/AG 6.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN ISO 14253-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2011

ICS 17.040.01

Supersedes CEN ISO/TS 14253-3:2007

English Version

**Geometrical product specifications (GPS) - Inspection by
measurement of workpieces and measuring equipment - Part 3:
Guidelines for achieving agreements on measurement
uncertainty statements (ISO 14253-3:2011)**

Spécification géométrique des produits (GPS) - Vérification
par la mesure des pièces et des équipements de mesure -
Partie 3: Lignes directrices pour l'obtention d'accords sur la
déclaration des incertitudes de mesure (ISO 14253-3:2011)

Geometrische Produktspezifikation (GPS) - Prüfung von
Werkstücken und Messgeräten durch Messen - Teil 3:
Richtlinien für das Erzielen einer Einigung über
Messunsicherheitsangaben (ISO 14253-3:2011)

This European Standard was approved by CEN on 14 April 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword		iv
Introduction.....		v
1 Scope		1
2 Normative references		1
3 Terms and definitions		2
4 Reaching an agreement on a stated expanded uncertainty		2
5 Sequential procedure for evaluating and reaching agreement on an uncertainty statement		5
Annex A (informative) Relation to the GPS matrix model		10
Bibliography		12

Foreword

This document (EN ISO 14253-3:2011) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2011, and conflicting national standards shall be withdrawn at the latest by October 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 14253-3:2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 14253-3:2011 has been approved by CEN as a EN ISO 14253-3:2011 without any modification.

Introduction

This part of ISO 14253 is a geometrical product specification (GPS) International Standard and is to be regarded as a global GPS Standard (see ISO/TR 14638). It influences links 4, 5 and 6 of all chains of standards in the general GPS matrix.

The ISO/GPS Masterplan given in ISO/TR 14638 gives an overview of the ISO/GPS system of which this part of ISO 14253 is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this part of ISO 14253 and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this part of ISO 14253, unless otherwise indicated.

For more detailed information on the relation of this International Standard to other standards and the GPS matrix model, see Annex A.

ISO 14253-1 provides decision rules for proving conformance or non-conformance with specifications of workpieces and measuring equipment when taking into account the uncertainty of measurement. ISO 14253-2 provides instructions for preparing uncertainty budgets for determining measurement uncertainty as defined in the *Guide to the Expression of Uncertainty in Measurement (GUM)*. However, the possibility still exists that disagreement between customer and supplier can occur on the estimated measurement uncertainty.

It is becoming increasingly common for suppliers to have in place a quality system providing satisfactory assurance to the customer that the latter is receiving a product which conforms to specifications. This avoids the need for costly duplicate inspections.

For this reason, the most common case of disagreement over a measurement uncertainty statement or an uncertainty budget involves the customer questioning the supplier's uncertainty budget. The customer may also question the measured value of a characteristic of a workpiece or of measuring equipment, thus indirectly questioning the total uncertainty budget (see ISO 14253-1).

In a rarer case of disagreement, the supplier may question the customer's uncertainty budget when the customer rejects a workpiece or measuring equipment (see ISO 14253-1:1998, 6.2).

In addition to those mentioned, there are other cases of disagreement, as well as other motivations that may lead to discussion of stated uncertainties.

Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment —

Part 3: Guidelines for achieving agreements on measurement uncertainty statements

1 Scope

This part of ISO 14253 provides guidelines and defines procedures for assisting the customer and supplier to reach amicable agreements on disputed measurement uncertainty statements regulated in accordance with ISO 14253-1, and so avoid costly and time-consuming disputes.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14253-1:1998, *Geometrical Product Specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 1: Decision rules for proving conformance or non-conformance with specifications*

ISO 14253-2:2011, *Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 2: Guidance for the estimation of uncertainty in GPS measurement, in calibration of measuring equipment and in product verification*

ISO 14978:2006, *Geometrical product specifications (GPS) — General concepts and requirements for GPS measuring equipment*

ISO 17450-1:—¹⁾, *Geometrical product specifications (GPS) — General concepts — Part 1: Model for geometrical specification and verification*

ISO 17450-2:—²⁾, *Geometrical product specifications (GPS) — General concepts — Part 2: Basic tenets, specifications, operators and uncertainties*

ISO/IEC Guide 98-3:2008, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO/IEC Guide 99:2007, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*

1) To be published. (Revision of ISO/TS 17450-1:2005)

2) To be published. (Revision of ISO/TS 17450-2:2002)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14253-1, ISO 14253-2, ISO 14978, ISO 17450-1, ISO 17450-2, ISO/IEC Guide 98-3 and ISO/IEC Guide 99 apply.

4 Reaching an agreement on a stated expanded uncertainty

4.1 Early agreement on the stated measurement uncertainty

In a case where either the customer's or supplier's measurement uncertainty statement is in question, an uncertainty budget supporting and documenting the measurement uncertainty statement may be necessary. It is the responsibility of the party preparing the uncertainty budget to justify the individual components and the resulting estimated expanded uncertainty of the uncertainty budget.

In an ideal situation, customer and supplier will address the issue of measurement uncertainty at the same time as they address the product specifications of the workpiece, at the pre-contract stage. Agreement on the magnitude of the measurement uncertainty or uncertainties and the rules for its application at this early stage of the business relationship will avoid later disputes over acceptance or rejection of product and the consequent need to apply the default rules given in ISO 14253-1.

NOTE In most cases, there are several GPS characteristics specified for a workpiece and for each of these characteristics a measuring task with corresponding measurement uncertainty statement is required.

Two different persons can produce two different uncertainty statements due to differing knowledge, experience and assumptions. Resolving these differences at the pre-contract stage is likely to be less contentious and less costly than waiting until an argument develops over the acceptance or rejection of the product during the manufacture and delivery stage.

4.2 Possibilities for solving disagreements over a stated measurement uncertainty

The most basic way of reaching an agreement is to agree to choose one of the two statements of measurement uncertainty from either party to the agreement. If this type of settlement is not appropriate, another solution is to use the more refined procedure given in Clause 5, or to use a third party consultation or a review or both.

Clause 6 of ISO 14253-1:1998 gives specific rules on dealing with uncertainty of measurement when proving conformance or non-conformance with a specification:

- supplier proving conformance with specifications (ISO 14253-1:1998, 6.2);
- customer proving non-conformance with specifications (ISO 14253-1:1998, 6.3).

The magnitude of the measurement uncertainty is of importance, because it decreases the conformance zone (supplier proving conformance) and the non-conformance zone (customer proving non-conformance).

NOTE 1 Decreasing the non-conformance zone increases the interval where non-conformance cannot be proven. According to ISO 14253-1, the measurement uncertainty is stated by the party providing the proof of conformance or non-conformance with a specification, i.e. the party making the measurements. In the following clauses of this part of ISO 14253, the party stating the measurement uncertainty is designated "party 1". The other of the two parties is designated "party 2". "Party 2" is the party likely to question or disagree with the stated measurement uncertainty.

NOTE 2 When the supplier is proving conformance with specification, the supplier is "party 1" and it is the customer, "party 2", who provides the specification. When the customer is proving non-conformance, the customer is "party 1" and is also considered to have provided the specification, hence it is the supplier who is "party 2".

A number of scenarios can be demonstrated for cases where a stated measurement uncertainty from “party 1” may be questioned by “party 2”. Figure 1 illustrates the most common scenarios, as follows.

- a) A measurement uncertainty is stated by “party 1” (**box a**).
- b) “Party 2” has two options (**box b**).
 - 1) If “party 2” agrees to the measurement uncertainty statement (**box b — “Yes”**), both parties have come to the same conclusion. The issue is resolved (**box z**).

NOTE A measurement uncertainty statement can be a simple claimed value without any documentation or an uncertainty budget with a resulting expanded uncertainty according to ISO 14253-2.
 - 2) If “party 2” disagrees with the measurement uncertainty statement (**box b — “No”**), this part of ISO 14253 applies.
- c) The two parties may use a third party to resolve their disagreement.
 - 1) If yes (**box c — “Yes”**), the third party will evaluate the uncertainty budget (**box v**). The issue is resolved (**box z**).
 - 2) If no (**box c — “No”**), the two parties continue with the procedure (**box d**).
- d) “Party 1” may or may not have generated an uncertainty budget according to ISO 14253-2 (**box d**).
 - 1) If an uncertainty budget does not exist (**box d — “No”**), there are two options.
 - i) The two parties agree, by decision, and without further documentation, on a “new” measurement uncertainty statement (**box e — “Yes”**). In this case, “party 1” shall change the uncertainty statement according to the agreement (**box f**), and the issue is resolved (**box z**).
 - ii) “Party 2” requires an uncertainty budget from “party 1” (**box e — “No”**). “Party 1” then has two options.
 - I) Use a third party (**box g — “Yes”**). The third party shall evaluate the uncertainty budget (**box v**). The issue is resolved (**box z**).
 - II) Do not use third party (**box g — “No”**). “Party 1” shall generate an uncertainty budget (**box h**) according to the guidelines given in ISO 14253-2 (**box j**). When the uncertainty budget is prepared, the procedure recommences from the starting point (**box a**).
 - 2) If the uncertainty budget exists (**box d — “Yes”**), proceed to the next option.
- e) The uncertainty budget prepared by “party 1” may or may not be known to “party 2” at this moment (**box k**).
 - 1) If the uncertainty budget exists, but only the measurement uncertainty has been reported to “party 2” (**box k — “No”**), “party 1” shall make the uncertainty budget and the inherent documentation known to “party 2” (**box m**). The procedure then recommences from the starting point (**box a**).
 - 2) If the uncertainty budget is known to “party 2”, the following situations arise (**box k — “Yes”**).
- f) The two parties either will or will not come to an immediate agreement based on the presented uncertainty budget and without making further detailed investigations (**box n**).
 - 1) The two parties can, by decision, and without further documentation, agree on the stated or a “new” measurement uncertainty statement (**box n — “Yes”**). In the case of a “new” uncertainty statement, “party 1” shall change the uncertainty budget and the uncertainty statement according to the agreement (**box o**), thus resolving the issue (**box z**).
 - 2) If the two parties cannot agree immediately on the presented uncertainty budget (**box n — “No”**), the approach will depend on the level of the uncertainty budget at which they disagree.