

SVENSK STANDARD

SS-ISO 29061-5:2018

Fastställt/Approved: 2018-01-02
Publicerad/Published: 2018-01-03
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 43.040.80

Vägfordon – Metoder och kriterier för utvärdering av användarvänlighet hos bilbarnstolar och deras gränssnitt mot bil –

Del 5: Installation och fastsättning av barn i bältesstolar (ISO 29061-5:2017, IDT)

Road vehicles – Methods and criteria for usability evaluation of child restraint systems and their interface with vehicle anchorage systems –

Part 5: Installation and securing of child in a booster system (ISO 29061-5:2017, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-80000358>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 29061-5:2018.

The International Standard has the status of a Swedish Standard. This document contains the official version of ISO 29061-5:2018.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Barnsäkerhet i bil, SIS/TK 242.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Usability evaluation procedure and scoring principles	2
4.1 Evaluation procedure.....	2
4.2 Scoring system.....	3
5 Usability evaluation forms	3
Annex A (informative) Recommendations regarding scoring and assessment	16
Annex B (informative) Example usability rating classes	17
Bibliography	18

SS-ISO 29061-5:2018 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 36, *Safety and impact testing*.

A list of all parts in the ISO 29061 series can be found on the ISO website.

Introduction

The usability of a child restraint system (CRS) in terms of ease of:

- installation of child restraint systems in various vehicles; and
- day-to-day use with a child (securing, harnessing, adaption for a growing child, etc.)

is of utmost importance to ensure that a child restraint system is used properly in accordance with the manufacturer's intentions, and to ensure that it will provide maximum protection in a crash situation. An international agreement on usability criteria and measurements is beneficial for both consumers and manufacturers.

The aim of this document is to develop and validate a usability evaluation system for installation of child restraint systems with vehicle seat belts, to promote improved design for easy and correct use.

It provides child restraint and vehicle manufacturers with a tool for the assessment of the usability of new and current systems. At the same time, it provides consumers (parents and caregivers) with usability information on the key features related to the proper use of the attachment system, and assist them in selecting child restraints and vehicles that are easy to use properly.

The ISO usability evaluation system has been developed with participation from, and considering the experiences from, usability rating systems of Canada (Transport Canada and ICBC), USA (NHTSA), EU (NPACS and consumer rating programmes, such as ICRT, ADAC).

Road vehicles — Methods and criteria for usability evaluation of child restraint systems and their interface with vehicle anchorage systems —

Part 5: Installation and securing of child in a booster system

1 Scope

This document provides criteria for judgement of usability of booster seat child restraint systems (CRS) when installing them and securing a child.

The document provides criteria for judgement of:

- ease of availability of instructions;
- clarity of instruction manual and labelling; and
- ease of use of design related features of the CRS related to the installation in a vehicle.

The procedure can also be used for evaluation of vehicle integrated booster systems.

NOTE Although ISOFIX is defined in the original “ISOFIX” standard (ISO 13216-1) to be a rigid system, the term “ISOFIX” in this document is extended to include flexible CRS attachments (LATCH, UAS).

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

audible

capable of being heard in normal environmental conditions

3.2

booster system

any kind of belt-positioning *child restraint system* (3.3) where the adult seat belt is the primary restraint for the child

SS-ISO 29061-5:2018 (E)

3.3 child restraint system CRS

free-standing device intended to provide child vehicle occupants with an approved restraint

Note 1 to entry: CRSs comprise various categories such as car beds, infant restraints, toddler seats (forward and rearward-facing), booster cushions, and booster seats. Combination products may cover two or more of these product categories.

3.3.1 multiple modes CRS

type of *CRS* (3.3) that can be used in several modes, for example converting from integral to non-integral, or for use in different orientations

3.4 misuse

any deviation from the intended application and use of a *CRS* (3.3) that might reduce its protective performance

3.5 pictogram

illustration or photo used to represent a concept or an operation, which can be supplemented by text

3.6 single action

operation that can be completed without the need to undertake a secondary action

EXAMPLE A single action includes tightening a strap by pulling it without the need to release a locking system, or attaching to an anchorage without the need to depress the seat cushion.

3.7 slack

unintended looseness of a strap that is likely to affect the performance of the *CRS* (3.3) adversely

3.8 usability

extent to which a product can be used by specified users to achieve specified goals with effectiveness, efficiency and satisfaction in a specified context of use

Note 1 to entry: Interpretation of the generic definition for the purpose of this document: the extent to which a *CRS* (3.3) is capable of being used and is convenient and practical in use (separately or in combination with a vehicle).

[SOURCE: ISO 9241-11:1998, 3.1, modified — a new Note 1 to entry has been added.]

4 Usability evaluation procedure and scoring principles

4.1 Evaluation procedure

This document provides a procedure to evaluate the usability of booster systems, i.e. booster seats with or without seatbacks, including booster seats integrated in the vehicle seat, and the securing of a child in the seat. The procedure evaluates the ease of availability of instruction, clarity of instruction manual and labelling, and the ease of use of design-related features of the CRS related to the installation in a vehicle.

The assessment is done in three steps:

- a separate assessment of the booster system;
- a usability assessment when installing the booster system in specified vehicle seating positions; and

- securing a child or child dummy in the booster system.

The evaluation takes into consideration the various modes of installation and conversions between installation modes. The usability protocol, consisting of two forms, is intended to be objective and repeatable.

The evaluation is most easily accomplished using a team of two people having basic knowledge of child restraints and being familiar with the technical terms used. However, they should preferably be unfamiliar with the CRS model to be evaluated. The procedure takes about 30 min.

The necessary materials include:

- the usability evaluation form (in either paper or electronic format);
- the vehicle owner's manual;
- the CRS manual, including instruction video if applicable; and
- a force gauge for measuring belt tension.

A copy of the terms and definitions from this document may also be helpful.

Initially, the booster system should be in the condition as supplied to the consumer. The evaluation process includes all the steps, including assembly, to complete the installation.

Unpacking the CRS, removing the box and plastic protections, detaching the handbook, etc., should be disregarded in the evaluation, but other initial one-time preparations are considered and assessed in the forms.

The mode of use for the booster system and the seating position in the vehicle should be determined in advance and documented in the evaluation form.

The evaluation process first addresses the labels and instructions, then the ease of positioning the booster seat followed by securing the child or child dummy, and finally the removal of the child restraint system. Installation and removal does not apply to integrated systems.

4.2 Scoring system

The scoring system consists of a Good/Average/Poor rating (scored with 3/1/0 points) of each item assessed, and an importance rating A/B/C (scored with 3/2/1 points) for each item. For each assessment, the scoring of the above are multiplied. A maximum score for a "Good" solution on an item with "A" importance is 9 points.

In this document, "average" means "mid-level" and should not be perceived as a statistical average between good and poor.

The maximum possible score will depend on the features of the booster system. Different products may have different maximum possible scores, and therefore, comparisons of the raw number of total points would not be meaningful. The final rating consists of a total number of points that should be expressed as a percentage of the maximum possible score for the particular conditions. See also further recommendations given in [Annex A](#).

5 Usability evaluation forms

See the following pages.