

SVENSK STANDARD

SS-EN 13317:2018



Fastställt/Approved: 2018-07-16
Utgåva/Edition: 2
Språk/Language: engelska/English
ICS: 13.300;23.020.10;23.020.20

Behållare för transport av farligt gods – Utrustning för behållare – Montage av manlucka

Tanks for transport of dangerous goods – Service equipment for tanks – Manhole cover assembly



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 13317:2018 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 13317:2018.

Denna standard ersätter SS-EN 13317+A1:2006, utgåva 1.

The European Standard EN 13317:2018 has the status of a Swedish Standard. This document contains the official version of EN 13317:2018.

This standard supersedes the SS-EN 13317+A1:2006, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Transportbehållare för farligt gods, SIS/TK 291.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 13317

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2018

ICS 13.300; 23.020.20

Supersedes EN 13317:2002+A1:2006

English Version

Tanks for transport of dangerous goods - Service equipment for tanks - Manhole cover assembly

Citernes destinées au transport de matières dangereuses - Équipements de service pour citernes - Couvercle de trou d'homme

Tanks für die Beförderung gefährlicher Güter - Bedienungsausrüstung von Tanks - Baugruppe Deckel für Einsteigeöffnungen

This European Standard was approved by CEN on 23 April 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Functions	7
5 Design characteristics	7
5.1 Leak tightness	7
5.1.1 Pressure tightness	7
5.1.2 Drop test	7
5.2 Temperature range	7
5.3 Materials of construction	7
5.4 Dimensional characteristics	7
5.5 Electrical resistance	8
6 Tests	8
6.1 General	8
6.2 Production tests	8
6.2.1 General	8
6.2.2 Seat tightness test	8
6.3 Type tests	9
6.3.1 General	9
6.3.2 Seat tightness test	9
6.3.3 Drop test	9
7 Marking	10
8 Installation, operating and maintenance instructions	10
Annex A (normative) Drop test apparatus	11
Annex B (normative) Dimensions of mounting bolt holes	12
Annex C (normative) Dimensions for bolted assembly	13
Bibliography	14

European foreword

This document (EN 13317:2018) has been prepared by Technical Committee CEN/TC 296, “Tanks for the transport of dangerous goods”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2019, and conflicting national standards shall be withdrawn at the latest by January 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13317:2002+A1:2006.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

The following significant changes were made in this edition of EN 13317 in comparison with the earlier one:

- a statement to be included in the installation instructions regarding the requirements for attachment to the shell;
- the keeping period for test results clarified;
- drop test rig, (Annex A), dimensions of sand boxes improved;
- Mounting dimensions, (Annex B), title change, contents amended and expanded into two annexes (Annex B and Annex C) for clarification.

This European Standard has been submitted for reference into the technical annexes of the ADR [1]. Therefore, in this context the standards listed in the normative references and covering basic requirements of the ADR not addressed within the present standard are normative only when the standards themselves are referred to in the technical annexes of the ADR.

This European Standard forms part of a coherent standards programme comprising the following standards:

- EN 13081, *Tanks for transport of dangerous goods - Service equipment for tanks - Vapour collection adaptor and coupler*;
- EN 13082, *Tanks for transport of dangerous goods - Service equipment for tanks - Vapour transfer valve*;
- EN 13083, *Tanks for transport of dangerous goods - Service equipment for tanks - Adaptor for bottom loading and unloading*;
- EN 13308, *Tanks for transport of dangerous goods - Service equipment for tanks - Non pressure balanced footvalve*;
- EN 13314, *Tanks for transport of dangerous goods - Service equipment for tanks - Fill hole cover*;
- EN 13315, *Tanks for transport of dangerous goods - Service equipment for tanks - Gravity discharge coupler*;
- EN 13316, *Tanks for transport of dangerous goods - Service equipment for tanks - Pressure balanced footvalve*;

SS-EN 13317:2018 (E)

- EN 13317, *Tanks for transport of dangerous goods - Service equipment for tanks - Manhole cover assembly;*
- EN 14595, *Tanks for transport of dangerous goods - Service equipment - Breather device;*
- EN 14596, *Tanks for transport of dangerous goods - Service equipment for tanks - Emergency pressure relief valve;*
- EN 16249, *Tanks for the transport of dangerous goods - Service equipment - Cap for the adaptor for bottom loading and unloading;*
- EN 16257, *Tanks for the transport of dangerous goods - Service equipment - Footvalve sizes other than 100 mm dia (nom);*
- EN 16522, *Tanks for transport of dangerous goods - Service equipment for tanks - Flame arresters for breather devices.*

Annexes A, B and C are normative. This document includes a Bibliography.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The manhole cover assembly, the subject of this standard, seals the manhole which gives access to the inside of the tank compartment for manufacturing, cleaning, and inspection, and forms an integral part of a loading, unloading or venting function.

NOTE Cover plates used to seal manholes are not the subject of this standard.

The manhole cover assembly, which comprises the manhole cover and gaskets and may include devices to secure it to the tank shell neckring, may also provide the mounting points for equipment such as:

- fill hole cover;
- pressure limiting device(s);
- level detection equipment;
- vapour transfer valve;
- breather device.

SS-EN 13317:2018 (E)

1 Scope

This document covers the manhole cover assembly and specifies the performance requirements, dimensions and tests necessary to verify the compliance of the equipment to this standard.

The equipment specified by this standard is suitable for use with liquid petroleum products and other dangerous substances of Class 3 of ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road which have a vapour pressure not exceeding 110 kPa at 50 °C and petrol, and which have no sub-classification as toxic or corrosive.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12266-1:2012, *Industrial valves - Testing of metallic valves – Part 1: Pressure tests, test procedures and acceptance criteria - Mandatory requirements*

EN 12266-2, *Industrial valves - Testing of metallic valves - Part 2: Tests, test procedures and acceptance criteria - Supplementary requirements*

EN 13094:2015, *Tanks for the transport of dangerous goods - Metallic tanks with a working pressure not exceeding 0,5 bar - Design and construction*

ISO 2859-1, *Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 manhole

opening in a tank to allow internal inspection by a person passing through

3.2 manhole cover

cover of the manhole which forms an integral part of a loading, unloading or venting function

Note 1 to entry: Loading, unloading or venting function may include auxiliary equipment such as vapour transfer valve, emergency pressure relief valve and sensors.

3.3 manhole cover neckring

shell ring permanently joined to the tank that provides the attachment point for the manhole cover

3.4**fill hole cover**

operating device on top of a transportable tank to allow the opening and closing of the fill hole

3.5**manhole cover gasket**

device which ensures the seal between manhole cover neckring and the manhole cover

3.6**maximum allowable working pressure (MAWP)**

maximum pressure to which the equipment is designed to operate

3.7**cover plate**

plate which does not form an integral part of a loading, unloading or venting function and is used to provide a leak-tight cover for a manhole

4 Functions

The manhole cover assembly seals the manhole that gives access to the inside of the tank or compartment.

The manhole cover assembly may provide aperture(s) to allow the installation of other equipment.

5 Design characteristics**5.1 Leak tightness****5.1.1 Pressure tightness**

When closed, the manhole cover assembly shall be designed to be vapour and liquid tight in any orientation, at any positive or negative pressure within the maximum pressure range of the tank compartment to which it shall be fitted.

5.1.2 Drop test

Each type of manhole cover assembly shall be structurally capable of withstanding, without leakage or permanent deformation that would affect its structural integrity, a drop test as described in 6.3.3.

5.2 Temperature range

Unless otherwise specified, the design temperature range shall be – 20 °C to 50 °C.

Where the manhole cover assembly is subjected to more severe conditions, the design temperature range shall be extended to –40 °C or +70 °C as applicable.

5.3 Materials of construction

Metallic materials shall meet the requirements of EN 13094:2015, 5.2.

The manufacturer shall provide with the equipment a full material specification for those parts that may come into contact with the dangerous substances specified in the scope.

5.4 Dimensional characteristics

The nominal diameter of the manhole shall be 500 mm.

The critical dimensions for the mounting face attachment are specified in Annex B.