

SVENSK STANDARD

SS-ISO 12405-4:2018



Fastställt/Approved: 2018-08-15
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 43.120

EI- och hybridfordon – Provningsmetod för litium-jon-batterier för fordonsdrift – Del 4: Funktionsprovning (ISO 12405-4:2018, IDT)

**Electrically propelled road vehicles -Test specification for
lithium-ion traction battery packs and systems –
Part 4: Performance testing (ISO 12405-4:2018, IDT)**



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 12405-4:2018 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 12405-4:2018.

The International Standard ISO 12405-4:2018 has the status of a Swedish Standard. This document contains the official English version of ISO 12405-4:2018.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för EI- och hybridfordon, SIS/TK 517.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	4
4.1 Symbols.....	4
4.2 Abbreviated terms.....	4
5 General requirements	6
5.1 General conditions	6
5.1.1 Prerequisites	6
5.1.2 Accuracy of measurement equipment and measured values	6
5.2 Test sequence plan.....	7
5.3 Tests.....	7
5.4 Preparation of battery pack and system for bench testing.....	7
5.4.1 Preparation of battery pack.....	7
5.4.2 Preparation of battery system.....	8
6 General tests	8
6.1 Preconditioning cycles	8
6.1.1 Purpose.....	8
6.1.2 Test procedures.....	8
6.2 Standard Cycle (SC).....	9
6.2.1 Purpose.....	9
6.2.2 Test procedures.....	9
7 Performance tests	10
7.1 Energy and capacity at RT	10
7.1.1 Purpose.....	10
7.1.2 Test procedures.....	11
7.1.3 Determination of rated capacity.....	12
7.2 Energy and capacity at different temperatures and discharge rates	13
7.2.1 Purpose.....	13
7.2.2 Test procedure.....	13
7.2.3 Requirements.....	20
7.3 Power and internal resistance	20
7.3.1 Purpose.....	20
7.3.2 Pulse power characterization profile	20
7.3.3 Test procedure.....	27
7.3.4 Requirements.....	31
7.4 No load SOC loss.....	31
7.4.1 Purpose.....	31
7.4.2 Test procedure.....	32
7.4.3 Test sequence.....	33
7.4.4 Requirement.....	35
7.5 SOC loss at storage	35
7.5.1 Purpose.....	35
7.5.2 Test procedure.....	36
7.5.3 Test sequence.....	36
7.5.4 Requirement.....	36
7.6 Cranking power at low temperature	37
7.6.1 Purpose.....	37
7.6.2 Test procedure.....	37
7.6.3 Requirement.....	38

7.7	Cranking power at high temperature.....	38
7.7.1	Purpose.....	38
7.7.2	Test procedure.....	38
7.7.3	Requirement.....	39
7.8	Energy efficiency.....	40
7.8.1	Purpose.....	40
7.8.2	Test description	40
7.8.3	Test procedure.....	40
7.8.4	Requirement.....	42
7.8.5	Calculation example for energy efficiency test.....	42
7.9	Energy efficiency at fast charging.....	42
7.9.1	Purpose.....	42
7.9.2	Test procedure.....	42
7.9.3	Requirement.....	44
7.10	Cycle life.....	44
7.10.1	Purpose.....	44
7.10.2	Test procedure.....	45
7.10.3	Requirement.....	60
7.10.4	Calculation example for cycle life test for high-power battery system.....	61
Annex A (informative) Battery pack and system and overview on tests.....		62
Annex B (informative) Examples of data sheets for battery pack and system testing		67
Annex C (informative) Example of test conditions.....		71
Bibliography.....		72

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 37, *Electrically propelled vehicles*.

This document cancels and replaces ISO 12405-1:2011 and ISO 12405-2:2012 by summarizing the test specifications.

Introduction

Lithium-ion-based battery systems are an efficient alternative energy storage system for electrically propelled vehicles. The requirements for lithium-ion based battery systems for use as a power source for the propulsion of electric road vehicles are significantly different from those batteries used for consumer electronics or stationary usage.

This document provides specific test procedures for lithium-ion battery packs and systems specially developed for propulsion of road vehicles. This document specifies such tests and related requirements to ensure that a battery pack or system is able to meet the specific needs of the automobile industry. It enables vehicle manufactures to choose test procedures to evaluate the characteristics of a battery pack or system for their specific requirements.

ISO 12405 specifies test procedures for lithium-ion battery packs and systems which are connected to the electric propulsion system of electrically propelled vehicles.

The objective of ISO 12405 is to specify standard test procedures for the basic characteristics of performance, reliability and electrical functionality of lithium-ion battery packs and systems and to assist the user in comparing the test results achieved for different battery packs or systems.

NOTE 1 The general safety relevant tests and requirements are given in ISO 6469-1¹⁾.

NOTE 2 Environmental conditions and testing will be given in the future ISO 19453-6²⁾.

For specifications for battery cells, see IEC 62660-1 to 3.

1) Under preparation. Stage at the time of publication: ISO/DIS 6469-1.

2) Under preparation. Stage at the time of publication: ISO/CD 19453-6.

Electrically propelled road vehicles — Test specification for lithium-ion traction battery packs and systems —

Part 4: Performance testing

1 Scope

This document specifies test procedures for the basic characteristics of performance, reliability and electrical functionality for the battery packs and systems for either high-power or high-energy application. Unless otherwise stated, the test applies to both applications.

NOTE 1 Typical applications for high-power battery packs and systems are hybrid electric vehicles (HEVs) and some type of fuel cell vehicles (FCVs).

NOTE 2 Typical applications for high-energy battery packs and systems are battery electric vehicles (BEVs), plug-in hybrid electric vehicles (PHEVs) and some type of fuel cell vehicles (FCVs).

NOTE 3 Testing on cell level is specified in IEC 62660 series.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6469-1¹⁾, *Electrically propelled road vehicles — Safety specifications — Part 1: On-board rechargeable energy storage system (RESS)*

ISO 6469-3²⁾, *Electrically propelled road vehicles — Safety specifications — Part 3: Protection of persons against electric shock*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

battery control unit

BCU

electronic device that controls, manages, detects or calculates electric and thermal functions of the *battery system* (3.3) and that provides communication between the battery system and other vehicle controllers

Note 1 to entry: See [A.3.1](#) for further explanations.

1) Under preparation. Stage at the time of publication: ISO/DIS 6469-1.

2) Under preparation. Stage at the time of publication: ISO/DIS 6469-3.

3.2

battery pack

energy storage device that includes cells or cell assemblies normally connected with *cell electronics* (3.5), power supply circuits and overcurrent shut-off device, including electrical interconnections, interfaces for external systems

Note 1 to entry: See [A.2](#) for further explanations.

Note 2 to entry: Examples of external systems are cooling, voltage class B, auxiliary voltage class A and communication.

3.3

battery system

energy storage device that includes cells or cell assemblies or *battery pack(s)* (3.2) as well as electrical circuits and electronics

Note 1 to entry: See [A.3.2](#) and [A.3.3](#) for further explanations. Battery system components can also be distributed in different devices within the vehicle.

Note 2 to entry: Examples of electronics are the BCU and contactors.

3.4

capacity

total number of ampere hours that can be withdrawn from a fully charged *battery pack* (3.2) under specified conditions

3.5

cell electronics

electronic device that collects and possibly monitors thermal or electric data of cells or cell assemblies and contains electronics for cell balancing, if necessary

Note 1 to entry: The cell electronics can include a cell controller. The functionality of cell balancing can be controlled by the cell electronics or by the BCU.

3.6

customer

party that is interested in using the battery pack or system and therefore orders or performs the test

EXAMPLE A vehicle manufacturer.

3.7

device under test

DUT

battery pack or battery system

3.8

electric drive

combination of a traction motor, power electronics and their associated controls for the conversion of electric to mechanical power and vice versa

3.9

electrically propelled vehicle

vehicle with one or more *electric drive(s)* (3.8) for vehicle propulsion

3.10

energy density

amount of stored energy related to the *battery pack* (3.2) or *system* (3.3) volume

Note 1 to entry: The battery pack or system includes the cooling system, if any, to the point of a reversible attachment of the coolant lines or air ducts, respectively.

Note 2 to entry: Energy density is expressed in watt hours per litre (Wh/l).

3.11**energy round trip efficiency**

ratio of the net d.c. energy delivered by a DUT during a discharge test to the total d.c. energy required to restore the initial SOC by a standard charge

Note 1 to entry: The net d.c. energy is expressed as watt hours (Wh) discharge and the total d.c. energy is expressed as watt hours (Wh) charge.

3.12**high-energy battery pack and system**

battery pack (3.2) and *system* (3.3) using cells, which have the numerical ratio between maximum allowed electric power output and electric energy output at a 1C discharge rate at RT lower than 10

Note 1 to entry: Typically high-energy battery packs and systems are designed for applications in BEVs and PHEVs.

Note 2 to entry: The allowed electric power output is expressed as power in watts (W) and the electric energy output is expressed as energy in watt hours (Wh).

3.13**high-power battery pack and system**

battery pack (3.2) and *system* (3.3) using cells, for which the numerical ratio between maximum allowed electric power output and electric energy output at a 1C discharge rate at RT equal to or higher than 10

Note 1 to entry: Typically high-power battery packs and systems are designed for applications in HEVs and FCVs.

Note 2 to entry: The allowed electric power output is expressed as power in watts (W) and the electric energy output is expressed as energy in watt hours (Wh).

3.14**maximum working voltage**

highest value of a.c. voltage (rms) or of d.c. voltage which may occur in an electric system under any normal operating conditions according to the supplier's specifications, disregarding transients

3.15**overcurrent protection**

protection intended to operate when the current is in excess of a predetermined value

3.16**rated capacity**

supplier's specification of the total number of ampere hours that can be withdrawn from a fully charged battery pack or system for a specified set of test conditions such as discharge rate, temperature and discharge cut-off voltage

3.17**room temperature****RT**

temperature of $(25 \pm 2) ^\circ\text{C}$

3.18**sign of battery current**

discharge current is specified as positive and the charge current as negative

3.19**specific energy**

amount of stored energy related to the *battery pack* (3.2) or *system* (3.3) mass

Note 1 to entry: The mass of battery pack or system includes the mass of the temperature conditioning system if any up to the point of a reversible attachment of the coolant lines or air ducts and the coolant mass.

Note 2 to entry: Specific energy is expressed in watt hours per kilogram (Wh/kg).