

SVENSK STANDARD

SS-EN 17110:2018



Fastställt/Approved: 2018-09-05
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 13.300;23.020.10;23.020.20;23.060.99

Transportbehållare för farligt gods – Utrustning för behållare – Förgreningsrör för ventilering av gas

**Tanks for transport of dangerous goods – Service equipment for
tanks – Vapour manifold vent valve**



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 17110:2018 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 17110:2018.

The European Standard EN 17110:2018 has the status of a Swedish Standard. This document contains the official version of EN 17110:2018.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Transportbehållare för farligt gods, SIS/TK 291.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 17110

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2018

ICS 13.300; 23.020.20; 23.060.99

English Version

Tanks for transport of dangerous goods - Service equipment for tanks - Vapour manifold vent valve

Citernes destinées au transport de matières dangereuses - Équipement de service - Évent de transfert pour collecteur de vapeurs

Tanks für die Beförderung gefährlicher Güter - Bedienungsausrüstung von Tanks - Be- und Entlüftungsventil für Gassammelleitungen

This European Standard was approved by CEN on 23 April 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3
Introduction	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	6
4 Functions.....	6
5 Design characteristics	7
5.1 General.....	7
5.2 5.2. Pressure and vacuum breathing	7
5.3 Ingress protection.....	7
5.4 Flow capacity	7
5.5 Temperature range	7
5.6 Materials of construction	7
5.7 Dimensional characteristics	7
5.7.1 Maximum dimensions	7
5.7.2 Flange connection	8
5.8 Electrical resistance	8
6 Tests.....	8
6.1 General.....	8
6.2 Production tests.....	8
6.2.1 General	8
6.2.2 Internal seat tightness test	9
6.2.3 Operability test	9
6.3 Type test.....	9
6.3.1 General	9
6.3.2 Shell strength test	10
6.3.3 Shell tightness test	10
6.3.4 Internal seat tightness test	10
6.3.5 Mechanical endurance test	10
7 Marking	11
8 Installation, operating and maintenance instructions.....	11
Bibliography.....	12

European foreword

This document (EN 17110:2018) has been prepared by Technical Committee CEN/TC 296 “Tanks for transport of dangerous goods”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2019, and conflicting national standards shall be withdrawn at the latest by February 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document forms part of a coherent standards programme (i.e. Tanks for transport of liquid dangerous goods with vapour pressure not exceeding 110 kPa (absolute pressure) at 50° C and petrol - Service equipment).

This standards programme comprises the following standards:

EN 13081, *Tanks for Transport of dangerous goods — service equipment for tanks — vapour collection adaptor and coupler*

EN 13082, *Tanks for transport of dangerous goods — Service equipment for tanks — Vapour transfer valve*

EN 13083, *Tanks for transport of dangerous goods — Service equipment for tanks — Adaptor for bottom loading and unloading*

EN 13308, *Tanks for transport of dangerous goods — Service equipment for tanks — Non-pressure balanced footvalve*

EN 13314, *Tanks for transport of dangerous goods — Service equipment for tanks — Fill hole cover*

EN 13315, *Tanks for transport of dangerous goods — Service equipment for tanks — Gravity discharge coupler*

EN 13316, *Tanks for transport of dangerous goods — Service equipment for tanks — Pressure balanced footvalve*

EN 13317, *Tanks for transport of dangerous goods — Service equipment for tanks — Manhole cover assembly*

EN 14595, *Tanks for transport of dangerous goods — Service equipment — Breather device*

EN 14596, *Tanks for transport of dangerous goods — Service equipment for tanks — Emergency pressure relief valve*

EN 16249, *Tanks for the transport of dangerous goods — Service equipment — Cap for the adaptor for bottom loading and unloading*

EN 16257, *Tanks for the transport of dangerous goods — Service equipment — Footvalve sizes other than 100 mm dia. (nom)*

EN 16522, *Tanks for transport of dangerous goods — Service equipment for tanks — Flame arresters for breather devices*

SS-EN 17110:2018 (E)

This document includes a Bibliography.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The vapour manifold vent valve allows the controlled release of vapour from the vapour manifold and the controlled entry of atmospheric air into the vapour manifold. It may also include a breathing function.

SS-EN 17110:2018 (E)

1 Scope

This document covers the vapour manifold vent valve used to provide controlled venting of the vapour manifold to atmosphere.

It specifies the performance requirements and the critical dimensions of the vapour manifold vent valve. It also specifies the tests necessary to verify compliance of the equipment with this document.

The service equipment specified by this document is suitable for use with liquid petroleum products and other dangerous substances of Class 3 of ADR [1] which have a vapour pressure not exceeding 110 kPa at 50 °C and petrol, and which have no sub-classification as toxic or corrosive.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12266-1:2012, *Industrial valves — Testing of metallic valves — Part 1: Pressure tests, test procedures and acceptance criteria — Mandatory requirements*

EN 12266-2:2012, *Industrial valves — Testing of metallic valves — Part 2: Tests, test procedures and acceptance criteria — Supplementary requirements*

EN 14564, *Tanks for transport of dangerous goods — Terminology*

ISO 2859-1, *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

EN 60529, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 14564 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Functions

The vapour manifold vent valve

- shall provide controlled venting of the vapour manifold;
- shall be vapour tight when closed;
- may be provided with a flame arrester;
- may be self-operating;
- may be provided with an open/closed indicator;

- may provide pressure and vacuum breathing for the vapour manifold.

5 Design characteristics

5.1 General

The vapour manifold vent valve shall provide a controlled vapour path between the vapour manifold and atmosphere.

The vapour manifold vent valve shall be closed during the process of vapour recovery, both loading and delivery.

Self-operating valves shall not compromise the vapour recovery process. Such valves shall be of the resealing type, and shall be designed to prevent unauthorized adjustment of the self-operating mechanism.

When not activated the valve shall return automatically to its passive state.

5.2 Pressure and vacuum breathing

When provided, the pressure and vacuum breathing characteristics shall be:

- pressure relief opening setting - not to exceed 12 kPa (gauge);
- vacuum relief opening setting - between -0,8 kPa (gauge) and -2,5 kPa (gauge).

5.3 Ingress protection

The vapour manifold vent valve shall be designed, or provision made, to meet the requirements of IP 21 in accordance with EN 60529.

5.4 Flow capacity

A flow performance against pressure drop diagram (standard m³/h at 20 °C) shall be provided by the manufacturer for pressure and/or vacuum functions.

5.5 Temperature range

Unless otherwise specified, the design temperature range shall be -20 °C to +50 °C.

Where the vapour manifold vent valve is subjected to more severe conditions, the design temperature range shall be extended to -40 °C or +70 °C as applicable.

5.6 Materials of construction

The manufacturer shall provide, with the equipment, a full material specification for those parts that may come into contact with the substances described in Clause 1.

5.7 Dimensional characteristics

5.7.1 Maximum dimensions

Top mounted valves shall be accommodated within the tank top protection