

SVENSK STANDARD


SS-ISO 17572-2:2018



Fastställt/Approved: 2018-10-03
Utgåva/Edition: 3
Språk/Language: engelska/English
ICS: 03.220.01; 35.240.60

Vägtrafikinformatik – Platsreferenser för geografiska databaser – Del 2: Förkodade platsreferenser (ISO 17572-2:2018, IDT)

**Intelligent transport systems (ITS) – Location referencing for
geographic databases –
Part 2: Pre-coded location references (pre-coded profile)
(ISO 17572-2:2018, IDT)**



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 17572-2:2018 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 17572-2:2018.

Denna standard ersätter SS-ISO 17572-2:2018, utgåva 2

The International Standard ISO 17572-2:2018 has the status of a Swedish Standard. This document contains the official English version of ISO 17572-2:2018.

This standard supersedes the SS-ISO 17572-2:2018, edition 2

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Vägtrafikinformatik, SIS/TK 255.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	v
Introduction	vi
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Abbreviated terms	8
5 Requirements for a location referencing standard	8
6 Conceptual data model for LRMs	9
7 Specification of pre-coded location references	9
7.1 General concept.....	9
7.2 LDB creation and updating.....	10
7.3 LDB provision.....	10
7.4 LDB usage.....	10
8 Implementations at present	10
8.1 General	10
8.2 VICS.....	10
8.2.1 LDB creation.....	10
8.2.2 LDB usage.....	11
8.3 TMC/ALERT-C Specification.....	11
8.3.1 General.....	11
8.3.2 LDB creation.....	12
8.3.3 LDB usage.....	12
8.4 Korean node link ID system	12
8.4.1 General.....	12
8.4.2 LDB creation.....	12
8.4.3 LDB usage.....	12
8.5 RSIDs	12
8.5.1 General.....	12
8.5.2 LDB creation.....	13
8.5.3 LDB usage.....	13
Annex A (informative) Logical format for VICS link location	14
Annex B (informative) ALERT-C location reference, TPEG2 logical structure	36
Annex C (normative) ALERT-C location reference, TPEG2 binary representation	39
Annex D (normative) ALERT-C location reference, TPEG2 XML representation	41
Annex E (informative) Extended TMC Location reference, TPEG2 logical structure	43
Annex F (normative) Extended TMC Location reference, TPEG2 binary representation	52
Annex G (normative) Extended TMC Location reference, TPEG2 XML representation	57
Annex H (informative) Korean node-link location reference, TPEG2 logical structure	60
Annex I (normative) Korean node-link location reference, TPEG2 binary representation	62
Annex J (normative) Korean node-link location reference, TPEG2 XML representation	63
Annex K (informative) RSIDs	65
Bibliography	71

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

This third edition cancels and replaces the second edition (ISO 17572-2:2015), which has been technically revised.

The main changes compared to the previous edition are as follows:

- added the description of Extended TMC Location reference ([Annex E, F & G](#)).

A list of all parts in the ISO 17572 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

A Location Reference (LR) is a unique identification of a geographic object. In a digital world, a real-world geographic object can be represented by a feature in a geographic database. An example of a commonly known LR is a postal address of a house. Examples of object instances include a particular exit ramp on a particular motorway, a road junction or a hotel. For efficiency reasons, LRs are often coded. This is especially significant if the LR is used to define the location for information about various objects between different systems. For Intelligent Transport Systems (ITS), many different types of real-world objects are addressed. Amongst these, Location Referencing of the road network, or components thereof, is a particular focus.

Communication of an LR for specific geographic phenomena, corresponding to objects in geographic databases, in a standard and unambiguous manner is a vital part of an integrated ITS system in which different applications and sources of geographic data are used. Location Referencing Methods (LRM), methods of referencing object instances, differ by applications, by the data model used to create the database, or by the enforced object referencing imposed by the specific mapping system used to create and store the database. A standard LRM allows for a common and unambiguous identification of object instances representing the same geographic phenomena in different geographic databases produced by different vendors, for varied applications, and operating on multiple hardware/software platforms. If ITS applications using digital map databases are to become widespread, data reference across various applications and systems must be possible. Information prepared on one system, such as traffic messages, must be interpretable by all receiving systems. A standard method to refer to specific object instances is essential to achieving such objectives.

Japan, Korea, Australia, Canada, the US and European ITS bodies are all supporting activities of Location Referencing. Japan has developed a Link Specification for VICS. Japan has developed the Road Section Identification Data set (RSIDs) which uses road sections and reference points. In Europe, the RDS-TMC traffic messaging system has been developed. In addition, methods have been developed and refined in the EVIDENCE and AGORA projects based on intersections identified by geographic coordinates and other intersection descriptors. In the US, standards for Location Referencing have been developed to accommodate several different LRMs.

This document provides specifications for location referencing for ITS systems (although other committees or standardization bodies may subsequently consider extending it to a more generic context). This document is consistent with other International Standards such as ISO 14825.

In addition, this edition of this document does not deal with public transport location referencing; this issue will be dealt with in a later edition.

Intelligent transport systems (ITS) — Location referencing for geographic databases —

Part 2: Pre-coded location references (pre-coded profile)

1 Scope

The ISO 17572 series specifies LRMs that describe locations in the context of geographic databases and are used to locate transport-related phenomena in an encoder system as well as in the decoder side. The ISO 17572 series defines what is meant by such objects and describes the reference in detail, including whether or not components of the reference are mandatory or optional, and their characteristics.

The ISO 17572 series specifies two different LRMs:

- pre-coded location references (pre-coded profile);
- dynamic location references (dynamic profile).

The ISO 17572 series does not define a physical format for implementing the LRM. However, the requirements for physical formats are defined.

This document specifies the pre-coded LRM, comprising:

- specification of pre-coded location references (pre-coded profile);
- logical format for VICS link location ([Annex A](#));
- TPEG physical format for ALERT-C (TMC) location references ([Annex B, C & D](#));
- TPEG physical format for ETLs ([Annex E, F & G](#));
- TPEG physical format for Korean node-link ID references ([Annex H, I & J](#));
- logical format for Road Section Identification Data set ([Annex K](#)).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 17572-1, *Intelligent transport systems (ITS) — Location referencing for geographic databases — Part 1: General requirements and conceptual model*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 17572-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

SS-ISO 17572-2:2018 (E)

3.1**major link**

directed link in a road network

4 Abbreviated terms

ALERT	Advice and Problem Location for European Road Traffic
DATEX	DATA EXchange (protocol for exchange of traffic and travel information between traffic centres)
ETL	Extended TMC Location reference
GCIId	Generic Component Identifier
GDF	Geographic Data File
ID	Identifier
ITRF	International Terrestrial Reference Frame
LDB	Location DataBase
LI	Location Information
LR	Location Referencing (or Reference)
LRM	Location Referencing Method
LRS	Location Referencing System
LRP	Location Referencing Procedure
MOCT	Ministry of Construction and Transportation (Republic of Korea)
RDS	Radio Data System
RSIDs	Road Section Identification Data set
SOEI	System Operating and Exchanging Information
TMC	Traffic Message Channel
TPEG	Transport Protocol Expert Group
TLR	TMC Location Reference
TTI	Traffic and Traveller Information
UTM	Universal Transverse Mercator
VICS	Vehicle Information and Communication System

5 Requirements for a location referencing standard

For details, see ISO 17572-1:2008, Clause 4.

For an inventory of LRMs, see ISO 17572-1:2008, Annex A.

6 Conceptual data model for LRMs

For details, see ISO 17572-1:2008, Clause 5.

For examples of conceptual data model use, see ISO 17572-1:2008, Annex B.

7 Specification of pre-coded location references

7.1 General concept

Pre-coded location referencing is a method which makes use of end-user client devices carrying an LDB that is exactly the same as the corresponding LDB used by a service provider of a particular message being exchanged. All pre-coded LRMs shall share the concept of defining a commonly used database of IDs. This concept has been developed in the past for technologies such as RDS-TMC and VICS to allow an (over-the-air) interface to be designed that uses compact code values (IDs) in the corresponding databases to express particular pre-coded locations of various types.

The LRM here is divided into three steps performed to implement the LRS. The first step is a process of defining the database of location IDs for a given area and the corresponding road network. In this step different service providers and systems provider agree on a defined database containing all locations to be codable (LDB creation). In the second step, this database is provisioned via various means into the service providers database as well as into all receiving systems (LDB provisioning). The third step is in real-time where a service provider can now make use of that database and reference to locations by using the newly-introduced IDs (LDB usage). [Figure 1](#) illustrates this concept.




Figure 1 — General concept of pre-coded LRS

7.2 LDB creation and updating

The different LRSs more or less support standardized ways to create a new release of a LDB. All of them share a conceptual model specifying how the different location categories specified in ISO 17572-1 are related to each other. This specification together with some guiding literature helps the community to create new releases of the LDB.

7.3 LDB provision

After the finalization of the creation process, the newly-created LDB is provisioned into the devices with maintenance service agreements. This is mostly done on a regular map release update. The LRS has to ensure that the encoding and the decoding entities are able to distinguish which release (version) of the database is in use, because no conclusion regarding the correctness of the location can be made based on the contents of the IDs alone.

7.4 LDB usage

A service provider, using the current release dataset, now creates messages with location references according to specified rules of a location reference method out of the list of location IDs available and may put additional attributes to it, to define more precisely which part of the road network is referred to. The location reference sent to the receiving system then consists of a list of one or more location IDs and some additional attributes. Presuming that the receiving system has the actual database available it seeks for the given location IDs and applies the additional attributes according to the location referencing specification. Doing so, the decoder provides the same location definition as requested by the service provider.

8 Implementations at present

8.1 General

Different implementations of pre-coded location referencing have been already specified for a while. Some of them are captured in another ISO standard and some of them need some more specification here. This clause provides a list of presently known pre-coded LRMs and introduces them shortly. It also refers to the different documents needed to fully apply the different implementations.

8.2 VICS

8.2.1 LDB creation

VICS specifies in Reference [2] a digital map database as the basis for other map providers to adopt the different map IDs into their own digital map. The digital base map consists of nodes and road elements which build up a complete street map on level zero. [Figure 2](#) defines the conceptual data model for this map.




Figure 2 — Logical data model of VICS digital base map

8.2.2 LDB usage

All or any part of the specified digital map database can be referred to by a location reference consisting of VICS-Link-IDs, 2ndary-Mesh-Codes and offsets. The specification in Reference [1] defines how the digitized location IDs shall be coded to build up a more sophisticated location.

8.3 TMC/ALERT-C Specification

8.3.1 General

The location referencing rules defined in ISO 14819-3:2013[12] address the specific requirements of TMC systems, which use abbreviated coding formats to provide TTI messages over mobile bearers (e.g. GSM, DAB) or via exchange protocols like DATEX II. In particular, the rules address the RDS-TMC, a means of providing digitally-coded traffic and travel information to travellers using a silent data channel (RDS) on FM radio stations, based on the ALERT-C protocol[9].