

# Teknisk specifikation


## SIS-ISO/TS 19163-1:2016

Publicerad/Published: 2018-11-01  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 35.240.70

---

### **Geografisk information – Modell och metoder för kodning av rasterdata – Del 1: Modeller**

### **Geographic information – Content components and encoding rules for imagery and gridded data – Part 1: Content model**



# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Denna tekniska specifikation är inte en svensk standard. Detta dokument innehåller den engelska språkversionen av ISO/TS 19163-1:2016, utgåva 1.

This Technical Specification is not a Swedish Standard. This document contains the English language version of ISO/TS 19163-1:2016, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i detta dokument lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna uppllysningar om nationell och internationell standard.*

*Information about the content of this document is available from the SIS, Swedish Standards Institute, telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about national and international standards.*

Dokumentet är framtaget av kommittén för Geodata, SIS/TK 323.

Har du synpunkter på innehållet i det här dokumentet, vill du delta i ett kommande revideringsarbete eller vara med och ta fram standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Conformance</b> .....	<b>1</b>
<b>3 Normative references</b> .....	<b>1</b>
<b>4 Terms and definitions</b> .....	<b>2</b>
<b>5 Symbols and abbreviated terms</b> .....	<b>4</b>
5.1 Abbreviated terms.....	4
5.2 UML notations.....	4
<b>6 Related International Standards</b> .....	<b>5</b>
<b>7 Categories of imagery and gridded data</b> .....	<b>6</b>
7.1 General.....	6
7.2 Imagery.....	7
7.3 Gridded data.....	8
<b>8 Content component models</b> .....	<b>8</b>
8.1 General.....	8
8.2 Imagery and gridded data.....	8
8.2.1 General.....	8
8.2.2 IE_ImageryAndGriddedData.....	9
8.2.3 IE_Georectified.....	9
8.2.4 IE_Georeferenceable.....	10
8.3 Thematic gridded data.....	10
8.3.1 IE_ThematicGriddedData.....	10
8.3.2 IE_CategoricalGriddedData.....	10
8.3.3 IE_NumericalGriddedData.....	10
8.4 Imagery.....	11
8.4.1 IE_Imagery.....	11
8.4.2 IE_FusedImage.....	13
8.4.3 IE_SimulatedImage.....	13
8.4.4 IE_OpticalImage.....	13
8.4.5 IE_MicrowaveData.....	13
8.4.6 IE_SARData.....	14
8.4.7 IE_RadiometerData.....	15
<b>9 General approach for encoding (informative)</b> .....	<b>16</b>
<b>Annex A (normative) Abstract test suite</b> .....	<b>18</b>
<b>Annex B (normative) Data dictionary of content component models</b> .....	<b>21</b>
<b>Bibliography</b> .....	<b>38</b>

**SIS-ISO/TS 19163-1:2016 (E)****Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 211, *Geographic information/Geomatics*.

ISO 19163 consists of the following parts, under the general title *Geographic information — Content components and encoding rules for imagery and gridded data*:

— *Part 1: Content model* [Technical Specification]

Other parts are planned, but are not yet specified.

## Introduction

Geographic imagery and gridded thematic data are widely used in the geospatial community and related fields.

A preliminary work item on imagery and gridded data components, carried out by ISO/TC 211 in 1999 to 2000, provides a summary of the conceptual classification of gridded data based on spatial and attribute properties and identifies five basic components of imagery and gridded data (ISO/TC 211 N 1017). ISO/TS 19101-2, ISO 19123 and ISO/TS 19129 specify domains and ranges of imagery, grids and coverages, and their associated relationships. ISO/TS 19129 breaks down the metadata into discovery, structural, acquisition and quality metadata. However, there are no detailed descriptions on each category and no clear associations with metadata defined in ISO 19115:2003, ISO 19115-2, ISO/TS 19130 and ISO/TS 19130-2.

Imagery is acquired by remote sensors directly or derived from source imagery. Value-added image processing can be used to derive physical properties of a remote object from images (ISO/TS 19101-2). Besides the derived images, imagery can also be integrated with other data sources to produce new gridded coverage data for a specific theme, called thematic data, which is widely used in various applications. However, the characteristics of thematic data are not covered by the existing International Standards and Technical Specifications noted above.

ISO/TS 19130 identifies the type of remote sensors by the measurand of the sensor, e.g. optical radiation, microwave energy and SONAR (acoustic) energy. Images acquired by optical sensors have different appearances and characteristics compared with those by a microwave sensor, e.g. SAR data.

The framework defined in ISO/TS 19129 describes imagery, gridded and coverage data at multiple levels, including an abstract level, a content model level and an encoding level. The first two levels combine a number of well-defined content structures in accordance with ISO 19123 and define the contents of continuous quadrilateral gridded coverages with grids of both constant and variable cell sizes. However, the content model level does not specify the necessary metadata for common understanding when integrating datasets encoded in different formats. At the encoding level, ISO/TS 19129 does not provide the explicit encoding rules for mapping content model to machine-independent encoding structure, which is crucial for the mapping and translation of images in different formats without losing information.

Based on the frameworks defined in ISO/TS 19101-2 and ISO 19123, this Technical Specification specifies the categories of imagery and gridded data and establishes a corresponding hierarchical content model. Categories of imagery and gridded data are defined based on thematic and spatial attributes and sensor types. The content model is then defined to describe the required content components of each category, including the spatial and attribute structures and the critical metadata entries as well. These metadata entries are specified as the minimum required metadata information for the purpose of common understanding. Traditionally, remote sensing data products generally have a header part and a data part. This Technical Specification describes the minimum content requirements for the header part.

For ease of implementation, this Technical Specification defines encoding rules to map the content models to XML-based encodings, following the general encoding rules defined in ISO 19118 and the encoding rules for UML-to-GML application schema defined in ISO 19136:2007, Annex E. Since GMLCOV schema (OGC 09-146r2) is optimized for handling coverages, the coverage component of the schema can be based on GMLCOV.

An increasingly large volume of image and gridded data, both natural and synthetic, is being produced because more remote sensors are becoming available. These data are encoded in diverse formats, such as GeoTIFF, BIIF, HDF-EOS, JPEG 2000, NetCDF and others as described in ISO/TR 19121. These encoding formats follow different data models, preventing them from being interoperable. In order to encode the contents defined in this Technical Specification into these data formats, ISO 19163 has been split into multiple parts with this Technical Specification defining the content components and general encoding rules and the subsequent parts defining the binding between the contents and individual physical data formats.





# Geographic information — Content components and encoding rules for imagery and gridded data —

## Part 1: Content model

### 1 Scope

This Technical Specification classifies imagery and regularly spaced gridded thematic data into types based on attribute property, sensor type and spatial property, and defines an encoding-neutral content model for the required components for each type of data. It also specifies logical data structures and the rules for encoding the content components in the structures.

The binding between the content and a specific encoding format will be defined in the subsequent parts of ISO 19163.

This Technical Specification does not address LiDAR, SONAR data and ungeoreferenced gridded data.

The logical data structures and the rules for encoding the content components will be addressed in the subsequent parts of ISO 19163.

### 2 Conformance

This Technical Specification standardizes the categories of imagery and regularly spaced gridded thematic data as well as their core content models. There is one conformance class for each data category. Any set of imagery and regularly spaced gridded thematic data claiming conformance to this Technical Specification shall satisfy the corresponding requirements defined in the abstract test suite in [Annex A](#).

### 3 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19103:2015, *Geographic information — Conceptual schema language*

ISO 19111, *Geographic information — Spatial referencing by coordinates*

ISO 19115-1, *Geographic information — Metadata — Part 1: Fundamentals*

ISO 19115-2<sup>1)</sup>, *Geographic information — Metadata — Part 2: Extensions for imagery and gridded data*

ISO 19123:2005, *Geographic information — Schema for coverage geometry and functions*

ISO/TS 19101-2:2008, *Geographic information — Reference model — Part 2: Imagery*

ISO/TS 19130:2010, *Geographic information - Imagery sensor models for geopositioning*

ISO/TS 19159-1, *Geographic information — Calibration and validation of remote sensing imagery sensors and data — Part 1: Optical sensors*

---

1) At the publication time of this Technical Specification, only ISO 19115-2:2009, which references to ISO 19115:2003, is available. The new version of ISO 19115-2, which is under revision at the publication time of this Technical Specification, will refer to ISO 19115-1:2014.

## SIS-ISO/TS 19163-1:2016 (E)

### 4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 4.1 attribute

named property of an entity

Note 1 to entry: Describes a geometrical, topological, thematic, or other characteristic of an entity.

[SOURCE: ISO/IEC 2382:2015, 2121440, modified — Note 1 to entry has been added.]

#### 4.2 binding

specification of a mapping relating the information defined in a *content model* (4.3) (data and metadata) to the data format that carries that information

#### 4.3 content model

information view of an application schema

Note 1 to entry: In this Technical Specification, a content model describes the required content components and their interrelationship of *imagery* (4.12) and gridded *thematic data* (4.14).

[SOURCE: ISO/TS 19129:2009, 4.1.2, modified — Note 1 to entry has been added.]

#### 4.4 conversion rule

rule for converting instances in the input data structure to instances in the output data structure

[SOURCE: ISO 19118:2011, 4.7]

#### 4.5 encoding rule

identifiable collection of *conversion rules* (4.4) that define the encoding for a particular data structure

EXAMPLE XML, ISO 10303-21, ISO/IEC 8211.

Note 1 to entry: An encoding rule specifies the types of data to be converted as well as the syntax, structure and codes used in the resulting data structure.

[SOURCE: ISO 19118:2011, 4.14]

#### 4.6 fused image

image produced by fusing images from multiple sources

#### 4.7 geopositioning

determining the geographic position of an object

[SOURCE: ISO/TS 19130:2010, 4.36, modified]

#### 4.8 georectified

corrected for positional displacement with respect to the surface of the Earth

[SOURCE: ISO 19115-2:2009, 4.12]

**4.9****georeferenceable**

associated with a *geopositioning* (4.7) information that can be used to convert *grid* (4.10) coordinate values to values of coordinates referenced to an external coordinate reference system related to the Earth by a datum

**4.10****grid**

network composed of two or more sets of curves in which the members of each set intersect the members of the other sets in an algorithmic way

[SOURCE: ISO 19123:2005, 4.1.23, modified]

**4.11****gridded data**

data whose *attribute* (4.1) values are associated with positions on a *grid* (4.10) coordinate system

Note 1 to entry: Gridded data are a subtype of coverage data, which represent attribute values of geographic features in terms of a spatial grid.

[SOURCE: ISO 19115-2:2009, 4.17, modified — Note 1 to entry has been added.]

**4.12****imagery**

representation of phenomena as images produced by electronic and/or optical techniques

Note 1 to entry: The term imagery is often used colloquially with various meanings in different contexts. It is often used to describe any set of gridded, point set or other form of coverage data that can be portrayed.

[SOURCE: ISO/TS 19101-2:2008, 4.14, modified — Note 1 to entry has been added.]

**4.13****looks**

groups of signal samples in a SAR processor that splits the full synthetic aperture into several sub-apertures, each representing an independent look of the identical scene

Note 1 to entry: The resulting image formed by incoherent summing of these looks is characterized by reduced speckle and degraded spatial resolution.

**4.14****thematic data**

*gridded data* (4.11) whose *attribute* (4.1) values describe characteristics of a *grid* (4.10) coverage feature in a grid format

Note 1 to entry: Most gridded thematic data are derived from *imagery* (4.12) data using geophysical/atmospheric inversion algorithms. Gridded thematic data may also be obtained from other sources such as digitization of topographic map sheets.

**4.15****ungeoreferenced grid**

*gridded data* (4.11) that does not include any information that can be used to determine a cell's geographic coordinate values

EXAMPLE A digital photo without georectification information included.