

SVENSK STANDARD

SS-EN 14428:2015+A1:2018



Fastställt/Approved: 2018-11-08
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 91.140.70

Sanitetsenheter – Duschväggar – Funktionskrav och provningmetoder

Shower enclosures – Functional requirements and test methods

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-80007714>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 14428:2015+A1:2018 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 14428:2015+A1:2018.

Denna standard ersätter SS-EN 14428:2015, utgåva 2.

The European Standard EN 14428:2015+A1:2018 has the status of a Swedish Standard. This document contains the official version of EN 14428:2015+A1:2018.

This standard supersedes the SS-EN 14428:2015, edition 2.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Sanitetsenheter, SIS/TK 198/AG 01.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 14428:2015+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2018

ICS 91.140.70

Supersedes EN 14428:2015

English Version

Shower enclosures - Functional requirements and test methods

Parois de douche - Prescriptions fonctionnelles et méthodes d'essai

Duschabtrennungen - Funktionsanforderungen und Prüfverfahren

This European Standard was approved by CEN on 19 March 2015 and includes Amendment 1 approved by CEN on 17 May 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

SS-EN 14428:2015+A1:2018 (E)

Contents	Page
European foreword.....	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 A1 Characteristics A1	6
4.1 General	6
4.2 Cleanability	6
4.3 Impact resistance/shatter properties	6
4.3.1 General	6
4.3.2 Thermally toughened safety glass	6
4.3.3 Laminated safety glass	6
4.3.4 Plastics materials	6
4.4 Durability	6
4.4.1 General	6
4.4.2 Corrosion resistance	7
4.4.3 Resistance to chemicals and stains	7
4.4.4 Resistance to wet and dry cycling	7
4.4.5 Endurance	7
4.4.6 Stability	7
4.4.7 Water retention	7
4.5 Dangerous substances	7
5 Test methods	8
5.1 Impact resistance/shatter properties	8
5.1.1 General	8
5.1.2 Test specimens for curved glass	8
5.1.3 Procedure	8
5.1.4 Assessment of fragmentation	9
5.2 Impact behaviour of plastic sheets	13
5.2.1 Apparatus	13
5.2.2 Procedure	14
5.3 Resistance to chemicals and stains	21
5.3.1 Reagents	21
5.3.2 Apparatus	22
5.3.3 Test specimens	24
5.3.4 Procedure	24
5.3.5 Expression of results	24
5.4 Resistance to wet and dry cycling	24
5.4.1 Test specimens	24
5.4.2 Procedure	24
5.4.3 Results	25
5.5 Endurance	25
5.6 Stability	25
5.7 Water retention	27
6 Marking	31

7	Assessment and verification of constancy of performance - AVCP	32
7.1	General	32
7.2	Type testing	32
7.2.1	General	32
7.2.2	Samples, testing and compliance criteria	33
7.3	Factory production control	33
7.3.1	General	33
7.3.2	Equipment	33
7.3.3	Raw materials and components	34
7.3.4	Product testing and assessment	34
7.3.5	Non-conforming products	34
7.3.6	Corrective action	34
Annex ZA (informative)	Relationship of this European Standard with Regulation (EU)	
	No. 305/2011	35
ZA.1	Scope and relevant characteristics	35
ZA.2	System of Assessment and Verification of Constancy of Performance (AVCP)	35
ZA.3	Assignment of AVCP tasks	35
Bibliography	37

SS-EN 14428:2015+A1:2018 (E)

European foreword

This document (EN 14428:2015+A1:2018) has been prepared by Technical Committee CEN/TC 163 “Sanitary appliances”, the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2019, and conflicting national standards shall be withdrawn at the latest by July 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 2018-05-17.

This document supersedes A1 EN 14428:2015 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

For relationship with EU Construction Products Regulation, see informative Annex ZA, which is an integral part of this document.

A1 *deleted text* A1

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies $\overline{A_1}$ characteristics $\overline{A_1}$ for shower enclosures for domestic purposes which ensure that the product, when installed in accordance with the manufacturer's installation instructions, gives satisfactory performance when used as intended.

This European Standard does not apply to shower cabinets or curtains and does not specify aesthetic and dimensional $\overline{A_1}$ characteristics $\overline{A_1}$.

NOTE For the purposes of this document the term “domestic purposes” includes use in hotels, accommodation for students, hospitals and similar buildings, except when special medical provisions are required.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

prEN 12150-1:2013, *Glass in building — Thermally toughened soda lime silicate safety glass — Part 1: Definition and description*

EN 14449, *Glass in building — Laminated glass and laminated safety glass — Evaluation of conformity/Product standard*

EN ISO 2409, *Paints and varnishes — Cross-cut test (ISO 2409:2013)*

EN ISO 7599, *Anodizing of aluminium and its alloys — General specifications for anodic oxidation coatings on aluminium (ISO 7599:2010)*

EN ISO 9227, *Corrosion tests in artificial atmospheres — Salt spray tests (ISO 9227:2012)*

EN ISO 12543-2, *Glass in building — Laminated glass and laminated safety glass — Part 2: Laminated safety glass (ISO 12543-2:2011)*

ISO 7892:1988, *Vertical building elements — Impact resistance tests — Impact bodies and general test procedures*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

shower enclosure

arrangement of panel(s) and/or door(s) (i.e full or half-height access door(s)) erected on or around a drained shower place, shower tray or bath in conjunction with one or more walls of the main building structure to provide a water retaining area for the purpose of showering

3.2



shower cabinet

prefabricated but not necessarily preassembled unit for the purpose of showering comprising a shower tray or bath and rigid water resistant enclosing wall(s), with or without a roof and with an entry capable of being closed to provide a fully enclosed compartment

SS-EN 14428:2015+A1:2018 (E)

4 Characteristics

4.1 General

 With each shower enclosure detailed instructions on installation and use, to include at least the following information shall be provided: 

- description of installation with special consideration of building construction and necessary tools and sealant;
- instructions for appropriate maintenance and care, including guidance on cleaning.

4.2 Cleanability

When inspected visually, the surfaces of the components of the shower enclosures which are accessible during use and cleaning shall be free from sharp corners, edges and burrs.

When using recommended cleaning agents in accordance with the manufacturer's installation and care instructions, there shall be no reduction in safety or function of the shower enclosure.

4.3 Impact resistance/shatter properties

4.3.1 General

Shower enclosures may be glazed with various materials. Where glass is used, this shall meet the requirements of 4.3.2 or 4.3.3 and where plastics materials are used, they shall meet the requirements of 4.3.4.

4.3.2 Thermally toughened safety glass

4.3.2.1 Thermally toughened flat safety glass

Thermally toughened safety glass shall meet the requirements of prEN 12150-1:2013.

4.3.2.2 Thermally toughened curved safety glass

Test in accordance with 5.1 to ensure that under these test conditions the glass has a particle count of 40 or greater and the length of the longest particle shall not exceed 100 mm.

4.3.3 Laminated safety glass

Laminated safety glass shall conform to EN 14449 and EN ISO 12543-2. Laminated safety glass shall not have holes, for example for fixings, hinges, handles or any other fittings.

NOTE Laminated safety glass is susceptible to water penetration from the edges if they are not suitably protected.

4.3.4 Plastics materials

When tested in accordance with 5.2, sheets shall not break or they shall break safely.

4.4 Durability

4.4.1 General

Products conforming with the requirements of 4.2 and 4.3 and the following are deemed to be durable.

4.4.2 Corrosion resistance

All components shall consist of corrosion-proof materials or shall be corrosion-protected.

All corrosion protection performances shall be evaluated with test methods specified in an appropriate European or International Standard. The standard used and the results of the test shall be recorded.

Examples of minimum requirements:

- the minimum paint adhesion performance for powder-coated or wet-painted surfaces has a cross-cut value ≤ 2 when tested in accordance with EN ISO 2409;
- the minimum average thickness of coating on aluminium is of grade AA5 when tested in accordance with one of the methods given in EN ISO 7599. In no cases is minimum local thickness less than 80 % of the minimum average thickness.
- Compliance with the neutral salt spray (NSS) test e.g. as specified in EN ISO 9227 corrosion test in artificial atmospheres - salt spray tests with a minimum exposure time of 200 h; The defect surface area A is less than or equal to 0,1 % ($A \leq 0,1 \%$). The defects do not exceed a dimension of 0,3 mm.

This list is not exhaustive.

4.4.3 Resistance to chemicals and stains

When tested in accordance with 5.3 the glazing materials shall not show permanent staining or deterioration.

4.4.4 Resistance to wet and dry cycling

When tested in accordance with 5.4, the glazing materials shall not show any cracks, crazing or discoloration. Uncoated and unpainted thermally toughened safety glass is deemed to be resistant to wet and dry cycling and need not be tested.

4.4.5 Endurance

When tested in accordance with 5.5, shower enclosures shall not show any functional deterioration after 20 000 closing-opening cycles.

4.4.6 Stability

When tested in accordance with 5.6, shower enclosures shall withstand an energy representing the impact of a human body on a large impact area (e.g. blow from shoulder, fall) without any functional deterioration which could result in injury to the user.

4.4.7 Water retention

When tested in accordance with 5.7, shower enclosures shall retain water. A few small drops of water on the outside of the water retaining area are acceptable. Where shower enclosures are intended for installation in wet room environments (where watertightness is not required), water may temporarily pass outside the water retaining area as long as it is drained to the water retaining area.

4.5 Dangerous substances

National regulations on dangerous substances may require verification and declaration on release, and sometimes content, when construction products covered by this standard are placed on those markets.

In the absence of European harmonized test methods, verification and declaration on release/content should be done taking into account A1 *deleted text* A1 provisions in the place of use.