

SVENSK STANDARD

SS-ISO 19127:2019



Fastställt/Approved: 2019-02-22

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 07.040; 35.020; 35.240.01; 35.240.30; 35.240.50; 35.240.60; 35.240.70

Geografisk information – Geodetiskt register (ISO 19127:2019, IDT)

Geographic information – Geodetic register (ISO 19127:2019, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-80010181>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 19127:2019 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 19127:2019.

The International Standard ISO 19127:2019 has the status of a Swedish Standard. This document contains the official English version of ISO 19127:2019.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Geodata, SIS/TK 323.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	v
Introduction	vii
1 Scope	8
2 Normative references	8
3 Terms and definitions	8
4 Conformance	8
5 Geodetic register management roles and responsibilities	9
6 Geodetic register management rules and procedures	10
6.1 Introduction.....	10
6.2 Unmodified ISO 19135-1:2015 requirements	10
6.3 Modified ISO 19135-1:2015 requirements	10
6.4 Additional requirements	11
7 Terms of reference of the control body for the ISO geodetic register	13
8 Geodetic register content requirements	13
8.1 Geodetic register content from ISO 19135-1:2015.....	13
8.2 Geodetic register content from ISO 19111:2007	14
8.3 Geodetic register additional and modified content requirements.....	14
9 ISO geodetic registry data export	14
Annex A (normative) Abstract test suite	15
Annex B (normative) Register of geodetic codes and parameters	16
Annex C (informative) Best practices for the ISO geodetic register content	32
Annex D (informative) Metadata	41
Annex E (informative) Requirements list	44
Bibliography	48

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

This first edition cancels and replaces ISO/TS 19127:2005, which has been technically revised.

The main changes compared to the previous edition are as follows:

- the title has changed from Geodetic codes and parameters to Geodetic register;
- the normative references are updated to reflect revisions, ISO 19115-1:2014 and ISO 19162:2015 are added and ISO 19112 removed;
- the Management of a register of geodetic codes and parameters clause is removed;
- the Management of a register of geodetic codes and parameters clause is replaced by Geodetic register management roles and responsibilities and Geodetic register management rules and procedures clauses with the latter referencing ISO 19135-1:2015 in specifying modified, unmodified and additional requirements;
- a Terms of reference of the control body for the ISO 19127 geodetic register clause is added;
- the Content of a register of geodetic codes and parameters clause is replaced by a Geodetic register content requirements clause which references ISO 19111:2007 and ISO 19135-1:2015 in specifying modified, unmodified and additional content;
- an ISO 19127 geodetic registry data export clause is added;
- [Annex A](#) (normative) is extended and updated to reflect revisions;
- [Annex B](#) (normative) is extended and updated to reflect the required elements within the geodetic register;
- [Annex C](#) (informative) is updated to reflect revisions and extended to include extents;
- [Annex D](#) (informative) Metadata and [Annex E](#) (informative) Requirements list are added.

SS-ISO 19127:2019 (E)

In accordance with the ISO/IEC Directives, Part 2, 2018, *Rules for the structure and drafting of International Standards*, in International Standards the decimal sign is a comma on the line. However, the General Conference on Weights and Measures (*Conférence Générale des Poids et Mesures*) at its meeting in 2003 passed unanimously the following resolution:

“The decimal marker shall be either a point on the line or a comma on the line.”

In practice, the choice between these alternatives depends on customary use in the language concerned. In the technical areas of geodesy and geographic information it is customary for the decimal point always to be used, for all languages. That practice is used throughout this document.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document specifically governs procedures for the ISO 19127 geodetic register, but may have applicability to similar national and international registers of geodetic information.

The ISO 19127 geodetic register and the ISO 19127 geodetic registry are referred to as the ISO geodetic register and ISO geodetic registry, respectively, throughout this document.

ISO 19135-1:2015 specifies procedures for the registration of items of geographic information. ISO/IEC JTC 1 defines registration as the assignment of an unambiguous name to an object in a way that makes the object available to interested parties. ISO 19135-1:2015 has changed the definition of registration to the assignment of linguistically independent identifiers, rather than names, to items of geographic information. ISO 19135-1:2015, Annex C is applicable to ISO/TC 211 registers. The ISO geodetic register is one such register.

ISO 19111:2007 describes elements necessary to define single and compound coordinate reference systems so that coordinates for positions on or near the Earth's surface can be unambiguously referenced. ISO 19111:2007 also describes elements to define coordinate operations that change coordinate values from one coordinate reference system to coordinate values based on another coordinate reference system.

This document describes how the procedures specified in the core schema within ISO 19135-1:2015 are to be applied to the ISO geodetic register of elements applicable to spatial referencing by coordinates in accordance with ISO 19111:2007. Some elements that are optional in ISO 19111:2007 become mandatory in this document to provide guidance on applicability and appropriate use.

[Annex A](#), which is normative, provides four tests for conformance to this document.

[Annex B](#), which is normative, provides tables that specify information for elements to be included in the ISO geodetic register.

[Annex C](#), which is informative, provides best practices for the ISO geodetic register content.

[Annex D](#), which is informative, provides the metadata for the ISO geodetic register.

[Annex E](#), which is informative, provides a summary of the conformance requirements that are found in the text body of this document.

Geographic information — Geodetic register

1 Scope

This document defines the management and operations of the ISO geodetic register and identifies the data elements, in accordance with ISO 19111:2007 and the core schema within ISO 19135-1:2015, required within the geodetic register.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19111:2007, *Geographic information — Spatial referencing by coordinates*

ISO 19115-1:2014, *Geographic information — Metadata — Part 1: Fundamentals*

ISO 19135-1:2015, *Geographic information — Procedures for item registration — Part 1: Fundamentals*

ISO 19162:2015, *Geographic information — Well-known text representation of coordinate reference systems*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 19111:2007, ISO 19135-1:2015 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 retirement

<register> declaration that a register item is no longer suitable for use in the production of new data

Note 1 to entry: The status of the retired item changes from “valid” to “retired”. A retired item is kept in the register to support the interpretation of data produced before its retirement and has not been superseded by another item.

Note 2 to entry: In the geodetic register retired items are not necessarily invalid.

[SOURCE: ISO 19135-1:2015, 4.1.14, modified — Note 2 to entry has been added.]

3.2 supersession

<register> declaration that a register item has been retired and replaced by one or more new items

Note 1 to entry: The status of the replaced item changes from “valid” to “superseded”.

Note 2 to entry: In the geodetic register superseded items are not necessarily invalid.

[SOURCE: ISO 19135-1:2015, 4.1.17, modified — Note 2 to entry has been added.]

4 Conformance

To conform to this document, the ISO geodetic register shall satisfy all of the conditions specified in [Annex A](#).

5 Geodetic register management roles and responsibilities

The roles and responsibilities of the register owner, register manager, submitting organizations, control body, registry manager and register user are set out in ISO 19135-1:2015, Clause 5. This clause sets out specific requirements as follows:

NOTE Reference to the ISO 19135-1:2015 requirement is denoted by ⁿ (i.e. [ⁿ2] = Requirement 2).

- **Requirement 1 [¹1]:** The register owner shall set terms and conditions regarding different levels of access to the register and make the contents available to the public. In addition, the register owner shall specify the time period in which the approval process shall be completed.
- **Requirement 2 [¹2]:** The register owner shall appoint a register manager. The register owner may serve as the register manager for any register that it has established or it may appoint another organization to serve as the register manager.
- **Requirement 3 [¹3]:** The register owner shall decide whether a control body is required for the register and if so appoint the control body. The register owner may serve as the control body for any register that it has established or it may delegate that role to a subgroup within the organization or to the register manager.
- **Requirement 4 [¹4]:** The register owner shall specify the criteria that determine which organizations may act as submitting organizations.
- **Requirement 5 [¹5]:** The register owner shall clarify the process for a submitting organization to appeal decisions of the control body (if such a body is appointed). The register owner may establish a procedure for such a process. The specification of this procedure shall include appropriate time limits for the completion of the process. An alternative solution may be for a submitting organization to resubmit a new proposal with changes or a better justification.
- **Requirement 6 [¹6]:** The register manager shall manage a register in conformance with ISO 19135-1:2015, Clause 6.
- **Requirement 7 [¹7]:** Upon request, the register manager shall distribute an information package containing a description of the register and how to submit proposals for changes to the content of the register. The information package shall describe what proposed changes to the content may be considered to be substantive.
- **Requirement 8 [¹8]:** The register manager shall accept proposals from submitting organizations and manage the proposals as specified in ISO 19135-1:2015, 6.4. The register manager shall pass proposals to the control body for decisions as to acceptability and shall serve as the point of contact between the control body and the submitting organization for negotiations regarding changes to the proposal.
- **Requirement 9 [¹9]:** The register manager shall determine whether a submitting organization is qualified in accordance with the criteria established by the register owner.
- **Requirement 10 [¹10]:** If a control body is appointed, it shall accept proposals from the register manager and render a decision regarding each proposal within the time limits specified by the register owner.
- **Requirement 11 [¹11]:** The registry manager shall ensure the integrity of any register held in the registry and shall provide means for electronic access to the registry for register managers, control body members, and register users.
- **Requirement 12 [¹12]:** The register manager shall consider the requirements of different categories of users in selecting methods for publishing the content of a register.
- **Requirement 13:** The ISO geodetic register shall have a publicly available record of changes where historical content shall remain publicly available.

Submitting organizations for the ISO geodetic register consist of organizations and/or persons responsible for defining and maintaining geodetic parameters.

6 Geodetic register management rules and procedures

6.1 Introduction

The ISO geodetic register will be publicly available through a registry with a web-based human interface for browsing/displaying register content, provide a web service interface that ensures interoperability based on open standards, have a stable Internet domain name, be available at least 95 % of the time over one year period and have an authoritative review process.

The ISO geodetic register is a non-hierarchical register. References to principal registers and sub registers are excluded from this document.

Rules for managing a register of geographical information items, including the submission of information, are found in ISO 19135-1:2015, Clause 6.

NOTE Reference to the ISO 19135-1:2015 requirement is denoted by ⁿ (i.e. [ⁿ2] = Requirement 2).

6.2 Unmodified ISO 19135-1:2015 requirements

The unmodified ISO 19135-1:2015 requirements are as follows.

- **Requirement 14 [ⁿ13]:** Every register shall have a technical document describing the item classes to be registered.

NOTE For the ISO geodetic register that technical document is this document.

- **Requirement 15 [ⁿ14]:** Items shall be individually managed, moving through a set of well-defined states. Information about the temporal history of each item shall be maintained.
- **Requirement 16 [ⁿ16]:** A clarification shall not cause any substantive semantic or technical change to a registered item.
- **Requirement 17 [ⁿ17]:** Clarification shall be accomplished by updating the existing item in the register. The clarification shall be recorded with a justification of the change and the date on which the register transaction was made.
- **Requirement 18 [ⁿ19]:** Retirement shall be accomplished by leaving the item in the register, having its status changed to retired, and including the date on which the register transaction was made.
- **Requirement 19 [ⁿ21]:** The register manager shall review proposals received from third parties for completeness and return proposals to the submitting organization if the proposal is incomplete or if the submitting organization is not qualified, else initiate the approval process.
- **Requirement 20 [ⁿ22]:** The approval process shall be completed within the time period specified by the register owner.
- **Requirement 21 [ⁿ23]:** A registry manager shall ensure that information about valid, invalidated, superseded, or retired items in the register is readily available to users.

6.3 Modified ISO 19135-1:2015 requirements

The ISO 19135-1:2015 requirements modified for this document are as follows.

- **Requirement 22 [ⁿ15]:** If an item is superseded by another item, the date the succession occurred shall be captured, along with references to and from the item that superseded it. At any given time, only one item in the series should be “valid”.

NOTE 1 The requirement that only one item in the series is "valid" is removed.

- **Requirement 23 [18]:** If a register item is deemed to be no longer suitable for the use in the production of new data and has been superseded by a new register item, the original item shall remain in the register, have its status changed to superseded and have a reference to the item(s) that superseded it, including the date on which the register transaction was made.

NOTE 2 The option of removing a superseded item from the register is removed.

- **Requirement 24 [18]:** If an item in a register is found to have substantive error, it shall be left in the register, have its status changed to invalid, have a reference to the item(s) that replaced it and have the date when the register transaction was made.

NOTE 3 The option of removing an invalidated item from the register is removed.

6.4 Additional requirements

The additional requirements are as follows.

- **Requirement 25:** The minimum level of information that the register manager shall accept from a submitting organization is complete data for a coordinate reference system that conforms to the requirements as specified in [Clause 8](#). The register manager shall also accept data for compound coordinate reference systems, single coordinate operations and concatenated coordinate operations that conform to the requirements of ISO 19111:2007 and [Clause 8](#).
- **Requirement 26:** The register manager shall assign individual registration identifiers for records for entities so that multiple records can point to them. Records for geodetic register entities are interdependent. When a record for an entity is modified, dependent records shall be assessed and, if required, modified.
- **Requirement 27:** The ISO geodetic register shall use open standardization (refer to [C.1](#)) for the units of measure of ellipsoids, coordinate conversion and coordinate transformation parameters.
- **Requirement 28:** The ISO geodetic register shall conform to the ISO 6709:2008 conventions that geographic latitude is positive north of the equator and geographic longitude is positive east of Greenwich (refer to [C.3.1](#)).
- **Requirement 29:** Geographic coordinates and angles, which are natively in sexagesimal degree representation, shall be held in the ISO geodetic register as a single real number unit, termed a "sexagesimal DMS", which is a concatenation of degree, minute and second values stored as a single decimal number. A leading zero shall be used for the minute and second values less than 10 (refer to [C.2](#)).
- **Requirement 30:** The ISO geodetic register shall conform to the International Association of Geodesy's convention for a geocentric Cartesian coordinate system, with origin at the centre of the Earth, that the Z axis is along the Earth's rotation axis through the north pole, X is in the plane of the equator and through the intersection of the prime meridian with the equator, and Y is in the plane of the equator forming a right-handed coordinate system (refer to [C.3.1](#)).
- **Requirement 31:** The ISO geodetic register shall apply a closed standard (refer to [C.1](#)) for the presentation of coordinate system coordinates as follows (refer to [C.3.2](#)):
 - geocentric Cartesian coordinates: X, Y, Z;
 - geographical two-dimensional coordinates: latitude, longitude or longitude, latitude;
 - geographical three-dimensional coordinates: latitude, longitude, ellipsoidal height or longitude, latitude, ellipsoidal height.
- **Requirement 32:** The ISO geodetic register shall apply an open standard (refer to [C.1](#)) for the positive direction of axes, and the order in which the axes are presented, in a projected coordinate