

SVENSK STANDARD

SS-ISO 23321:2019



Fastställt/Approved: 2019-08-23
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 87.040

Lösningsmedel för färg och lack – Avmineraliserat vatten för industriella tillämpningar – Specifikation och provningsmetoder (ISO 23321:2019, IDT)

Solvents for paints and varnishes – Demineralized water for industrial applications – Specification and test methods (ISO 23321:2019, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-80015242>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 23321:2019 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 23321:2019.

The International Standard ISO 23321:2019 has the status of a Swedish Standard. This document contains the official English version of ISO 23321:2019.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Färg och lack, SIS/TK 433.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents		Page
Foreword		v
1 Scope		1
2 Normative references		1
3 Terms and definitions		1
4 Requirements		1
5 Example of the determination of the colony content		2
5.1 Apparatus.....		2
5.2 Materials.....		2
5.3 Sterilization of the tap before sampling of water		2
5.4 Sampling.....		3
5.5 Procedure.....		3
5.6 Evaluation		3
5.7 Disposal of the overgrown contact slides.....		3
6 Test report		3
Bibliography		5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 9, *General test methods for paints and varnishes*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Solvents for paints and varnishes — Demineralized water for industrial applications — Specification and test methods

1 Scope

This document specifies the properties and requirements for demineralized water used as solvent for paints and varnishes industrial applications, e.g. production of electro-deposition coating materials, water-based coating materials, water-based resins and plastics dispersions.

This document is not applicable to water for analytical use.

NOTE See ISO 3696.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696:1987, *Water for analytical laboratory use — Specification and test methods*

ISO 4618, *Paints and varnishes — Terms and definitions*

ISO 10304-1, *Water quality — Determination of dissolved anions by liquid chromatography of ions — Part 1: Determination of bromide, chloride, fluoride, nitrate, nitrite, phosphate and sulfate*

ISO 15091, *Paints and varnishes — Determination of electrical conductivity and resistance*

ISO 19396-1, *Paints and varnishes — Determination of pH value — Part 1: pH electrodes with glass membrane*

ISO 19396-2, *Paints and varnishes — Determination of pH value — Part 2: pH electrodes with ISFET technology*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4618 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <http://www.electropedia.org/>

3.1

demineralized water

water of which the mineral matter or salts have been removed by deionization

4 Requirements

Demineralized water used as a solvent for paints and varnishes for industrial applications shall conform to the requirements specified in [Table 1](#).

Table 1 — Requirements and test methods for demineralized water

Property			Requirement	Test method
Appearance			clear, without foreign matter	visually
Electrical conductivity	at 25 °C	µS/cm	max. 20	ISO 15091
pH-value	at 23 °C		5 to 8	ISO 19396-1 or ISO 19396-2
Chloride content		mg/l	max. 3	ISO 10304-1
Evaporation residue		mg/kg	max. 5	ISO 3696:1987, 7.5, 2 h at 110 °C
Colony content		CFU	without findings	to be agreed between the interested parties A suitable test-strip method is described in Clause 5 . Any other suitable method may be used.

5 Example of the determination of the colony content

5.1 Apparatus

5.1.1 **Glass tubes with screw cap** for the determination of the bacterial count.

5.1.2 **Heating cabinet**, heatable up to 200 °C.

5.1.3 **Incubator**.

5.1.4 **Refrigerator**.

5.2 Materials

5.2.1 **Media** for the determination of the total colony count (media for liquids). Media are perishable; observe use-by date by all means.

5.3 Sterilization of the tap before sampling of water

Ensure that no contamination from the outer surface of the tap reaches the sample. Scrape off any dirt (scale slime, grease or other extraneous matter) and fully open and close the tap repeatedly to rinse out the dirt from the tap. Disinfect the tap preferentially by flaming (after flaming and opening the tap, a sizzling noise should occur). Subsequently, open the tap to half-flow and flush until constant water temperature is reached. Then place the open sample bottle in the water flow and fill it under aseptic conditions.

Only if flaming is not possible, disinfect the tap by other adequate methods. To disinfect the mouth of a plastic tap, after thorough cleaning, dip it for 2 min to 3 min in a beaker with hypochlorite solution,

$\rho(\text{ClO}^-) \approx 1 \text{ g/l}$, ethanol, volume fraction of 70 %, or isopropanol, volume fraction of 70 %.

Alternatively, a swap or a wash bottle or similar device may be used to disinfect the outside and as much of the inside as possible (see ISO 19458:2006, 4.4.1.3[1]).