

SVENSK STANDARD

SS-ISO 21782-3:2019

Fastställt/Approved: 2019-09-02
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 43.120

Eldrivna vägfordon – Provningsspecifikation för elektriska drivkomponenter – Del 3: Prestandaprovning av motor och växelriktare (ISO 21782-3:2019, IDT)

Electrically propelled road vehicles – Test specification for electric propulsion components – Part 3: Performance testing of the motor and the inverter (ISO 21782-3:2019, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-80015391>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 21782-3:2019 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 21782-3:2019.

The International Standard ISO 21782-3:2019 has the status of a Swedish Standard. This document contains the official English version of ISO 21782-3:2019.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för EI- och hybridfordon, SIS/TK 517.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	1
5 Tests	1
5.1 Motor test.....	1
5.1.1 Measurement of loss and efficiency	1
5.1.2 Temperature rise test	4
5.1.3 Torque characteristic test.....	5
5.1.4 Cogging torque test	7
5.2 Inverter test.....	9
5.2.1 Measurement of loss, efficiency and conversion rate.....	9
5.2.2 Temperature rise test	11
5.3 Chopper test.....	13
5.3.1 Measurement of loss, efficiency and conversion rate.....	13
5.3.2 Temperature rise test.....	16
6 Test reports	17
Annex A (informative) Precautions for measuring motor/inverter loss and efficiency	18
Annex B (informative) Test report	20

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. (see www.iso.org/directives)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. (see www.iso.org/patents)

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road Vehicles*, Subcommittee SC 37, *Electrically propelled vehicles*.

A list of all parts in the ISO 21782 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Electrically propelled road vehicles — Test specification for electric propulsion components —

Part 3: Performance testing of the motor and the inverter

1 Scope

This document specifies performance tests for the motor and the inverter designed as a voltage class B electric propulsion system for electrically propelled road vehicles.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 21782-1, *Electrically propelled road vehicles — Test specification for electric propulsion components — Part 1: General test conditions and definitions*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 21782-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Abbreviated terms

For the purposes of this document, the abbreviated terms given in ISO 21782-1 apply.

5 Tests

5.1 Motor test

5.1.1 Measurement of loss and efficiency

5.1.1.1 General


The purpose of this test is to operate the motor under the specified operating conditions and to measure the loss and efficiency of the motor in order to ensure that the performance is as designed.

5.1.1.2 Test diagram

The test diagram is shown in [Figure 1](#).

Either the two-wattmeter method or the three-wattmeter method may be used for the three-phase power measurement.

Using the three-wattmeter method is recommended.



Key

- 1 DUT
- 2 motor
- 3 inverter
- 4 load
- 5 torque/speed detector
- 6 spectrum analyser/power meter
- 7 torque/speed meter
- 8 motor input current (in A)
- 9 motor input voltage (in V)
- 10 motor torque (in Nm)
- 11 motor speed (in min⁻¹)

Figure 1 — Diagram for measurement of loss and efficiency of the motor

5.1.1.3 Test conditions

The test conditions are shown in [Table 1](#).

Table 1 — Conditions for measurement of loss and efficiency of the motor

Test conditions	Value	Remark
Inverter input voltage	Rated voltage as defined in ISO 21782-1:2019, 3.22.	For the inverter input voltage tolerance, see ISO 21782-1:2019, 5.3.
Ambient conditions	Room temperature (RT) and humidity as defined in ISO 21782-1:2019, 5.4.	

Table 1 (continued)

Test conditions		Value	Remark
Coolant temperature		Maximum temperature for unlimited operating capability	— In case of liquid cooling — Ethylene glycol and propylene glycol as examples of coolant — If technically feasible, the tests shall be performed at coolant temperature of 65 °C. Otherwise the deviation shall be documented in the test report.
Coolant flow rate	Liquid	Minimum flow rate for unlimited operating capability	
	Air	Minimum flow rate for unlimited operating capability	
Operating point		Test points as defined in ISO 21782-1:2019, Figure 1 — "a", "a'", "b", "p ₁ " to "p ₁₀ " (optional "e", "e'", "f", "p ₁ '" to "p ₁₀ '")	
Switching frequency		The frequency shall be agreed between the supplier and customer.	
Operating time		— The operating points "a", "a'", "p ₁ ", "p ₃ ", "p ₅ ", "p ₇ ", "p ₉ ", "p ₁₀ ": 2 s or 10 s (optional 30 s, 60 s) — The operating point "b": 1 800 s — The operating points "p ₂ ", "p ₄ ", "p ₆ ", "p ₈ ": 1 800 s or maximum allowable time for temperature protection	For regenerative operating points, the same operating time applies as for corresponding motoring operating points.

5.1.1.4 Test procedure

- 1) The test motor shall be operated at specified operating points for the operating time defined in [Table 1](#). Motor input power, output torque and speed shall be recorded. Each average of the last one second of the records shall be used. See [Annex A](#) for information about the input power measurement.
- 2) The loss and efficiency shall be calculated by using [Formulae \(1\)](#) and [\(2\)](#):

$$\eta_m = \frac{P_{mo}}{P_{mi}} \times 100 \quad (1)$$

$$P_{ml} = P_{mi} - P_{mo} \quad (2)$$

where

η_m is the efficiency of the motor (in %);

P_{mo} is the motor output power (in W);

P_{mi} is the motor input power (in W);

P_{ml} is the loss of the motor (in W).

The measurement of regenerate operation may be decided by agreement between the supplier and customer.


5.1.2 Temperature rise test

5.1.2.1 General

The purpose of this test is to operate the motor under the specified conditions and to measure the temperature rise in the motor in order to ensure that the motor thermal performance is as designed.

5.1.2.2 Test diagram

The test diagram is shown in [Figure 2](#).



Key

- 1 DUT
- 2 motor
- 3 inverter
- 4 load
- 5 torque/speed detector
- 6 thermometer
- 7 torque/speed meter
- 8 measurement point temperature (in °C)
- 9 motor torque (in Nm)
- 10 motor speed (in min⁻¹)

Figure 2 — Diagram for temperature rise test of the motor

5.1.2.3 Test conditions

The test conditions are shown in [Table 2](#).

Table 2 — Conditions for temperature rise test of the motor

Test conditions	Value	Remark
Inverter input voltage	Rated voltage as defined in ISO 21782-1:2019, 3.22.	For the inverter input voltage tolerance, see ISO 21782-1:2019, 5.3.
Ambient conditions	RT and humidity as defined in ISO 21782-1:2019, 5.4.	

Table 2 (continued)

Test conditions		Value	Remark
Coolant temperature		Maximum temperature for unlimited operating capability	— In case of liquid cooling — Ethylene glycol and propylene glycol as examples of coolant — If technically feasible, the tests shall be performed at coolant temperature of 65 °C. Otherwise the deviation shall be documented in the test report.
Coolant flow rate	Liquid	Minimum flow rate for unlimited operating capability	
	Air	Minimum flow rate for unlimited operating capability	
Operating point		The points as defined in ISO 21782-1:2019, Figure 1 — "a", "b"	May be set by agreement between the supplier and customer.
Switching frequency		The frequency shall be set by agreement between the supplier and customer.	
Operating time		— The operating point "a": 2 s or 10 s — The operating point "b": 1 800 s	

5.1.2.4 Test procedure

The test motor shall be operated at specified operating points, and the temperature at the measurement points shall be recorded.

For each torque-speed point, after the operating time as defined in [Table 2](#) passes, the temperature shall be recorded.

An inverter that has the ability to operate continuously at the maximum torque point may be used.

The temperature of coil shall be measured at the points assumed as the highest. The measurement points in the coil and other measurement points can be added by agreement between the supplier and customer.

5.1.3 Torque characteristic test

5.1.3.1 General

The purpose of this test is to operate the motor under the specified operating conditions and to check the torque characteristics in order to ensure that the motor performance is as designed.

5.1.3.2 Test diagram

The test diagram is shown in [Figure 3](#).