

# SVENSK STANDARD


## SS-ISO 8820-6:2019

Vägfordon – Säkringar –

Del 6: Säkringar för montering på skruv (ISO 8820-6:2019, IDT)

Road vehicles – Fuse-links –

Part 6: Single-bolt fuse-links (ISO 8820-6:2019, IDT)



**sis** Svenska  
Institutet för  
Standarder

Language: engelska/English

Edition: 1

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-80017912>

Den här standarden kan hjälpa dig att effektivisera och kvalitetssäkra ditt arbete. SIS har fler tjänster att erbjuda dig för att underlätta tillämpningen av standarder i din verksamhet.

#### **SIS Abonnemang**

Snabb och enkel åtkomst till gällande standard med SIS Abonnemang, en prenumerationstjänst genom vilken din organisation får tillgång till all världens standarder, senaste uppdateringarna och där hela din organisation kan ta del av innehållet i prenumerationen.

#### **Utbildning, event och publikationer**

Vi erbjuder även utbildningar, rådgivning och event kring våra mest sålda standarder och frågor kopplade till utveckling av standarder. Vi ger också ut handböcker som underlättar ditt arbete med att använda en specifik standard.

#### **Vill du delta i ett standardiseringsprojekt?**

Genom att delta som expert i någon av SIS 300 tekniska kommittéer inom CEN (europeisk standardisering) och/eller ISO (internationell standardisering) har du möjlighet att påverka standardiseringsarbetet i frågor som är viktiga för din organisation. Välkommen att kontakta SIS för att få veta mer!

#### **Kontakt**

Skriv till [kundservice@sis.se](mailto:kundservice@sis.se), besök [sis.se](https://www.sis.se) eller ring 08 - 555 523 10

---

© Copyright/Upphovsrätten till denna produkt tillhör Svenska institutet för standarder, Stockholm, Sverige. Upphovsrätten och användningen av denna produkt regleras i slutanvändarlicensen som återfinns på [sis.se/slutanvandarlicens](https://www.sis.se/slutanvandarlicens) och som du automatiskt blir bunden av när du använder produkten. För ordlista och förkortningar se [sis.se/ordlista](https://www.sis.se/ordlista).

© Copyright Svenska institutet för standarder, Stockholm, Sweden. All rights reserved. The copyright and use of this product is governed by the end-user licence agreement which you automatically will be bound to when using the product. You will find the licence at [sis.se/enduserlicenseagreement](https://www.sis.se/enduserlicenseagreement).

Upplysningar om sakinnehållet i standarden lämnas av Svenska institutet för standarder, telefon 08 - 555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Standarden är framtagen av kommittén för EI- och elektronikanlutningar för vägfordon, SIS/TK 240/AG 06.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](https://www.sis.se) - där hittar du mer information.

Den internationella standarden ISO 8820-6:2019 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 8820-6:2019.

The International Standard ISO 8820-6:2019 has the status of a Swedish Standard. This document contains the official English version of ISO 8820-6:2019.

# Contents

Page

<b>Foreword .....</b>	<b>v</b>
<b>1 Scope.....</b>	<b>6</b>
<b>2 Normative references .....</b>	<b>6</b>
<b>3 Terms and definitions.....</b>	<b>6</b>
<b>4 Marking and labelling.....</b>	<b>6</b>
<b>5 Tests and requirements .....</b>	<b>7</b>
5.1 General .....	7
5.1.1 Criteria.....	7
5.1.2 Test sequence.....	7
5.1.3 Test cable sizes .....	8
5.2 Voltage drop.....	9
5.2.1 Tests.....	9
5.2.2 Requirements.....	9
5.3 Transient current cycling .....	9
5.3.1 Test.....	9
5.3.2 Requirement.....	10
5.4 Environmental conditions .....	10
5.5 Operating time rating.....	10
5.5.1 Test.....	10
5.5.2 Requirement.....	10
5.6 Current steps .....	11
5.6.1 Test.....	11
5.6.2 Requirement.....	11
5.7 Breaking capacity .....	11
5.7.1 Test.....	11
5.7.2 Requirement.....	11
5.8 Strength of terminals .....	11
5.9 Strength of insulating body of the fuse-link and insulating nut .....	11
5.9.1 Purpose.....	11
5.9.2 Test.....	11
5.9.3 Requirement.....	12
<b>6 Dimensions.....</b>	<b>12</b>
6.1 Single-bolt fuse-link.....	12
6.2 Mounting example.....	13
<b>7 Test fixture.....</b>	<b>13</b>
<b>Bibliography.....</b>	<b>16</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 32, *Electrical and electronic components and general system aspects*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

This second edition cancels and replaces the first edition (ISO 8820-6:2007) which has been technically revised.

The main changes compared to the previous edition are as follows:

- 30 A, 40 A and 225 A have been added;
- editorial changes have been made.

A list of all parts in the ISO 8820 series can be found on the ISO website.

This document is intended to be used in conjunction with ISO 8820-1 and with 8820-2. The numbering of its clauses corresponds to that of ISO 8820-1 whose requirements are applicable, except where modified by requirements particular to this document.

# Road vehicles — Fuse-links —

## Part 6: Single-bolt fuse-links

### 1 Scope

This document specifies single-bolt fuse-links in road vehicles. It establishes, for this fuse-link type, the rated current, test procedures, performance requirements and dimensions.

This document is applicable to those fuse-links with a rated voltage of 58 V, a current rating of  $\leq 300$  A and a breaking capacity of 2 000 A, intended for use in road vehicles at a nominal voltage of 12 V, 24 V and/or 48 V.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8820-1, *Road vehicles — Fuse-links — Part 1: Definitions and general test requirements*

ISO 6722-1, *Road vehicles — 60 V and 600 V single-core cables — Part 1: Dimensions, test methods and requirements for copper conductor cables*

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

ISO 2768-2, *General tolerances — Part 2: Geometrical tolerances for features without individual tolerance indications*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8820-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

#### 3.1

##### **insulating nut**

electrically insulated device used to assemble a single-bolt fuse

### 4 Marking and labelling

The requirements given in ISO 8820-1 and [Table 1](#) of this document shall apply.

**Table 1 — Fuse-link rating**

Fuse-link rating	
	A
	30
	40
	50
	75
	100
	125
	150
	175
	200
	225
	250
	300

## 5 Tests and requirements

### 5.1 General

#### 5.1.1 Criteria

In addition to carrying out the test procedures in accordance with ISO 8820-1, the following criteria shall apply:

Test shall be performed following the test sequences in [Table 2](#).

The test fixtures for electrical tests shall be designed in accordance with [Figure 4](#). The connection resistance shall be 0,35 MΩ maximum to ensure the proper function of the test fixture.

Terminals shall have a suitable finish which assures corrosion protection, and shall have satisfactory mechanical and electrical properties.

The mounting torque shall be  $(12 \pm 1)$  Nm.

The insulation resistance measured with 100 V DC of the insulating nut shall be  $\geq 200$  kΩ.

#### 5.1.2 Test sequence

**Table 2 — Test sequence**

No.	Requirement/test	Clause	Sample groups <sup>a</sup>						
			1	2	3	4	5	6	7
1	Dimensions	<a href="#">6</a>	X	X	X				
2	Marking and labelling	<a href="#">4</a>	X	X	X	X	X	X	X
3	Strength of insulating body	<a href="#">5.9</a>	X	X	X	X	X	X	X
4	Voltage drop	<a href="#">5.2</a>	X	X	X				
5	Accelerated ageing	<a href="#">5.4</a>				X			

<sup>a</sup> Each sample group shall contain a minimum of 10 fuse links.

<sup>b</sup> For these operating time tests (Y) the sample groups 2, 4, 5, 6 and 7 shall be divided equally. These fuses are intended to be subjected to a single operating time test only.

**Table 2 (continued)**

No.	Requirement/test	Clause	Sample groups <sup>a</sup>						
			1	2	3	4	5	6	7
6	Fluid compatibility	<a href="#">5.4</a>					X		
7	Mechanical load	<a href="#">5.4</a>						X	
8	Transient current cycling	<a href="#">5.3</a>							X
9	Voltage drop	<a href="#">5.2.</a>				X	X	X	X
10	Current step	<a href="#">5.6</a>			X				
11	Breaking capacity	<a href="#">5.7</a>	X						
12	Operating time rating	<a href="#">5.5</a>		X		X	X	X	X
				Y <sup>b</sup>		Y	Y	Y	Y
				Y		Y	Y	Y	Y
				Y		Y	Y	Y	Y
				Y		Y	Y	Y	Y
				Y		Y	Y	Y	Y
13	Strength of insulating body	<a href="#">5.9</a>	X	X	X	X	X	X	X

<sup>a</sup> Each sample group shall contain a minimum of 10 fuse links.

<sup>b</sup> For these operating time tests (Y) the sample groups 2, 4, 5, 6 and 7 shall be divided equally. These fuses are intended to be subjected to a single operating time test only.

**5.1.3 Test cable sizes**

Test cable sizes shall be as given in [Table 3](#). All tests for a particular fuse-link rating shall be performed using the same cable size.

Test cable sizes are specified to allow comparative fuse-link tests to be carried out. The cable size specified does not necessarily indicate the size of cable to be used in the vehicle application.

**Table 3 — Test cable sizes**

Fuse-link rating	Conductor cross-sectional area <sup>a</sup>
A	mm <sup>2</sup>
30	2,5
40	4
50	10
75	
100	16
125	
150	25
175	
200	35
225	50
250	
300	70

<sup>a</sup> Conductor material according ISO 6722-1.