

# SVENSK STANDARD

## SS-EN 13715:2020

Järnvägar – Hjulpar och boggier – Hjul – Löpbaneprofil

Railway applications – Wheelsets and bogies – Wheels – Tread profile



**sis** Svenska  
Institutet för  
Standarder

Språk: engelska/English

Utgåva: 2

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-80023452>

Den här standarden kan hjälpa dig att effektivisera och kvalitetssäkra ditt arbete. SIS har fler tjänster att erbjuda dig för att underlätta tillämpningen av standarder i din verksamhet.

#### **SIS Abonnemang**

Snabb och enkel åtkomst till gällande standard med SIS Abonnemang, en prenumerationstjänst genom vilken din organisation får tillgång till all världens standarder, senaste uppdateringarna och där hela din organisation kan ta del av innehållet i prenumerationen.

#### **Utbildning, event och publikationer**

Vi erbjuder även utbildningar, rådgivning och event kring våra mest sålda standarder och frågor kopplade till utveckling av standarder. Vi ger också ut handböcker som underlättar ditt arbete med att använda en specifik standard.

#### **Vill du delta i ett standardiseringsprojekt?**

Genom att delta som expert i någon av SIS 300 tekniska kommittéer inom CEN (europeisk standardisering) och/eller ISO (internationell standardisering) har du möjlighet att påverka standardiseringsarbetet i frågor som är viktiga för din organisation. Välkommen att kontakta SIS för att få veta mer!

#### **Kontakt**

Skriv till [kundservice@sis.se](mailto:kundservice@sis.se), besök [sis.se](https://www.sis.se) eller ring 08 - 555 523 10

---

© Copyright/Upphovsrätten till denna produkt tillhör Svenska institutet för standarder, Stockholm, Sverige. Upphovsrätten och användningen av denna produkt regleras i slutanvändarlicensen som återfinns på [sis.se/slutanvandarlicens](https://www.sis.se/slutanvandarlicens) och som du automatiskt blir bunden av när du använder produkten. För ordlista och förkortningar se [sis.se/ordlista](https://www.sis.se/ordlista).

© Copyright Svenska institutet för standarder, Stockholm, Sweden. All rights reserved. The copyright and use of this product is governed by the end-user licence agreement which you automatically will be bound to when using the product. You will find the licence at [sis.se/enduserlicenseagreement](https://www.sis.se/enduserlicenseagreement).

Upplysningar om sakinnehållet i standarden lämnas av Svenska institutet för standarder, telefon 08 - 555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Standarden är framtagen av kommittén för Järnvägar, SIS/TK 254.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](https://www.sis.se) - där hittar du mer information.

Europastandarden EN 13715:2020 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 13715:2020.

Denna standard ersätter SS-EN 13715:2006+A1:2010, utgåva 1.

The European Standard EN 13715:2020 has the status of a Swedish Standard. This document contains the official version of EN 13715:2020.

This standard supersedes the SS-EN 13715:2006+A1:2010, edition 1.



EUROPEAN STANDARD

**EN 13715**

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2020

ICS 45.040

Supersedes EN 13715:2006+A1:2010

English Version

## Railway applications - Wheelsets and bogies - Wheels - Tread profile

Applications ferroviaires - Essieux montés et bogies -  
Roues - Profil de roulement

Bahnanwendungen - Radsätze und Drehgestelle -  
Räder - Radprofile

This European Standard was approved by CEN on 29 June 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**SS-EN 13715:2020 (E)**

<b>Contents</b>	<b>Page</b>
European foreword.....	4
Introduction .....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions .....	6
4 General.....	6
5 Definition of the tread profile.....	6
6 Symbols and abbreviations .....	7
7 Construction method .....	9
7.1 Definition of the axes .....	9
7.2 Base profile.....	9
7.3 Profile construction.....	9
8 Geometric characteristics .....	14
8.1 R20,5 connecting radius.....	14
8.2 RE and RI 12 mm connecting radii.....	14
8.3 <i>Rfa</i> connecting radius.....	14
8.4 R13 connecting radius.....	14
8.5 Wheel tread.....	14
8.6 Reverse slope - Chamfer.....	14
9 Profile designation .....	14
10 Verification of the wheel profile .....	15
Annex A (normative) Flange.....	16
A.1 Definition of the flange.....	16
A.2 Flange geometry .....	17
Annex B (normative) 1/40 <sup>th</sup> profile.....	18
B.1 Complete reference profile: construction with a 32,5 mm thick flange and 15 % reverse slope.....	18
B.2 Profile construction: specific zones.....	18
Annex C (normative) S1002 profile .....	20
C.1 Complete reference profile: construction with 32,5 mm thick flange and 6,7 % reverse slope.....	20
C.2 Profile construction: specific zones.....	20
Annex D (normative) EPS profile.....	25
D.1 Complete reference profile: construction with 32,5 mm thick flange and 10 % reverse slope.....	25
D.2 Profile construction: specific zones.....	25

<b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2016/797/EU aimed to be covered.....</b>	<b>28</b>
<b>Bibliography .....</b>	<b>31</b>

## **SS-EN 13715:2020 (E)**

### **European foreword**

This document (EN 13715:2020) has been prepared by Technical Committee CEN/TC 256 “Railway applications”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2021, and conflicting national standards shall be withdrawn at the latest by January 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13715:2006+A1:2010.

This new revision includes minor amendments, mainly editorial, to help to fulfil TSI requirements.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2016/797/EU.

For relationship with EU Directive 2016/797/EU, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



## **Introduction**

This document states requirements that are in accordance with the principles adopted by the International Union of Railways.

It describes the rules, parameters and construction methods of the wheel tread profile.

It defines the geometry of the flange and reverse slope. The thicknesses and height of the flange are determined by the railway undertaking or its representative in compliance with the normative documents in force.

It defines the coordinates and geometry of the following three reference tread profiles of the wheels and their reverse slope:

- 1/40<sup>th</sup> (reverse slope 15 %);
- S1002 (reverse slope 6,7 %, other value used 15 %) in conformity with UIC Leaflet 510-2;
- EPS (reverse slope 10 %) equivalent to profile P8 of the United Kingdom with a flange 30 mm thick.

These three reference profiles are defined in Annexes B, C and D and represent original profiles from the time of their design, the flanges having been harmonized to a 32,5 mm flange thickness.

It defines the tolerances needed to achieve calibration control.

All the dimensions in this document are given in millimetres.

## SS-EN 13715:2020 (E)

### 1 Scope

This document defines the tread profiles of wheels with a diameter equal or greater than 330 mm used on rolling stock submitted to the Directive 2016/797/EU. These profiles apply to new wheels, whether free-standing or assembled as wheelsets, as well as to wheels that require reprofiling during maintenance.

### 2 Normative references

There are no normative references in this document.

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp/ui>
- IEC Electropedia: available at <http://www.electropedia.org/>

**3.1 technical specification**  
document describing the requirements pertaining to specific parameters in addition to the requirements of this document


### 4 General

Given that this document describes three reference profiles used in Europe, any other profile that does not conform to this document shall be defined in a technical specification.

NOTE The profile is defined in the technical specification, usually agreed on between the railway undertaking and the infrastructure manager.

### 5 Definition of the tread profile

The tread profile is shown in Figure 1.



**Key**

The points marked with "\*" relate respectively to the following profiles:

- B1 S1002
- B1a 1/40<sup>th</sup>
- B1b EPS
- C1 S1002
- C1a 1/40<sup>th</sup>
- C1b EPS

NOTE See Table 1.

**Figure 1 — Wheel tread profile**

**6 Symbols and abbreviations**

**Table 1 — Symbols and abbreviations**

Z1	Internal zone of flange (H2 – S)
Z2	External zone of flange (S – D1)
Z3	Connection zone, flange to wheel tread [D1 – C1(C1a, C1b)]
Z4	Wheel tread zone [C1 (C1a, C1b) – B1 (B1a, B1b)]
Z5	Zone between the wheel tread (reverse slope) and chamfer [B1 (B1a, B1b) – I]
a	Position of the axis intersecting the tip of the flange relative to the internal face of the wheel
d	Wheel diameter
e	Flange thickness