

# Teknisk rapport

## SIS-CEN/TR 16632:2015

Publicerad/Published: 2015-06-30

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 91.100.10

---

### **Isotermisk ledningskalorimetri för bestämning av värmeutveckling hos cement – Nulägesbeskrivning**

### **Isothermal Conduction Calorimetry (ICC) for the determination of heat of hydration of cement: State of Art Report and Recommendations**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-8014647>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Denna tekniska rapport är inte en svensk standard. Detta dokument innehåller den engelska språkversionen av CEN/TR 16632:2014.

This Technical Report is not a Swedish Standard. This document contains the English version of CEN/TR 16632:2014.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i detta dokument lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om nationell och internationell standard.*

*Information about the content of this document is available from the SIS, Swedish Standards Institute, telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about national and international standards.*

Dokumentet är framtaget av kommittén för Cement och byggkalk, SIS/TK 185.

Har du synpunkter på innehållet i det här dokumentet, vill du delta i ett kommande revideringsarbete eller vara med och ta fram standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



TECHNICAL REPORT

**CEN/TR 16632**

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

June 2014

---

ICS 91.100.10

English Version

## Isothermal Conduction Calorimetry (ICC) for the determination of heat of hydration of cement: State of Art Report and Recommendations

Bestimmung der Hydratationswärme von Zement durch isotherme Wärmeflusskalorimetrie: Stand der Technik und Empfehlungen

This Technical Report was approved by CEN on 26 November 2013. It has been drawn up by the Technical Committee CEN/TC 51.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>		<b>Page</b>
Foreword.....		4
Introduction .....		5
1 Basic principle and key points of ICC .....		6
1.1 Basic Principle .....		6
1.2 Key points of ICC .....		7
2 Normative references .....		7
3 Technical data sheets of available calorimeters .....		7
4 Experimental data .....		8
5 Calibration .....		9
5.1 Calibration of isothermal heat conduction calorimeters .....		9
5.2 Determination of the baseline .....		11
5.3 Open question.....		11
6 Final remarks.....		12
7 Scope and field of application.....		13
8 Terms and definitions .....		13
9 Apparatus .....		14
9.1 General.....		14
9.2 Thermostat .....		15
9.3 Calorimeter technical parameters.....		15
10 Calibration .....		16
10.1 General.....		16
10.2 Steady state calibration .....		17
10.2.1 General.....		17
10.2.2 Calibration coefficient ( $\epsilon$ ).....		17
10.2.3 Time constant ( $\tau$ ).....		17
10.3 Pulse calibration .....		18
10.3.1 General.....		18
10.3.2 Time constant ( $\tau$ ).....		19
10.4 Determination of the calorimeter parameters.....		19
10.5 Improvement of common calibration procedure.....		19
11 Sample .....		19
11.1 General.....		19
11.2 Test sample .....		19
11.3 Reference sample .....		20
12 Testing procedure.....		20
12.1 General.....		20
12.2 Method A - "External mixing" .....		20
12.3 Method B - "Internal mixing" .....		21
12.4 Measurement.....		21
12.5 Calculations.....		21
12.6 Result .....		22
Annex A (informative) Glossary .....		23
A.1 Ampoule.....		23
A.2 Ampoule holder.....		23

<b>A.3</b>	<b>Baseline .....</b>	<b>23</b>
<b>A.4</b>	<b>Calibration coefficient.....</b>	<b>23</b>
<b>A.5</b>	<b>Isothermal.....</b>	<b>23</b>
<b>A.6</b>	<b>Reference .....</b>	<b>23</b>
<b>A.7</b>	<b>Thermal power .....</b>	<b>23</b>
	<b>Bibliography.....</b>	<b>24</b>

## Foreword

This document (CEN/TR 16632:2014) has been prepared by Technical Committee CEN/TC 51 “Cement and building limes”, the secretariat of which is held by NBN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

It is divided into two sections. The first section is a State of Art Report of the test method based on the collection of the technical data sheets of the calorimeters adopted in the European cement laboratories and also on the collection of the results of several experimental activities. The second section is made of recommendations for the measurement of heat of hydration of cement by ICC. Based on the State of Art Report, this section provides some basic elements of the test procedure with the aim to become a first guide for the laboratories that are currently using ICC or for those laboratories that would start to adopt this method. By using the information and adopting the procedures given in the document it will be possible to compare in a more reliable way both the performances of the different calorimeters and the test results.

Annex A (informative) provides a Glossary.



## **Introduction**

In 2007, CEN/TC 51, through resolution 495, agreed that WG 12/TG 3 investigates the suitability for standardization of the test method based on isothermal conduction calorimetry (ICC). The Task Group 3 has been reactivated and held its first meeting in 2008.

Since no national standard on ICC for the determination of heat of hydration of cement was available, TG 3 started its activity on the item by gathering the available information on recommendations or published scientific papers, inter-laboratory experimental exercises. The available information, collected into a State of Art report, has been analysed and discussed in order to identify those aspects of the test method that can be already considered consolidated as well as those elements that still need further development.

The second step of the activity was the redaction of a Recommendations document including a testing procedure for the measuring of heat of hydration of cement by ICC. The circulation of this document in the laboratory actually involved in ICC testing, would lead to the application of uniform general principles and, therefore, to a better data reproducibility.

In this CEN/TR, the State of Art document and the Recommendations document are reviewed into a single document divided into two parts:

- a) State of art report on the application of ICC for the determination of heat of hydration of cement;
- b) Recommendations for the measurement of Heat of Hydration of Cement by Isothermal Conduction Calorimetry.

## PART A

# State of art report on the application of ICC for the determination of heat of hydration of cement


## 1 Basic principle and key points of ICC

### 1.1 Basic Principle

The test method is designed to measure the heat of hydration of cement when mixed with water. The measurement takes place at essentially constant temperature, if the instrument and the measurement are well designed, therefore it is assumed to be the “isothermal heat of hydration of cement”.

An isothermal heat conduction calorimeter (here called calorimeter) consists of a thermostatic heat sink upon which two heat flow sensors are placed. The sample is placed in an ampoule that is placed in an ampoule holder that is in contact with one of the heat flow sensors, and an inert reference is placed in contact with the other. The sample ampoule and the reference ampoule are thermally connected by heat flow sensors to a thermostatic heat sink. The output from the calorimeter is the difference between the outputs from the sample heat flow sensor and the reference heat flow sensor. A general scheme of a heat conduction calorimeter is given in Figure 1.

However the actual design of an individual instrument, whether commercial or home-built, may vary.



#### Key

- 1 thermostat
- 2 heat flow sensors
- 3 heat sunk
- 4 sample
- 5 reference

**Figure 1 — A schematic drawing of a heat conduction calorimeter**

Most part of the calorimeters can measure the heat of hydration of samples mixed outside from the instrument, therefore the heat produced during the mixing is not measured. It is not easy to solve this problem designing a calorimeter provided with an internally mixing device having the proper efficacy.

## 1.2 Key points of ICC

When performing ICC measurements on cement samples some key points have to be considered and correctly managed:

- Constant value of the temperature of the thermostat;
- Stability of the temperature of the thermostat all over the test duration;
- Control of the maximum difference between sample temperature and thermostat temperature (isothermal conditions);
- The baseline of the instrument (measured with an inert sample of similar thermal properties of test sample) should be both repeatable and stable;
- Calibration of the calorimeter. The method currently used is based on the joule effect produced by a resistor feed with an electrical current; no standard material for the calibration is available for the time being;
- Check that the ampoule is vapour tight enough (so that endothermic thermal powers of evaporation do not influence the measurements).

## 2 Normative references

Not applicable.

## 3 Technical data sheets of available calorimeters

One of the expected results from this CEN/TR is a general and comprehensive overview of the technical data sheets of the currently existing conduction calorimeters because the quality of the test results of ICC is strongly influenced by the characteristics of the apparatus, where the word “characteristics” has to be intended in the sense of “fit for use” when measuring heat of hydration of cement.

A number of instruments that have been used for calorimetric measurements on cement have been considered and their technical specifications have been compared. The list of the instruments that have been considered is given in Table 1.

**Table 1 — List of Instruments considered for the analysis of technical data sheets**

Instrument	Manufacturer
Thermal Activity Monitor TAM AIR	Thermometric, Sweden
Thermal Activity Monitor TAM 2277	Thermometric, Sweden
Thermal Activity Monitor TAM III	TA instruments
ToniCAL 7338	Toni Technik
MS 80 Calorimeter	Setaram
C 80 Calorimeter	Setaram
Calorimeter Italcementi	Italcementi

Basically the relevant specifications of each instrument are useful to describe two main aspects:

- sensitivity and related uncertainty;