

SVENSK STANDARD

SS-ISO 17972-1:2015



Fastställt/Approved: 2015-09-21
Publicerad/Published: 2015-10-06
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 35.240.30; 37.100.99

Grafisk teknik – Utbyte av färgdata – Del 1: Relation till CxF3 (CxF/X) (ISO 17972-1:2015, IDT)

Graphic technology – Colour data exchange format – Part 1: Relationship to CxF3 (CxF/X) (ISO 17972-1:2015, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-8016249>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 17972-1:2015 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 17972-1:2015.

The International Standard ISO 17972-1:2015 has the status of a Swedish Standard. This document contains the official English version of ISO 17972-1:2015.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Grafisk teknik, SIS/TK 434.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Terms.....	1
3.2 Definitions.....	2
4 Symbols and abbreviated terms	2
5 Requirements	3
5.1 CxF/X specific requirements.....	3
5.2 General description of a Color Exchange Format conforming file.....	3
5.2.1 General.....	3
5.2.2 FileInformation.....	4
5.2.3 Resources.....	4
5.2.4 Example CxF file structure.....	6
5.2.5 CustomResources.....	7
5.3 Document Format.....	8
5.3.1 General.....	8
5.3.2 CxF 3.0 Major Schema Elements.....	8
5.3.3 Object.....	8
5.3.4 ColorValues.....	9
5.3.5 DeviceColorValues.....	9
5.3.6 PhysicalAttributes.....	9
Annex A (informative) Color Exchange Format mapping to ISO 28178	10
Annex B (informative) CxF3 Schema	14
Annex C (informative) Use Cases	15
Bibliography	17

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary Information](#)

The committee responsible for this document is ISO/TC 130, *Graphic technology*.

ISO 17972 consists of the following parts, under the general title *Graphic technology — Colour data exchange format (CxF/X)*:

- *Part 1: Relationship to CxF3(CxF/X)*
- *Part 4: Spot color characterisation data (CxF/X-4)*

The following parts are under development:

- *Part 2: Scanner target data (CxF/X-2)*
- *Part 3: Printer target data (CxF/X-3)*

Introduction

ISO 17972 (all parts) defines methods for the use of CxF3 to exchange measurement data and associated metadata within the graphic arts industry and for the exchange of these files between graphic arts users. It is a multi-part document where each part is intended to respond to different workflow requirements. The goal throughout the various parts of ISO 17972 has been to maintain the degree of flexibility required while minimizing the uncertainty of the data exchanged.

A number of International Standards used by the graphic technology community require the reporting of measured and/or computed data. Several of these standards, e.g. ISO 12642 and ISO 13655, have used the ASCII keyword-value pair approach and have been widely used by some industry segments. However, there has been a large degree of variability in implementation, which has not facilitated good automated data exchange creating uncertainty. ISO 28178 attempted to rectify this situation by creating a bridge between the ASCII Keywords approach and an XML flat file approach, but the flat file approach had limitations and has not been widely used. This part of ISO 17972 advances this process further by identifying the use of the publicly available Color Exchange Format version 3 (CxF3) for prepress data exchange and verification. In order to achieve a level of exchange that avoids any ambiguity in interpretation of the file. Each part defines a required and optional set of CxF elements that are permitted to be used. This first document will outline the mapping of CxF to the existing elements in ISO 28178 (provided in [Annex A](#)) and illustrate the underlying concepts of CxF.

NOTE X-Rite Inc., the original creator of the CxF file format, claims no intellectual property rights to the materials used in this part of ISO 17972.

This part of ISO 17972 is intended to support all existing and future graphic arts standards that require the exchange of measured, computed, or process control data and the associated metadata necessary for its proper interpretation.

In reviewing the needs of such a format, the following requirements were identified:

- existing applications using ISO 28178 formatted documents in ASCII format should not be rendered obsolete by the new standard;
- data needs to be in a form that is both human-readable (once the digital file has been displayed using standard editors or file readers) and machine-readable;
- data needs to be readable by automated programs to extract the necessary information;
- data files need to be extensible by end users in such a way as to allow additional information to be included without breaking automated readers of the file;
- data files need to be capable of being created by automated programs;
- the format needs to allow multiple language representation of data.

The following files are part of ISO 17972-1, and are included as electronic inserts:

- CxF3_Core.xsd;
- CxF3_Schema_Diagram.pdf;
- Scannertarget.cxf;
- Scannertarget.txt;
- Holidays_test.cxf.

Graphic technology — Colour data exchange format —

Part 1: Relationship to CxF3 (CxF/X)

1 Scope

This part of ISO 17972 defines an exchange format for colour and process control data (and the associated metadata necessary for its proper interpretation) in electronic form. It is the base document for describing the use of CxF3 for data exchange. Where required, this part of ISO 17972 also defines additional requirements for a valid CxF/X file. Using XML, all CxF3 and CxF/X documents also support the exchange of data outside of the graphic arts workflow and can support future standards with an extensible architecture using standard XML Names and Metadata tags which can be used with standard XML tools and pass XML validation.

Additional parts of ISO 17972 will use custom resources in conjunction with CxF3 to define the required and optional data for a particular workflow.

2 Normative references

Color Exchange Format v3.0 documents¹⁾

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 Terms

NOTE The spelling of terms taken from Color Exchange Format v3.0 is not altered from that used in the normative reference. A specific example is the word color instead of colour.

3.1.1

ColorSpecification

information about the *ColorValue* (3.1.2) including its source (measurement specifications), illuminant/observer calculation method (tristimulus specifications), and physical attributes of the *objects* (3.1.5) (size, quantity, finish, etc.)

[SOURCE: Color Exchange Format v3.0]

3.1.2

ColorValue

one of a number of defined colour space types that can hold values and associated information related to that specific type of device independent colour space

[SOURCE: Color Exchange Format v3.0]

1) Available at <http://www.colorexchangeformat.com>.

3.1.3

CustomResources

“extensible” part of *CxF3* (3.2.2); additional information not included in the *CxF3* Core about colour objects and the file itself that is considered application specific in nature and not generally of use to all other applications“

[SOURCE: Color Exchange Format v3.0]

3.1.4

DeviceColorValue

one of a number of defined colour space types that can hold values and associated information related to that specific type of device dependent colour space

[SOURCE: Color Exchange Format v3.0]

3.1.5

Object

used to identify each specific “Colour item” that is being described

3.2 Definitions

3.2.1

CxF/X

CxF3 (3.2.2) file which also conforms to the requirements defined in this part of ISO 17972

3.2.2

CxF3

exchange format for colour and process control data defined in Color Exchange Format v3

3.2.3

profile

set of mathematical values or binary structure that allows transformation to/from one device colour space to another; profiles are stored in the *ProfileCollection* and are shared and referenced by the *ColorValues* (3.1.2)

3.2.4

resources

information about each colour object that is of interest to all readers of the *CxF* file

Note 1 to entry: This is also referred to as the “*CxF3* Core”. It is defined by the *CxF3*-Core namespace schema.

3.2.5

schema

XML document conforming to the specifications established by the World Wide Web Consortium that defines the structure of a class of XML documents

3.2.6

XML

Extensible Markup Language; a set of rules for encoding documents electronically

3.2.7

XSD

XML schema definition

4 Symbols and abbreviated terms

The following documentation conventions are used.

— Names of XML elements are shown in bold type, for example, **Resources**.

- Names of XML attributes are shown in italics, for example, *SpotColorName*.
- XML XPath expressions are used to identify XML elements. For example, **container/contained** refers to an element (**contained**) that is a child of another element (**container**).
- Similarly, XML XPath expressions are used to refer to XML attributes, for example, **element1/@Name** refers to an attribute (*Name*) of an element (**element1**).

5 Requirements

5.1 CxF/X specific requirements

A CxF/X file shall comply with all of the requirements specified in CxF3. It shall also comply with any additional requirements specified in this or other parts of ISO 17972. These may include required **Resources** or restrictions on the use of **Resources** or specification of **CustomResources**.

- The **FileInformation** element of a CxF/X file shall include **Creator**, **CreationDate**, and **Description**.
- The **Description** element of a CxF/X file shall include “CxF/X” and the number of the applicable International Standard with which the CxF/X file complies.
- If the file is to be used in support of an International Standard, it shall include the number of the International Standard in the **Comment** text.

A CxF/X file shall validate against the sA3 Schema (see [Annex B](#)). A CxF/X file that is converted from an ISO 28178 compliant text file should use [Table A.1](#) to map the textual data into CxF/X elements and attributes. Additional parts of ISO 17972 can provide additional requirements for exchanging data from previous standards including ISO 28178.

NOTE The spelling of terms and elements taken from Color Exchange Format v3.0 are not altered from that used in the normative reference. A specific example is the word color instead of colour.

5.2 General description of a Color Exchange Format conforming file

5.2.1 General

The standard Color Exchange Format as presented in the CxF 3.0 captures file Information such as creation and ownership, core colour information (the Resources), and any extended information (CustomResources). A CxF document shall have the extension “.cxf”. A CxF/X file should use the extension “.cxf” for ease of file mapping with existing CxF aware applications.”

By using XML which is a standard for the digital representation of documents, CxF also speeds and simplifies the movement and reporting of data from its database collection to a web-ready representation. A common data exchange format used in the graphic arts is defined in ISO 28178:2008. [Annex A](#) provides the mapping from ISO 28178 to CxF (see [5.1](#) for additional requirements in using this for a CxF/X file).

A CxF3 file shall be structured as shown in [Figure 1](#).