

# SVENSK STANDARD

## SS-EN 13201-5:2016



Fastställt/Approved: 2016-01-26  
Publicerad/Published: 2016-02-02  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 12.020; 93.080.40

---

### **Vägbelysning – Del 5: Metoder för värdering av energiprestanda**

### **Road lighting – Part 5: Energy performance indicators–**



# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 13201-5:2015 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 13201-5:2015.

The European Standard EN 13201-5:2015 has the status of a Swedish Standard. This document contains the official English version of EN 13201-5:2015.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Ljus och belysning, SIS/TK 380/AG 3.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

EN 13201-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2015

ICS 93.080.40

English Version

## Road lighting - Part 5: Energy performance indicators

Éclairage public - Partie 5: Indicateurs de performance  
énergétique

Straßenbeleuchtung - Teil 5:  
Energieeffizienzindikatoren

This European Standard was approved by CEN on 6 June 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>	Page
European foreword.....	4
Introduction .....	5
<b>1 Scope .....</b>	<b>6</b>
<b>2 Normative references .....</b>	<b>6</b>
<b>3 Terms, definitions, symbols and abbreviations.....</b>	<b>6</b>
3.1 Terms and definitions .....	6
3.2 Symbols and abbreviations .....	7
<b>4 Power Density Indicator (PDI) .....</b>	<b>9</b>
4.1 Calculation of the power density indicator.....	9
4.2 Average horizontal illuminance to be used for calculation of the power density indicator .....	9
4.3 System power ( <i>P</i> ) to be used for calculation of the power density indicator .....	10
4.4 Area ( <i>A</i> ) to be used for calculation of the power density indicator .....	11
<b>5 Annual Energy Consumption Indicator (AECI).....</b>	<b>11</b>
<b>Annex A (informative) Examples of calculation and typical values of energy performance indicators .....</b>	<b>13</b>
<b>A.1 Examples of operational profiles .....</b>	<b>13</b>
A.1.1 General.....	13
A.1.2 Full power operation .....	13
A.1.3 Multi-power operation.....	14
A.1.4 Operation with vehicle and presence detectors .....	14
<b>A.2 Example of calculation .....</b>	<b>15</b>
<b>A.3 Typical values of energy performance indicators.....</b>	<b>16</b>
A.3.1 General.....	16
A.3.2 Two-lane road for motorized traffic (road profile A) .....	17
A.3.3 Road with mixed motorized and pedestrian traffic without sidewalks (road profile B) .....	18
A.3.4 Road and sidewalk on the side of lighting arrangement (road profile C) .....	19
A.3.5 Road and sidewalk on the opposite side to the lighting arrangement (road profile D).....	20
A.3.6 Road and two sidewalks on both sides (road profile E).....	21
A.3.7 Road and two sidewalks on both sides separated from carriageway by grass strips (road profile F).....	22
A.3.8 Typical values of AECI for different operational profiles .....	22
<b>Annex B (informative) Installation luminous efficacy .....</b>	<b>24</b>
<b>B.1 General.....</b>	<b>24</b>

**B.2 Calculation of the correction factor ..... 24**

**B.3 Calculation of the utilisation ..... 25**

**B.4 Calculation of the efficiency of luminaires ..... 25**

**Annex C (informative) Lighting factor of an installation ..... 26**

**C.1 Installation lighting factor  $q_{inst}$  ..... 26**

**C.2 Role of  $q_{inst}$  in road lighting design aimed at energy saving ..... 26**

**C.3 Typical values of  $q_{inst}$  ..... 26**

**Annex D (informative) Presentation of energy performance indicators ..... 27**

**Bibliography ..... 28**

## European foreword

This document (EN 13201-5:2015) has been prepared by Technical Committee CEN/TC 169 “Light and lighting”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2016 and conflicting national standards shall be withdrawn at the latest by June 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

EN 13201, *Road lighting* is a series of documents that consists of the following parts:

- *Part 1: Guidelines on selection of lighting classes* [Technical Report];
- *Part 2: Performance requirements*;
- *Part 3: Calculation of performance*;
- *Part 4: Methods of measuring lighting performance*;
- *Part 5: Energy performance indicators* [present document].

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



## Introduction

The purpose of this European Standard is to define energy performance indicators for road lighting installations. The standard introduces two metrics, the power density indicator (PDI)  $D_p$  and the annual energy consumption indicator (AECI)  $D_E$  that should always be used together.

To quantify the potential savings obtainable from improved energy performance and reduced environmental impact, it is essential to calculate both the power density indicator ( $D_p$ ) and the annual energy consumption indicator ( $D_E$ ). In addition, the installation luminous efficacy ( $\eta_{inst}$ ) can be used for comparing the energy performances of alternative road lighting installations.

Careful choice of lighting class(es) during the design and specification phase will help to maximize energy savings by ensuring only the necessary levels of illumination provided at the correct times and for the minimum periods necessary. Additional guidance is given in the CEN/TR 13201-1 with regard to the visual needs of road users, e.g. under varying traffic volumes during certain times of night or under varying weather conditions.

During the design phase of a road lighting installation care should be taken to ensure that the design criteria specified in EN 13201-2 are achieved but that excess overlighting is reduced to the minimum technically obtainable. Overlighting can be minimized by the careful selection of the luminaire and light source but the specified lighting class, the designed lighting point spacing and uniformity ratios are all determining factors of the luminous flux emitted by the light source and thus the power of the light source required. However, this precise luminous flux may not, in reality, exist. Where the luminous flux of the light source is greater than that required the designer can by means of continuously variable control gear, compensate for this effect by reducing the luminous flux of the light source to the required level resulting in lower energy consumption. The same principles and control gear can be used to compensate for changes in luminous flux emitted throughout the lifetime of the light sources.

The energy levels calculated using this standard should not be used as a direct input for the calculation of the load on the electrical distribution system. Such calculations are normally based on the energy requirement derived directly from the lighting and electrical design.

Examples of operational profiles and examples of calculation of the energy performance indicators are provided in Annex A. Typical values of energy performance indicators are provided to illustrate the energy performance of recent technological level of luminaires and installations.

Annex B introduces the installation luminous efficacy and its factors as a measure of the influence of various light losses and other parameters.

Lighting factor of an installation, as introduced in Annex C, can be additionally used to characterize the energy performance of road lighting installations independently on the lighting components used. Other factors and parameters having influence to the energy performance, such as the maintenance factor (see CIE 154), can be recognized but are not dealt with in this standard.

Recommendations on presentation of the energy performance indicators are provided in Annex D.

## 1 Scope

This part of the European Standard defines how to calculate the energy performance indicators for road lighting installations using the calculated power density indicator (PDI)  $D_P$  and the calculated annual energy consumption indicator (AECI)  $D_E$ . Power density indicator ( $D_P$ ) demonstrates the energy needed for a road lighting installation, while it is fulfilling the relevant lighting requirements specified in EN 13201-2. The annual energy consumption indicator ( $D_E$ ) determines the power consumption during the year, even if the relevant lighting requirements change during the night or seasons.

These indicators may be used to compare the energy performance of different road lighting solutions and technologies for the same road lighting project. The energy performance of road lighting systems with different road geometries or different lighting requirements cannot be compared to each other directly, as the energy performance is influenced by, amongst others, the geometry of the area to be lit, as well as the lighting requirements. The power density indicator ( $D_P$ ) and annual energy consumption indicator ( $D_E$ ) apply for all traffic areas covered by the series of lighting classes M, C and P as defined in EN 13201-2.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12665:2011, *Light and lighting — Basic terms and criteria for specifying lighting requirements*

EN 13201-2, *Road lighting — Part 2: Performance requirements*

EN 13201-3:2015, *Road lighting — Part 3: Calculation of performance*

## 3 Terms, definitions, symbols and abbreviations

### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12665:2011 and the following apply.

#### 3.1.1

**system power (of a lighting installation in a given state of operation)**

$P$

total power of the road lighting installation needed to fulfil the required lighting classes as specified in EN 13201-2 in all the relevant sub-areas, and to operate and control the lighting installation (unit: W)

#### 3.1.2

**power density indicator PDI (of a lighting installation in a given state of operation)**

$D_P$

value of the system power divided by the value of the product of the surface area to be lit and the calculated maintained average illuminance value on this area according to EN 13201-3 (unit:  $W \cdot lx^{-1} \cdot m^{-2}$ )

**3.1.3**

**annual energy consumption indicator AECI (of a lighting installation in a specific year)**

$D_E$

total electrical energy consumed by a lighting installation day and night throughout a specific year in proportion to the total area to be illuminated by the lighting installation (unit: Wh·m<sup>-2</sup>)

**3.1.4**

**installation luminous efficacy**

$\eta_{inst}$

minimum luminous flux needed to provide the minimum lighting level for the specified area divided by the total average power consumption of the lighting installation (unit: lm·W<sup>-1</sup>)

**3.1.5**

**constant light output CLO (of a road lighting installation)**

regulation of the road lighting installation aiming at providing a constant light output from the light sources

Note 1 to entry: This functionality aims to compensate for the light loss caused by ageing of the light sources.

**3.1.6**

**installation lighting factor**

$q_{inst}$

dimensionless factor accounting for the relation of the calculated average maintained luminance of road surface over the calculated average maintained horizontal illuminance on this surface and the average luminance coefficient of the r-table adopted in luminance calculation

**3.2 Symbols and abbreviations**

**Table 1 — Symbols and abbreviations**

Symbol or abbreviation	Name or description	Unit
$A$	Area to be lit	m <sup>2</sup>
$A_{FL}$	Area of the left sidewalk	m <sup>2</sup>
$A_{FR}$	Area of the right sidewalk	m <sup>2</sup>
$A_R$	Area of the carriageway	m <sup>2</sup>
AECI	Annual Energy Consumption Indicator	
$C_L$	Correction factor for luminance or hemispherical illuminance based lighting designs	-
$c_{op}$	Lighting operation coefficient	-
CLO	Constant Light Output	
$D_E$	Annual energy consumption indicator (AECI)	Wh·m <sup>-2</sup>
$D_P$	Power density indicator (PDI)	W·lx <sup>-1</sup> ·m <sup>-2</sup>
$\bar{E}$	Average maintained horizontal illuminance	lx
$E_{FL}$	Calculated maintained illuminance on the left sidewalk	lx
$E_{FR}$	Calculated maintained illuminance on the right sidewalk	lx