

SVENSK STANDARD

SS-ISO 11119-4:2016

Fastställt/Approved: 2016-02-17
Publicerad/Published: 2016-02-24
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 23.020.30

**Gasflaskor – Återfyllningsbara flaskor av kompositmaterial –
Konstruktion, tillverkning och provning –
Del 4: Hellindade fiberförstärkta flaskor av kompositmaterial
med svetsade metallisk lastbärande innerbehållare, med
kapacitet till och med 150 l (ISO 11119-4:2016, IDT)**

**Gas cylinders – Refillable composite gas cylinders – Design,
construction and testing –
Part 4: Fully wrapped fibre reinforced composite gas cylinders
up to 150 l with load-sharing welded metallic liners
(ISO 11119-4:2016, IDT)**



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 11119-4:2016 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 11119-4:2016.

The International Standard ISO 11119-4:2016 has the status of a Swedish Standard. This document contains the official English version of ISO 11119-4:2016.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Gasflaskor, SIS/TK 296.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols	4
5 Inspection and testing	4
6 Materials	5
6.1 Liner materials.....	5
6.2 Composite materials.....	5
7 Design and manufacture	6
7.1 General.....	6
7.2 Design submission.....	6
7.3 Manufacturing.....	7
8 Type approval procedure	9
8.1 General requirements.....	9
8.2 Prototype tests.....	9
8.3 New design.....	10
8.4 Design variants.....	11
8.5 Type approval test procedures and criteria.....	14
8.5.1 Proof pressure test.....	14
8.5.2 Hydraulic volumetric expansion test.....	14
8.5.3 Liner burst test.....	15
8.5.4 Liner integrity test.....	15
8.5.5 Cylinder burst test.....	16
8.5.6 Ambient cycle test.....	16
8.5.7 Environmental cycle test.....	18
8.5.8 Flaw test.....	20
8.5.9 Drop test.....	22
8.5.10 High velocity impact (gunfire) test.....	23
8.5.11 Fire resistance test.....	24
8.5.12 Salt water immersion test.....	25
8.5.13 Torque test.....	26
8.5.14 Environmentally assisted stress rupture test.....	26
8.5.15 Leak test.....	27
8.5.16 Composite material mechanical properties tests.....	27
8.5.17 Failure of type approval tests.....	27
9 Batch inspection and testing	28
9.1 General.....	28
9.2 Liner.....	28
9.3 Failure of liner batch tests.....	29
9.4 Overwrap materials.....	29
9.5 Composite cylinder.....	29
9.6 Cylinder failure during type approval or batch testing.....	31
10 Cylinder marking	31
10.1 General.....	31
10.2 Additional marking.....	31
Annex A (informative) Examples of design approval certificate	33
Annex B (informative) Specimen test reports	35

Annex C (normative) Prototype, design variant, and production testing	38
Bibliography	40

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 58, *Gas cylinders*, Subcommittee SC 3, *Cylinder design*.

ISO 11119 consists of the following parts, under the general title *Gas cylinders — Refillable composite gas cylinders and tubes — Design, construction and testing*:

- *Part 1: Hoop wrapped fibre reinforced composite gas cylinders and tubes up to 450 l*
- *Part 2: Fully wrapped fibre reinforced composite gas cylinders and tubes up to 450 l with load-sharing metal liners*
- *Part 3: Fully wrapped fibre reinforced composite gas cylinders and tubes up to 450L with non-load-sharing metallic or non-metallic liners*
- *Part 4: Fully wrapped fibre reinforced composite gas cylinders up to 150 l with load-sharing welded metallic liners*

Introduction

The purpose of this part of ISO 11119 is to provide a specification for the design, manufacture, inspection, and testing of a cylinder for worldwide usage. The objective is to balance design and economic efficiency against international acceptance and universal utility.

This part of ISO 11119 aims to eliminate the concern about climate, duplicate inspection, and restrictions currently existing because of a lack of definitive International Standards and is not to be construed as reflecting on the suitability of the practice of any nation or region.

It is possible that some procedures and tests will require precautions to be taken for the health and/or safety of the operator(s). Safety, health, and environmental concerns are not addressed and is to be addressed by those who wish to implement this International Standard.

This part of ISO 11119 is intended to be used under a variety of national and international regulatory regimes. Where there is any conflict between this part of ISO 11119 and any applicable regulation, the regulation always takes precedence.

This part of ISO 11119 has been written so that it is suitable to be referenced in the UN Model Regulations.^[1]

[Annexes A](#) and [B](#) of this part of ISO 11119 are for information only.

[Annex C](#) of this part of ISO 11119 is normative.

Gas cylinders — Refillable composite gas cylinders — Design, construction and testing —

Part 4:

Fully wrapped fibre reinforced composite gas cylinders up to 150 l with load-sharing welded metallic liners

1 Scope

This part of ISO 11119 specifies requirements for composite gas cylinders with load-sharing welded liners between 0,5 l and 150 l water capacity and a maximum test pressure of 450 bar for the storage and conveyance of compressed or liquefied gases.

NOTE 1 1 bar = 10⁵Pa = 10⁵N/m².

The cylinders are constructed in the form of a welded stainless steel liner or welded ferritic steel liner or welded aluminium alloy liner and overwrapped with carbon fibre or aramid fibre or glass fibre (or a mixture thereof) in a matrix to provide longitudinal and circumferential reinforcement.

The cylinders in this part of ISO 11119 are type 3 fully wrapped cylinders with a load-sharing metal liner and composite reinforcement on both the cylindrical portion and the dome ends.

Cylinders produced in accordance with this part of ISO 11119 have a minimum design life of 15 years. Cylinders with test pressure of up to 60 bar have an unlimited design life.

This part of ISO 11119 does not address the design, fitting, and performance of removable protective sleeves.

This part of ISO 11119 does not apply to cylinders with seamless liners. For seamless liners, ISO 11119-2 applies.

NOTE 2 ISO 11623 covers periodic inspection and re-testing of composite cylinders.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3341, *Textile glass — Yarns — Determination of breaking force and breaking elongation*

ISO 4706:2008, *Gas cylinders — Refillable welded steel cylinders — Test pressure 60 bar and below*

ISO 5817:2014, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections*

ISO 6506-1, *Metallic materials — Brinell hardness test — Part 1: Test method*

ISO 6508-1, *Metallic materials — Rockwell hardness test — Part 1: Test method*

ISO 8521, *Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes — Test methods for the determination of the apparent initial circumferential tensile strength*

ISO 10042:2005, *Welding — Arc-welded joints in aluminium and its alloys — Quality levels for imperfections*

ISO 10618, *Carbon fibre — Determination of tensile properties of resin-impregnated yarn*

ISO 11114-1, *Gas cylinders — Compatibility of cylinder and valve materials with gas contents — Part 1: Metallic materials*

ISO 13341, *Gas cylinders — Fitting of valves to gas cylinders*

ISO 13769, *Gas cylinders — Stamp marking*

ISO 13919-1:1996, *Welding — Electron and laser-beam welded joints — Guidance on quality levels for imperfections — Part 1: Steel*

ISO 13919-2:2001, *Welding — Electron and laser beam welded joints — Guidance on quality levels for imperfections — Part 2: Aluminium and its weldable alloys*

ISO 14130, *Fibre-reinforced plastic composites — Determination of apparent interlaminar shear strength by short-beam method*

ISO 18172-2:2007, *Gas cylinders — Refillable welded stainless steel cylinders — Part 2: Test pressure greater than 6 MPa*

ISO 20703:2006, *Gas cylinders — Refillable welded aluminium-alloy cylinders — Design, construction and testing*

ASTM D2290-12, *Standard test method for apparent hoop tensile strength of plastic or reinforced plastic pipe*

ASTM D2291-09, *Standard practice for fabrication of ring test specimens for glass-resin composites*

ASTM D2343-09, *Standard test method for tensile properties of glass fiber strands, yarns, and rovings used in reinforced plastics*

ASTM D2344/D2344M-13, *Standard test method for short-beam strength of polymer matrix composite materials and their laminates*

ASTM D4018-11, *Standard test methods for properties of continuous filament carbon and graphite fiber tows*

EN 14638-3:2010, *Transportable gas cylinders. Refillable welded receptacles of a capacity not exceeding 150 litres. Welded carbon steel cylinders made to a design justified by experimental methods*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 fibre

continuous filaments laid up in tow form

3.2 autofrettage

pressure application procedure that strains the metal liner past its yield point sufficient to cause permanent plastic deformation and results in the liner having compressive stresses and the fibres having tensile stresses when at zero internal gauge pressure

3.3 batch of liners

production quantity of up to 200 finished liners successively produced, plus units required for destructive testing of the same nominal diameter, length, thickness welding procedure, and design from the same material cast and heat treated (if applicable) at the same temperature and for the same period of time

3.4**batch of finished cylinders**

production quantity of up to 200 finished cylinders successively produced by the same manufacturing process, plus finished cylinders required for destructive testing of the same nominal diameter, length, thickness, and design

3.5**burst pressure**

highest pressure reached in a cylinder, p_b , or liner, p_{bl} , during a burst test

3.6**calculated liner proof pressure**

pressure derived from the test pressure of the relevant liner design standard

Note 1 to entry: The liner design standards are given in [Table 1](#). The calculated liner proof pressure is used for the liner integrity test.

3.7**composite overwrap**

combination of fibres and matrix

3.8**dedicated gas service**

service in which a cylinder is to be used only with a specified gas or group of gases

3.9**equivalent fibre**

fibre manufactured from the same nominal raw materials, using the same process of manufacture and having the same physical structure and the same nominal physical properties, and where the average tensile strength and modulus is within $\pm 5\%$ of the fibre properties in an approved cylinder design

3.10**equivalent liner**

liner that is manufactured from the same nominal raw materials, using the same process(es) of manufacture and having the same physical structure and the same nominal physical properties as in an approved cylinder design

3.11**exterior coating**

layers of material applied to the cylinder as protection or for cosmetic purposes

Note 1 to entry: The coating can be clear or pigmented.

3.12**liner**

inner portion of the composite cylinder comprising a metallic vessel, whose purpose is both to contain the gas and transmit the gas pressure to the fibres

3.13**load-sharing liner**

liner that has a burst pressure greater than or equal to 5 % of the nominal burst pressure of the finished composite cylinder

3.14**thermoplastic material**

plastics capable of being repeatedly softened by increase of temperature and hardened by decrease of temperature