

# SVENSK STANDARD

## SS-ISO 3864-3:2016

Fastställt/Approved: 2016-03-14  
Publicerad/Published: 2016-03-17  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 01.080.01

---

### **Grafiska symboler – Varselmärkning och varselskyltar – Del 3: Utformning av grafiska symboler för användning av säkerhetsskyltar (ISO 3864-3:2012, IDT)**

### **Graphical symbols – Safety colours and safety signs – Part 3: Design principles for graphical symbols for use in safety signs (ISO 3864-3:2012, IDT)**



# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Den internationella standarden ISO 3864-3 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 3864-3.

The International Standard ISO 3864-3 has the status of a Swedish Standard. This document contains the official English version of ISO 3864-3.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Symboler, SIS/TK 493.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Designing graphical symbols for use in safety signs</b> .....	<b>2</b>
<b>5 Review of existing standards</b> .....	<b>2</b>
<b>6 Assignment of Meaning, Function, Image content and Hazard to the safety sign</b> .....	<b>2</b>
<b>7 Design criteria</b> .....	<b>3</b>
<b>7.1 Geometric shapes and colours of safety signs</b> .....	<b>3</b>
<b>7.2 Size and position of the graphical symbol</b> .....	<b>4</b>
<b>7.3 Layout of templates</b> .....	<b>6</b>
<b>7.4 Exclusion zone</b> .....	<b>7</b>
<b>7.5 Line width</b> .....	<b>10</b>
<b>7.6 Consistency within a family of graphical symbols</b> .....	<b>12</b>
<b>7.7 Determinants</b> .....	<b>13</b>
<b>7.8 Combination of graphical symbols or graphical symbol elements</b> .....	<b>14</b>
<b>7.9 Use of arrows in graphical symbols</b> .....	<b>15</b>
<b>7.10 Characters</b> .....	<b>15</b>
<b>Annex A (informative) Additional design guidelines</b> .....	<b>16</b>
<b>Bibliography</b> .....	<b>29</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3864-3 was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 2, *Safety identification, signs, shapes, symbols and colours*.

This second edition cancels and replaces the first edition (ISO 3864-3:2006), which has been technically revised.

ISO 3864 consists of the following parts, under the general title *Graphical symbols — Safety colours and safety signs*:

- *Part 1: Design principles for safety signs and safety markings*
- *Part 2: Design principles for product safety labels*
- *Part 3: Design principles for graphical symbols for use in safety signs*
- *Part 4: Colorimetric and photometric properties of safety sign materials*

## Introduction

Graphical symbols in safety signs are used for a wide range of purposes. There is a need to standardize the principles for creating these graphical symbols to ensure visual clarity, to maintain consistency, and thereby to improve recognition and comprehension. The principles set forth in this part of ISO 3864 are the design criteria by which graphical symbols are judged for standardization and publication in ISO 7010 and in ISO 20712-1.

Graphical symbols used in safety signs are not always intuitively understood. Often training needs to take place to inform people about the meaning of a graphical symbol. Such training can take place by including the meaning of a graphical symbol in operation manuals, company bulletins, training programme materials, as well as using supplementary text with the safety sign.

NOTE Information on procedures, criteria of acceptability, safety sign templates and application of safety signs is given on the website: <http://www.iso.org/tc145/sc2>.





# Graphical symbols — Safety colours and safety signs —

## Part 3: Design principles for graphical symbols for use in safety signs

**IMPORTANT** — The colours represented in the electronic file of this part of ISO 3864 can be neither viewed on screen nor printed as true representations. Although the copies of this part of ISO 3864 printed by ISO have been produced to correspond (with an acceptable tolerance as judged by the naked eye) to the requirements of ISO 3864-4, it is not intended that these printed copies be used for colour matching. Instead, consult ISO 3864-4, which provides colorimetric and photometric properties together with, as a guideline, references from colour order systems.

### 1 Scope

This part of ISO 3864 gives principles, criteria and guidance for the design of graphical symbols for use in safety signs as defined in ISO 3864-1, and for the safety sign element of product safety labels as defined in ISO 3864-2.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3864-1:2011, *Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs and safety markings*

ISO 3864-2, *Graphical symbols — Safety colours and safety signs — Part 2: Design principles for product safety labels*

ISO 3864-4:2011, *Graphical symbols — Safety colours and safety signs — Part 4: Colorimetric and photometric properties of safety sign materials*

ISO 7010, *Graphical symbols — Safety colours and safety signs — Registered safety signs*

ISO 17724, *Graphical symbols — Vocabulary*

ISO 20712-1, *Water safety signs and beach safety flags — Part 1: Specifications for water safety signs used in workplaces and public areas*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 17724 and the following apply.

#### 3.1

##### **determinant**

graphical symbol used as a common element within a series of graphical symbols

**NOTE** For example, the fire determinant which, when used with the graphical symbol for a hose reel, conveys the meaning “fire hose reel”; see Figure 17.

## 4 Designing graphical symbols for use in safety signs

Before designing a graphical symbol the designer shall:

- develop a clear and unambiguous description of the hazard that the graphical symbol is intended to address;
- confirm that a new graphical symbol for use in a safety sign is required (i.e. confirm that a suitable graphical symbol does not already exist) (see Clause 5);
- identify the safety message that the safety sign is intended to convey;
- define the characteristics of the target group, including their general skill and ability to understand the information that the particular safety sign is intended to convey, and design the graphical symbol for that group;
- assign a meaning and function to the safety sign in accordance with Clause 6;
- identify the type of the safety sign required in accordance with 7.1.

Consideration should be given as to the types of safety sign for which the graphical symbol can be appropriate and to the design implications such multiple applicability can have. For example, a graphical symbol for use in a mandatory action sign can be adversely affected by the diagonal bar of a prohibition sign. Also, the restricted space within the triangle of a warning sign can adversely affect the graphical symbol originally designed for a prohibition sign.

During the creation process, the designer shall follow the criteria given in Clause 7.

Designers are strongly recommended to use the guidelines set out in Annex A.

## 5 Review of existing standards

The designer shall determine:

- whether a safety sign incorporating a graphical symbol conveying the required meaning is specified in ISO 7010 or ISO 20712-1;
- in the case where a safety sign incorporating a graphical symbol conveying the required meaning is not specified in ISO 7010 or ISO 20712-1, whether there is a registered graphical symbol conveying the required meaning;
- whether registered graphical symbols with similar meanings might be adapted or combined to form the graphical symbol for the new safety sign;
- whether there are standardized determinants appropriate for use with the graphical symbol for the new safety sign (see 7.8).

If specific graphical elements are borrowed from existing graphical symbols, they should convey the same meaning as that described in the existing graphical symbol.

## 6 Assignment of Meaning, Function, Image content and Hazard to the safety sign

Each safety sign shall be used to convey only one safety message in accordance with ISO 3864-1.

The new safety sign shall be assigned a meaning and a function. The hazard shall be described. Once the safety sign original is complete, the image content shall be identified. An example is shown in Figure 1.



**Meaning:** No smoking

**Function:** To prohibit smoking

**Image content:** Cigarette (profile, outlined) with two wavy lines

**Hazard:** Fire or explosion caused by lit cigarettes or other smoking materials or harm from the smoke

**Figure 1 — Example of assignment of Meaning, Function, Image content and Hazard to a safety sign (ISO 7010-P002)**

## 7 Design criteria

### 7.1 Geometric shapes and colours of safety signs

The graphical symbol shall be designed within the appropriate safety sign template. The safety sign templates used by the designer shall conform to the geometrical shapes and colours given in ISO 3864-1:2011:

- for prohibition: see Figure 1 of ISO 3864-1:2011;
- for mandatory action: see Figure 2 of ISO 3864-1:2011;
- for warning: see Figure 3 of ISO 3864-1:2011;
- for safe condition: see Figure 4 of ISO 3864-1:2011;
- for fire equipment: see Figure 5 of ISO 3864-1:2011.

For safety signs, the colorimetric and photometric properties of the colours shall be in accordance with ISO 3864-4.