

# SVENSK STANDARD

## SS-ISO 3864-1:2016

Fastställt/Approved: 2016-03-14  
Publicerad/Published: 2016-03-17  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 01.080.10

---

### **Grafiska symboler – Varselmärkning och varselskyltar – Del 1: Utformning av varselskyltar, varselsignaler och varselmärkning (ISO 3864-1:2011, IDT)**

### **Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings (ISO 3864-1:2011, IDT)**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-8019464>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Den internationella standarden ISO 3864-1:2011 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 3864-1:2011.

The International Standard ISO 3864-1:2011 has the status of a Swedish Standard. This document contains the official English version of ISO 3864-1:2011.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Symboler, SIS/TK 493.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



<b>Contents</b>		Page
Foreword .....		iv
Introduction.....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Purpose of safety colours and safety signs .....</b>	<b>3</b>
<b>5</b>	<b>General meaning of geometric shapes and safety colours .....</b>	<b>3</b>
<b>6</b>	<b>Layout for safety signs .....</b>	<b>5</b>
<b>6.1</b>	<b>General .....</b>	<b>5</b>
<b>6.2</b>	<b>Prohibition signs .....</b>	<b>5</b>
<b>6.3</b>	<b>Mandatory action signs .....</b>	<b>5</b>
<b>6.4</b>	<b>Warning signs .....</b>	<b>6</b>
<b>6.5</b>	<b>Safe condition signs .....</b>	<b>6</b>
<b>6.6</b>	<b>Fire equipment signs .....</b>	<b>7</b>
<b>7</b>	<b>Layout for supplementary signs .....</b>	<b>7</b>
<b>8</b>	<b>Layout for combination signs .....</b>	<b>9</b>
<b>9</b>	<b>Layout for multiple signs.....</b>	<b>9</b>
<b>10</b>	<b>Design principles for graphical symbols.....</b>	<b>10</b>
<b>11</b>	<b>Layout for safety markings .....</b>	<b>11</b>
<b>Annex A (informative) Relationship between dimensions of safety signs and distance of observation .....</b>		<b>12</b>
<b>Bibliography.....</b>		<b>17</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3864-1 was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 2, *Safety identification, signs, shapes, symbols and colours*.

This part of ISO 3864, together with ISO 3864-4, cancels and replaces ISO 3864-1:2002, which has been technically revised.

ISO 3864 consists of the following parts, under the general title *Graphical symbols — Safety colours and safety signs*:

- *Part 1: Design principles for safety signs and safety markings*
- *Part 2: Design principles for product safety labels*
- *Part 3: Design principles for graphical symbols for use in safety signs*
- *Part 4: Colorimetric and photometric properties of safety sign materials*

## Introduction

There is a need to standardize a system of giving safety information that relies as little as possible on the use of words to achieve understanding.

Continued growth in international trade, travel and mobility of labour requires a common method of communicating safety information.

Lack of standardization may lead to confusion and the risk of accidents.

The use of standardized safety signs does not replace proper work methods, instructions and accident prevention training or measures. Education is an essential part of any system that provides safety information.

NOTE Information on procedures, criteria of acceptability, safety sign templates and application of safety signs are given on the website: <http://www.iso.org/tc145/sc2>.





# Graphical symbols — Safety colours and safety signs —

## Part 1: Design principles for safety signs and safety markings

**IMPORTANT** — The colours represented in the electronic file of this part of ISO 3864 can be neither viewed on screen nor printed as true representations. Although the copies of this part of ISO 3864 printed by ISO have been produced to correspond (with an acceptable tolerance as judged by the naked eye) to the colour requirements, it is not intended that these printed copies be used for colour matching. Instead, consult ISO 3864-4 which provides colorimetric and photometric properties together with, as a guideline, references from colour order systems.

### 1 Scope

This part of ISO 3864 establishes the safety identification colours and design principles for safety signs and safety markings to be used in workplaces and in public areas for the purpose of accident prevention, fire protection, health hazard information and emergency evacuation. It also establishes the basic principles to be applied when developing standards containing safety signs.

This part of ISO 3864 is applicable to all locations where safety issues related to people need to be addressed. However, it is not applicable to the signalling used for guiding rail, road, river, maritime and air traffic and, generally speaking, to those sectors subject to a regulation which may differ.

NOTE Some countries' statutory regulations might differ in some respect from those given in this part of ISO 3864.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3864-3, *Graphical symbols — Safety colours and safety signs — Part 3: Design principles for graphical symbols for use in safety signs*

ISO 3864-4, *Graphical symbols — Safety colours and safety signs — Part 4: Colorimetric and photometric properties of safety sign materials*

ISO 17724:2003, *Graphical symbols — Vocabulary*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 17724 and the following apply.

#### 3.1

##### **combination sign**

sign that combines a safety sign and one or more associated supplementary signs on the same rectangular carrier

### 3.2 factor of distance

$z$

relationship between the height ( $h$ ) of a sign and the observation distance ( $l$ ), used to determine observation distances of signs

$$z = l/h$$

[ISO 17724:2003, 28]

### 3.3 fire equipment sign

safety sign that indicates the location or identification of fire equipment

### 3.4 identifiability

property of a graphical symbol which enables its elements to be perceived as the objects or shapes depicted

[ISO 9186-2:2008, 3.1]

### 3.5 mandatory action sign

safety sign that indicates that a specific course of action is to be taken

### 3.6 multiple sign

sign that combines two or more safety signs and associated supplementary signs on the same rectangular carrier

### 3.7 prohibition sign

safety sign that indicates that a specific behaviour is forbidden

### 3.8 safe condition sign

safety sign that indicates an evacuation route, the location of safety equipment or a safety facility, or a safety action

### 3.9 safe observation distance

distance a person can be from a safety sign while still able to identify the safety sign and have the opportunity to follow the message

NOTE Adapted from ISO 3864-2.

### 3.10 safety colour

colour with special properties to which a safety meaning is attributed

### 3.11 safety marking

marking which adopts the use of safety colours and safety contrast colours to convey a safety message or render an object or location conspicuous

### 3.12 safety sign

sign which gives a general safety message, obtained by a combination of a colour and geometric shape and which, by the addition of a graphical symbol, gives a particular safety message

**3.13**

**sign height**

diameter of a circular geometric shape or height of a rectangular or triangular geometric shape

**3.14**

**supplementary sign**

sign that is supportive of a safety sign and the main purpose of which is to provide additional clarification

**3.15**

**visual acuity**

capacity for seeing distinctly fine details that have a very small angular separation

[ISO 17724:2003, 82]

**3.16**

**warning sign**

safety sign that indicates a specific source of potential harm

## **4 Purpose of safety colours and safety signs**

**4.1** The purpose of safety colours and safety signs is to draw attention rapidly to objects and situations affecting safety and health and to gain rapid understanding of a specific message.

**4.2** Safety signs shall be used only for instructions which are related to the safety and health of people.

## **5 General meaning of geometric shapes and safety colours**

The general meaning assigned to geometric shapes, safety colours and contrast colours is given in Tables 1 and 2.