

# SVENSK STANDARD

## SS-EN ISO 1660:2017

Fastställt/Approved: 2017-02-24  
Publicerad/Published: 2017-02-27  
Utgåva/Edition: 2  
Språk/Language: engelska/English  
ICS: 01.100.01; 01.100.20; 17.040.10; 17.040.40

---

### **Geometrisk produktspecifikation (GPS) – Geometrisk tolerans – Toleranssättning med linjeprofil och ytprofil (ISO 1660:2017)**

### **Geometrical product specifications (GPS) – Geometrical tolerancing – Profile tolerancing (ISO 1660:2017)**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-8025216>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN ISO 1660:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 1660:2017.

Denna standard ersätter SS-EN ISO 1660, utgåva 1.

The European Standard EN ISO 1660:2017 has the status of a Swedish Standard. This document contains the official version of EN ISO 1660:2017.

This standard supersedes the Swedish Standard SS-EN ISO 1660, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Toleranser, SIS/TK 507/AG 05.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN ISO 1660**

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2017

ICS 01.100.01; 17.040.40

Supersedes EN ISO 1660:1995

English Version

## Geometrical product specifications (GPS) - Geometrical tolerancing - Profile tolerancing (ISO 1660:2017)

Spécification géométrique des produits (GPS) -  
Tolérancement géométrique - Tolérancement des  
profils (ISO 1660:2017)

Geometrische Produktspezifikation (GPS) -  
Geometrische Tolerierung - Profiltolerierung (ISO  
1660:2017)

This European Standard was approved by CEN on 14 December 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**



# Contents

Page

<b>European foreword</b> .....	☞
<b>Introduction</b> .....	v
<b>1 Scope</b> .....	1
<b>2 Normative references</b> .....	1
<b>3 Terms and definitions</b> .....	1
<b>4 Symbols</b> .....	2
<b>5 Rules for profile tolerancing</b> .....	3
5.1 General.....	3
5.2 Default rules for profile tolerancing.....	4
5.2.1 Rule A: Definition of the theoretically exact feature (TEF).....	4
5.2.2 Rule B: Type of toleranced feature.....	5
5.2.3 Rule C: Definition of the tolerance zone.....	5
5.3 Rules for profile tolerancing using additional specification elements.....	7
5.3.1 Rule D: Toleranced feature specification elements.....	7
5.3.2 Rule E: Unequally disposed tolerance zone.....	8
5.3.3 Rule F: Linear tolerance zone offset.....	8
5.3.4 Rule G: Angular tolerance zone offset.....	8
5.3.5 Rule H: Variable tolerance zone width.....	8
5.3.6 Rule I: Filtered feature specification elements.....	8
5.3.7 Rule J: Association and parameter specification elements.....	9
5.3.8 Rule K: Associated toleranced feature specification elements.....	9
5.3.9 Rule L: Non-rigid part.....	9
<b>Annex A (informative) Compound features</b> .....	10
<b>Annex B (informative) Illustration of the rules</b> .....	12
<b>Annex C (informative) Former practices</b> .....	42
<b>Annex D (informative) Relation to the GPS matrix model</b> .....	44
<b>Bibliography</b> .....	45

## SS-EN ISO 1660:2017 (E)

### European foreword

This document (EN ISO 1660:2017) has been prepared by Technical Committee ISO/TC 213 “Dimensional and geometrical product specifications and verification” in collaboration with Technical Committee CEN/TC 290 “Dimensional and geometrical product specification and verification” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2017 and conflicting national standards shall be withdrawn at the latest by August 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 1660:1995.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 1660:2017 has been approved by CEN as EN ISO 1660:2017 without any modification.



## Introduction

This document is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). It influences the chain links A, B and C of the chains of standards on form, orientation and location.

The ISO GPS Masterplan given in ISO 14638 gives an overview of the ISO GPS system of which this document is a part. The fundamental rules of ISO GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information of the relation of this document to the GPS matrix model, see [Annex D](#).

This document provides rules for profile tolerancing.

For the presentation of lettering (proportions and dimensions), see ISO 3098-2.

All figures in this document for the 2D drawing indications have been drawn in first-angle projection with dimensions and tolerances in millimetres. It should be understood that third-angle projection and other units of measurement could have been used equally well without prejudice to the principles established. For all figures giving specification examples in 3D, the dimensions and tolerances are the same as for the similar figures shown in 2D.

The figures in this document represent either 2D drawing views or 3D axonometric views on 2D drawings and are intended to illustrate how a specification can be fully indicated with visible annotation. For possibilities of illustrating a specification, where elements of the specification may be available through a query function or other interrogation of information in the 3D CAD model and rules for attaching specifications to 3D CAD models, see ISO 16792.

The figures in this document illustrate the text and are not intended to reflect an actual application. Consequently, the figures are not fully dimensioned and specified, showing only the relevant general principles. Neither are the figures intended to imply a particular display requirement in terms of whether hidden detail, tangent lines or other annotations are shown or not shown. Many figures have lines or details removed for clarity, or added or extended to assist with the illustration of the text. See [Table 1](#) for the line types used in definition figures.

In order for a GPS specification to be unambiguous, the partition defining the boundary of the toleranced feature, as well as the filtering should be well defined. Currently, the detailed rules for partitioning and the default for filtering are not defined in GPS standards.

For a definitive presentation (proportions and dimensions) of symbols for geometrical tolerancing, see ISO 7083 and ISO 1101:2017, Annex F.

For the purposes of this document, the terms “axis” and “median plane” are used for derived features of perfect form, and the terms “median line” and “median surface” for derived features of imperfect form. Furthermore, the following line types have been used in the explanatory illustrations, i.e. those representing non-technical drawings for which the rules of ISO 128 (all parts) apply.

Table 1

Feature level	Feature type	Details	Line type	
			Visible	Behind plane/ surface
Nominal feature	integral feature	point line/axis surface/plane	wide continuous	narrow dashed
	derived feature	point line/axis surface/plane	narrow long dashed dotted	narrow dashed dotted
Real feature	integral feature	surface	wide freehand continuous	narrow freehand dashed
Extracted feature	integral feature	point line surface	wide short dashed	narrow short dashed
	derived feature	point line surface	wide dotted	narrow dotted
Filtered feature	integral feature	line surface	continuous narrow	continuous narrow
Associated feature	integral feature	point straight line plane	wide doubled-dashed double-dotted	narrow double- dashed double- dotted
	derived feature	point straight line (axis) plane	narrow long dashed double-dotted	wide dashed double-dotted
	datum	point line/axis surface/plane	wide long dashed double-short dashed	narrow long dashed double-short dashed
Tolerance zone limits, tolerance planes		line surface	continuous narrow	narrow dashed
Section, illustration plane, drawing plane, aid plane		line surface	narrow long dashed short dashed	narrow dashed short dashed
Extension, dimension, leader and reference lines		line	continuous narrow	narrow dashed

Contrary to other kinds of geometrical tolerancing, profile tolerancing also allows geometrical tolerancing of non-straight lines and non-flat surfaces, in addition to simpler features, such as planes, cylinders, etc. This makes profile tolerancing more complex than other geometrical tolerancing with respect to the definition of the nominal geometry and the extent of the toleranced feature. This document expands on and provides tools and rules for these two complexities.

This edition of ISO 1660 is a pilot project for writing rule-based standards for geometrical tolerancing rather than example-based standards. In the long term, it is envisioned that the content of this document will be integrated into a future rule-based ISO 1101.

This document references other standards for rules for GPS tolerancing in general and geometrical tolerancing in particular, rather than repeating those rules. These GPS principles and rules include, but are not limited to:

- the feature principle (see ISO 8015:2011, 5.4);
- the independency principle (see ISO 8015:2011, 5.5);
- the rules for implicit TEDs (see ISO 5458:1998, 4.3);
- the width of the tolerance zone applies normal to the toleranced feature (See ISO 1101:2017, Clause 7);
- the rules for identifying the toleranced features (see ISO 1101:2017, Clause 6 and 9.1);
- form specifications, i.e. specifications without reference to a datum, a datum system or a pattern, constrain neither orientation nor location (see ISO 1101:2017, 4.8);
- the tolerance zone can be constrained by reference to datums (see ISO 5459).