

# SVENSK STANDARD

## SS-EN 13967:2012+A1:2017



Fastställt/Approved: 2017-04-18  
Publicerad/Published: 2017-04-20  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 01.040.91; 91.100.50

---

### **Flexibla tätskikt – Plast- och gummibaserade fuktspärrar inklusive grundmursskydd – Definitioner och karaktäriserande egenskaper**

### **Flexible sheets for waterproofing – Plastic and rubber damp proof sheets including plastic and rubber basement tanking sheet – Definitions and characteristics**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-8026002>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 13967:2012+A1:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 13967:2012+A1:2017.

Denna standard ersätter SS-EN 13967:2012, utgåva 2.

The European Standard EN 13967:2012+A1:2017 has the status of a Swedish Standard. This document contains the official version of EN 13967:2012+A1:2017.

This standard supersedes the Swedish Standard SS-EN 13967:2012, edition 2.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Tätskikt och geosynteter, SIS/TK 177.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 13967:2012+A1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2017

ICS 01.040.91; 91.100.50

Supersedes EN 13967:2012

English Version

**Flexible sheets for waterproofing - Plastic and rubber  
damp proof sheets including plastic and rubber basement  
tanking sheet - Definitions and characteristics**

Feuilles souples d'étanchéité - Feuilles plastiques et  
élastomères empêchant les remontées capillaires du  
sol - Définitions et caractéristiques

Abdichtungsbahnen - Kunststoff- und  
Elastomerbahnen für die Bauwerksabdichtung gegen  
Bodenfeuchte und Wasser - Definitionen und  
Eigenschaften

This European Standard was approved by CEN on 23 March 2012 and includes Amendment 1 approved by CEN on 24 January 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**SS-EN 13967:2012+A1:2017 (E)**

<b>Contents</b>	<b>Page</b>
European foreword.....	4
<b>1 Scope .....</b>	<b>5</b>
<b>2 Normative references .....</b>	<b>5</b>
<b>3 Terms and definitions .....</b>	<b>6</b>
<b>4 Product designation .....</b>	<b>7</b>
<b>5 Product characteristics .....</b>	<b>8</b>
5.1 General.....	8
5.2 Deviation from test sample dimensions .....	8
5.3 Visible defects.....	8
5.4 Dimensions and tolerances .....	8
5.5 Thickness and mass per unit area .....	8
5.6 Water tightness.....	8
5.7 Resistance to impact .....	8
5.8 <b>Ⓐ Durability of water tightness Ⓐ</b> .....	<b>9</b>
5.9 Compatibility with bitumen .....	9
5.10 Resistance to tearing (nail shank) .....	9
5.11 Joint strength.....	9
5.12 Water vapour transmission properties .....	9
5.13 Resistance to static loading.....	9
5.14 Tensile properties.....	9
5.15 Resistance to deformation under load .....	10
5.16 Reaction to fire.....	10
5.17 Dangerous substances.....	11
<b>6 Assessment and verification of constancy of performance - AVCP .....</b>	<b>11</b>
6.1 General.....	11
6.2 Type testing.....	11
6.3 Factory production control (FPC) .....	15
<b>7 Product data sheet and designation.....</b>	<b>20</b>
<b>8 Marking, labelling and packaging .....</b>	<b>20</b>
<b>Annex A (informative) Product designation, typical materials and structure of sheets.....</b>	<b>21</b>
A.1 Typical materials.....	21
A.1.1 General.....	21

**SS-EN 13967:2012+A1:2017 (E)**

<b>A.1.2</b>	<b>Plastics</b> .....	<b>21</b>
<b>A.1.3</b>	<b>Rubbers</b> .....	<b>21</b>
<b>A.1.4</b>	<b>Thermoplastic rubbers</b> .....	<b>22</b>
<b>Annex B (normative) Method of measuring the resistance of ventilating and draining damp-proof sheets to deformation under load</b> .....		
		<b>23</b>
<b>B.1</b>	<b>Principle</b> .....	<b>23</b>
<b>B.2</b>	<b>Apparatus</b> .....	<b>24</b>
<b>B.3</b>	<b>Preparation of test samples and test specimens</b> .....	<b>25</b>
<b>B.3.1</b>	<b>Sampling</b> .....	<b>25</b>
<b>B.3.2</b>	<b>Preparation of test specimens</b> .....	<b>25</b>
<b>B.4</b>	<b>Procedure</b> .....	<b>26</b>
<b>B.5</b>	<b>Expression of results</b> .....	<b>26</b>
<b>B.6</b>	<b>Test report</b> .....	<b>26</b>
<b>Annex ZA (informative) <sup>[A1]</sup> Relationship of this European Standard with Regulation (EU) No.305/2011 <sup>[A1]</sup></b> .....		
		<b>28</b>
<b>ZA.1</b>	<b>Scope and relevant characteristics</b> .....	<b>28</b>
<b>ZA.2</b>	<b>System of Assessment and Verification of Constancy of Performance (AVCP)</b> .....	<b>29</b>
<b>ZA.3</b>	<b>Assignment of AVCP tasks</b> .....	<b>29</b>
	<b>Bibliography</b> .....	<b>32</b>

## SS-EN 13967:2012+A1:2017 (E)

### European foreword

This document (EN 13967:2012+A1:2017) has been prepared by Technical Committee CEN/TC 254 “Flexible sheets for waterproofing”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2017, and conflicting national standards shall be withdrawn at the latest by January 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 2017-01-24.

This document supersedes A1 EN 13967:2012 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

A1 *deleted text* A1

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This European Standard is a general product standard for flexible sheets of plastics intended for damp proof sheets, including plastics basement tanking sheets, for use in buildings. This standard is one of a series of product standards for factory made flexible sheets for use in buildings.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



## 1 Scope

This document specifies definitions and characteristics of flexible plastic and rubber sheets which are intended to be used as damp proofing for buildings, including basement tanking. It specifies the requirements and test methods, and provides for the evaluation of conformity of the products with the requirements of this standard.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1296, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roofing — Method of artificial ageing by long term exposure to elevated temperature*

EN 1548, *Flexible sheets for waterproofing — Plastic and rubber sheets for roof waterproofing — Method for exposure to bitumen*

EN 1847:2009, *Flexible sheets for waterproofing — Plastic and rubber sheets for roof waterproofing — Methods for exposure to liquid chemicals, including water*

EN 1848-2, *Flexible sheets for waterproofing — Determination of length, width, straightness and flatness — Part 2: Plastic and rubber sheets for roof waterproofing*

EN 1849-2, *Flexible sheets for waterproofing — Determination of thickness and mass per unit area — Part 2: Plastic and rubber sheets*

EN 1850-2, *Flexible sheets for waterproofing — Determination of visible defects — Part 2: Plastic and rubber sheets for roof waterproofing*

EN 1928:2000, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Determination of watertightness*

EN 1931, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Determination of water vapour transmission properties*

EN 12310-1, *Flexible sheets for waterproofing — Part 1: Bitumen sheets for waterproofing — Determination of resistance to tearing (nail shank)*

EN 12311-2:2013 *Flexible sheets for waterproofing — Determination of tensile properties — Part 2: Plastic and rubber sheets for roof waterproofing* <sup>A1</sup>

EN 12317-2, *Flexible sheets for waterproofing — Determination of shear resistance of joints — Part 2: Plastic and rubber sheets for roof waterproofing*

EN 12691, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Determination of resistance to impact*

EN 12730:2015 <sup>A1</sup>, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Determination of resistance to static loading*

## SS-EN 13967:2012+A1:2017 (E)

EN 13416:2001, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Rules for sampling*

EN 13501-1:2007+A1:2009, *Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests*

EN 13859-1:2014, *Flexible sheets for waterproofing — Definitions and characteristics of underlays — Part 1: Underlays for discontinuous roofing*

CEN/TR 16625:2013, *Flexible sheets for waterproofing — Statistical definition of manufacturer's limiting value and declared value (MLV and MDV) — 95 % Statistic*

EN ISO 11925-2, *Reaction to fire tests — Ignitability of products subjected to direct impingement of flame — Part 2: Single-flame source test (ISO 11925-2)*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 13416:2001 and the following apply.

**3.1 sheet for damp proofing**  
plastic or rubber sheet used on or under floors/ground slabs or in walls to prevent liquid water not under hydrostatic pressure passing from the ground into the internal environment

**3.2 ventilating or draining damp proof sheet**  
sheet conforming to the definition in 3.1 and with the ability to provide a continuous void or structure to allow free movement of water vapour or liquid water between the sheet and any further construction


**3.3 tanking sheet**  
sheet conforming to the definition in 3.1 used in wall construction or on or under floors or ground slabs to prevent liquid water under hydrostatic pressure passing from the ground into the internal environment or from one section of the structure to another

**3.4 manufacturer's limiting value**  
**MLV**  
nominal value including a single sided specification according to the product standard for a given test method or property

Note 1 to entry: The MLV can be a minimum or a maximum value according to statements made under product characteristics of the relevant product standard.

[CEN/TR 16625:2013, 2.2]

**3.5 manufacturer's declared value**  
**MDV**  
nominal value including double sided specification according to the product standard for a given test method or property

[CEN/TR 16625:2013, 2.1] 

**3.6**

**plastic sheet**

factory-made flexible sheet made from a plastic polymeric material and which may include composites of other materials

**3.7**

**rubber sheet**

factory-made flexible sheet made from an elastomeric polymeric material and which may include composites of other materials

**3.8**

**sampling**

procedure used to select or constitute a sample

**3.9**

**sample**

sheet from which a test piece is taken

**3.10**

**test piece**

part of the sample from which test specimens are taken

**3.11**

**test specimen**

piece of precise dimensions taken from the test piece

**3.12**


**batch**

amount of product continuously manufactured to the same specification



**3.13**

**overpack**

outer container or packaging designed to enclose on secure one or more inner containers or packagings 

## 4 Product designation

The types of damp proof sheets covered by this document are designated as follows:

- TYPE A** damp proof sheet;
- TYPE V** damp proof ventilating or draining sheet;
- TYPE T** tanking sheet.