

# SVENSK STANDARD

## SS-EN 16586-1:2017



Fastställt/Approved: 2017-04-24  
Publicerad/Published: 2017-04-27  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 11.180.01; 14.540; 45.060.10; 45.060.20; 75.200

---

### **Järnvägar – Utformning för personer med funktionsnedsättning – Tillgänglighet till fordonen för personer med rörelsehinder –**

#### **Del 1: Trappsteg för på- och avstigning**

### **Railway applications – Design for PRM use – Accessibility of persons with reduced mobility to rolling stock –**

#### **Part 1: Steps for access and egress**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-8026064>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 16586-1:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 16586-1:2017.

The European Standard EN 16586-1:2017 has the status of a Swedish Standard. This document contains the official version of EN 16586-1:2017.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Järnvägar, SIS/TK 254.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 16586-1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2017

---

ICS 11.180.01; 45.060.20

English Version

**Railway applications - Design for PRM use - Accessibility of  
persons with reduced mobility to rolling stock - Part 1:  
Steps for access and egress**

Applications ferroviaires - Conception destinée à  
l'usage par les PMR - Accessibilité du matériel roulant  
aux personnes à mobilité réduite - Partie 1: Marches de  
sortie et d'accès

Bahnanwendungen - Gestaltung für die Nutzung durch  
PRM - Barrierefreier Zugang - Teil 1: Aus- und  
Einstiegsstufen

This European Standard was approved by CEN on 16 January 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**SS-EN 16586-1:2017 (E)**

<b>Contents</b>	<b>Page</b>
<b>European foreword</b> .....	<b>3</b>
<b>Introduction</b> .....	<b>4</b>
<b>1 Scope</b> .....	<b>5</b>
<b>2 Normative references</b> .....	<b>5</b>
<b>3 Terms and definitions</b> .....	<b>5</b>
<b>4 Symbols and abbreviations</b> .....	<b>7</b>
<b>5 Requirements and Assessment</b> .....	<b>8</b>
<b>5.1 General</b> .....	<b>8</b>
<b>5.2 Step position for vehicle access and egress</b> .....	<b>8</b>
<b>5.2.1 General requirements</b> .....	<b>8</b>
<b>5.2.2 Access/egress steps</b> .....	<b>8</b>
<b>Annex A (normative) Calculations for step location</b> .....	<b>13</b>
<b>A.1 General</b> .....	<b>13</b>
<b>A.2 Values to be used for calculating step position for vehicle access and egress</b> .....	<b>13</b>
<b>Annex B (normative) Step nose</b> .....	<b>17</b>
<b>Annex C (normative) EC verification</b> .....	<b>18</b>
<b>C.1 EC verification (general)</b> .....	<b>18</b>
<b>C.1.1 General</b> .....	<b>18</b>
<b>C.1.2 Procedures for EC verification of a subsystem (modules)</b> .....	<b>18</b>
<b>Annex D (normative) Summary of testing requirements</b> .....	<b>19</b>
<b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC</b> .....	<b>20</b>
<b>Bibliography</b> .....	<b>22</b>

## **European foreword**

This document (EN 16586-1:2017) has been prepared by Technical Committee CEN/TC 256 “Railway applications”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2017, and conflicting national standards shall be withdrawn at the latest by October 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2008/57/EC.

For relationship with EU Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## SS-EN 16586-1:2017 (E)

### Introduction

This document is part of a suite of four 'Design for PRM use' standards that have in total nine parts:

- EN 16584 is a standard that covers both infrastructure and rolling stock — Railway applications — Design for PRM use — General requirements:
  - Part 1: Contrast (EN 16584-1)
  - Part 2: Information (EN 16584-2)
  - Part 3: Optical and friction characteristics (EN 16584-3)
- EN 16585 is a standard that covers rolling stock - Railway applications — Design for PRM use — Equipment and components on board rolling stock:
  - Part 1: Toilets (EN 16585-1)
  - Part 2: Elements for sitting, standing and moving (EN 16585-2)
  - Part 3: Clearways and internal doors (EN 16585-3)
- EN 16586 is a standard that covers rolling stock — Railway applications — Design for PRM use — Accessibility of persons with reduced mobility to rolling stock:
  - Part 1: Steps for access and egress (EN 16586-1)
  - Part 2: Boarding aids (EN 16586-2)
- EN 16587 is a standard that covers infrastructure — Railway applications — Design for PRM use — Requirements for obstacle free routes for infrastructure.

These standards aim to clarify the requirements (with clear and consistent terms and definitions) and to define the associated criteria and, where appropriate, methodologies to allow a clear pass/fail assessment.



## 1 Scope

This European Standard describes the specific 'Design for PRM use' requirements applying to rolling stock and the assessment of those requirements. The following applies to this standard:

- The definitions and requirements describe specific aspects of 'Design for PRM use' required by persons with disabilities and persons with reduced mobility as defined in the PRM TSI;
- This standard defines elements which are universally valid for obstacle free travelling including steps for access and egress and boarding aids. The definitions and requirements of this standard are to be used for rolling stock applications;
- This standard only refers to aspects of accessibility for PRM passengers it does not define general requirements and general definitions;
- This standard assumes that the vehicle is in the defined operating condition;
- Where minimum or maximum dimensions are quoted these are absolute NOT nominal

The 'Accessibility of persons with reduced mobility' standard is written in two parts:

- This document is Part 1 and contains:
  - Steps for access and egress
- Part 2 contains
  - Boarding aids.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16584-1, *Railway applications — Design for PRM use — General requirements — Part 1: Contrast*

EN 16584-3, *Railway Applications - Design for PRM Use - General Requirements - Part 3: Optical and Friction Characteristics*

EN 15273-1, *Railway applications - Gauges - Part 1: General - Common rules for infrastructure and rolling stock*

EN 15273-3, *Railway applications - Gauges - Part 3: Structure gauges*

EN 15663, *Railway applications - Definition of vehicle reference masses*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

## SS-EN 16586-1:2017 (E)

### 3.1

#### **boarding aid**

device (fixed or portable) that bridges the gap between rolling stock and platform to allow a PRM to board or alight from a train

Note 1 to entry: These include manual or automatic ramps, lifts and other devices.

### 3.2

#### **bridging plate**

retractable device integrated into the vehicle as close as possible to the door threshold level that enables access for wheelchair users, fully automatic and activated/controlled in conjunction with the door opening/closing sequences or semi-automatic on demand from passenger or staff

Note 1 to entry: It retains its strength without support on the station platform when extended.

### 3.3

#### **clear width**

#### **clear usable width**

unobstructed width of an open door or clearway to allow a PRM to pass through

### 3.4

#### **doorway**

opening in the vehicle body side that allows access to and egress from that vehicle

### 3.5

#### **effective clear width**

horizontal usable width of the surface of a boarding aid or entrance step

### 3.6

#### **first step**

step that is the first step for a passenger to use, to overcome a height change

Note 1 to entry: For the external access/egress steps this will normally be the step that is closest to the platform edge (it may be a fixed or a movable step), therefore this is the first step when boarding and the last step when alighting.

Note 2 to entry: In the context of steps for internal height changes (other than the external access/egress steps) this means the first usable step when ascending and the edge of the walking floor when descending.

### 3.7

#### **gap**

distance between a platform and the closest point on the rolling stock at the passenger door where passengers traverse from one to the other (both vertical and horizontal)

### 3.8

#### **last step**

final step for an ascending passenger to use to overcome a height change, forming the edge of the walking floor

**3.9**

**movable step**

retractable device integrated into the vehicle forming a step to the door threshold that enables access for passengers other than wheelchair users, fully automatic and activated/controlled in conjunction with the door opening/closing sequences (sliding, rotating, folding, etc.) to reduce the gap in width and height (if necessary to make the gap compliant) between vehicle and platform.

Note 1 to entry: It retains its strength without support on the station platform when deployed.

**3.10**

**on board lift**

device integrated into the doorway of a vehicle that enables access for wheelchair users to overcome the maximum height difference between the vehicle floor and the station platform, where operated

**3.11**

**on board ramp**

manual, semi-automatic or automatic device that enables access for wheelchair users, that is positioned between the vehicle door threshold and the platform

**3.12**

**step nose**

intersection point of the projections of horizontal and vertical surfaces of a step

Note 1 to entry: This is illustrated in Annex B showing example step noses.

**3.13**

**working order**

state in which a vehicle is equipped with all the consumables and occupied by all the staff which it requires in order to fulfil its function but empty of any payload (i.e. dead mass + consumables + staff)

**4 Symbols and abbreviations**

**Table 1 — Abbreviations**

Abbreviation	Designation
EN	European Standard
PRM	Persons with disabilities and persons with reduced mobility
TSI	Technical Specification for Interoperability

**Table 2 — Symbols**

Symbol	Designation	Unit
mm	Length	millimetre
$b_{q0}$	Nominal horizontal distance from platform edge to track centreline	millimetre
$\delta_h$	Horizontal stepping distance	millimetre
$\delta_{v+}$	Vertical stepping distance (up)	millimetre
$\delta_{v-}$	Vertical stepping distance (down)	millimetre