

SVENSK STANDARD

SS-EN 1993-4-1:2007/A1:2017



Fastställt/Approved: 2017-07-21
Publicerad/Published: 2017-07-24
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 65.040.20; 91.010.30; 91.070.03; 91.070.80; 91.080.13

Eurokod 3 : Dimensionering av stålkonstruktioner – Del 4-1: Silor

Eurocode 3 – Design of steel structures – Part 4-1: Silos

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-8027511>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 1993-4-1:2007/A1:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 1993-4-1:2007/A1:2017.

The European Standard EN 1993-4-1:2007/A1:2017 has the status of a Swedish Standard. This document contains the official version of EN 1993-4-1:2007/A1:2017.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Stål- och aluminiumkonstruktioner samt samverkanskonstruktioner i stål och betong, SIS/TK 188.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 1993-4-1:2007/A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2017

ICS 65.040.20; 91.010.30; 91.080.13

English Version

Eurocode 3 - Design of steel structures - Part 4-1: Silos

Eurocode 3 - Calcul des structures en acier - Partie 4-1 :
Silos

Eurocode 3 - Bemessung und Konstruktion von
Stahlbauten - Teil 4-1: Silos

This amendment A1 modifies the European Standard EN 1993-4-1:2007; it was approved by CEN on 3 March 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

SS-EN 1860-1:2013+A1:2017 (E)

Contents	Page
European foreword.....	3
1 Modification to the Foreword.....	4
2 Modifications to 1.2, Normative references	4
3 Modification to 1.6.1, Roman upper case letters	4
4 Modification to 1.6.2, Roman lower case letters.....	4
5 Modification to 2.7, Modelling of the silo for determining action effects	4
6 Modification to 2.9.1, General.....	4
7 Modification to 2.9.2.2, Partial factors for resistances.....	5
8 Modification to 2.10, Durability.....	5
9 Modification to 4.2.2.1, General	5
10 Modification to 4.2.2.3, Consequence Class 2.....	5
11 Modifications to 4.4, Equivalent orthotropic properties of corrugated sheeting.....	6
12 Modifications to 5.3.2.4, Buckling under axial compression.....	9
13 Modification to 5.3.2.5, Buckling under external pressure, internal partial vacuum and wind	10
14 Modification to 5.3.2.6, Membrane shear.....	10
15 Modification to 5.3.3.3, Buckling under axial compression.....	10
16 Modifications to 5.3.4.1, General	13
17 Modifications to 5.3.4.2,Plastic limit state	13
18 Modification to 5.3.4.3.1, General	14
19 Modifications to 5.3.4.3.3, Stiffened wall treated as an orthotropic shell	14
20 Modification to 5.3.4.3.4, Stiffened wall treated as carrying axial compression only in the stiffeners.....	15
21 Modification to 6.3.1,General.....	20
22 Modifications to 6.3.2.5, Local flexure at the transition.....	20
23 Modification to 6.3.2.7, Buckling in hoppers.....	20
24 Modification to 6.4.1,Supporting structures	21
25 Modification to 8.2.2,Uniformly supported transition junctions	21
26 Modification to 8.3.4.3,Annular plate transition junction.....	24
27 Modification to 8.5.3, Base ring.....	24
28 Modification to 9.4.1, General.....	25
29 Modification to 9.4.2, General bending from direct action of the stored material.....	25
30 Modification to 9.5.1, Forces in internal ties due to solids pressure on them	26

European foreword

This document (EN 1993-4-1:2007/A1:2017) has been prepared by Technical Committee CEN/TC 250 “Structural Eurocodes”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2018, and conflicting national standards shall be withdrawn at the latest by June 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

SS-EN 1860-1:2013+A1:2017 (E)

1 Modification to the Foreword

In the Section "National Annex for EN1993-4-1", replace the following entry:

"

– 6.3.2.7 (3)"

with:

"

– 6.3.2.7 (4)".

2 Modifications to 1.2, Normative references

In the entry dedicated to EN 1990, replace "EN 1990" with "EN 1990:2002" and replace the title of this reference with "Eurocode – Basis of structural design".

In the entry dedicated to EN 1993, in the list, replace "Part 1.6:" with "Part 1.6:2007:".

3 Modification to 1.6.1, Roman upper case letters

Replace:

" R_{ϕ} local radius at the crest or trough of a corrugation."

with:

" r_{ϕ} local radius at the crest or trough of a corrugation.".

4 Modification to 1.6.2, Roman lower case letters

Replace:

" ℓ wavelength of a corrugation in corrugated sheeting;"

with:

" l wavelength of a corrugation in corrugated sheeting;".

5 Modification to 2.7, Modelling of the silo for determining action effects

Replace Paragraph (1)P with:

"(1)P The general requirements set out in EN 1990 shall be followed."

6 Modification to 2.9.1, General

Replace Paragraph (1)P with:

"(1)P The general requirements set out in EN 1990 shall be satisfied."

7 Modification to 2.9.2.2, Partial factors for resistances

Add two new Paragraphs (4) and (5) after Paragraph (3)P:

"(4) Where hot rolled steel sections are used as part of a silo structure, the relevant partial factors for resistance should be taken from EN 1993-1-1.

(5) Where cold-formed steel sections are used as part of a silo structure, the relevant partial factors for resistance should be taken from EN 1993-1-3."

8 Modification to 2.10, Durability

Replace Paragraph (1) with:

"(1) The general requirements set out in 2.4 of EN 1990:2002 should be followed."

9 Modification to 4.2.2.1, General

After Paragraph (2), add the following new Paragraphs (3) to (6):

"(3) Where the silo is subject to any form of unsymmetrical bulk solids loading (patch loads, eccentric discharge, unsymmetrical filling etc.), the structural model should be designed to capture the membrane shear transmission within the silo wall and between the wall and rings.

NOTE The shear transmission between parts of the wall and rings has special importance in construction using bolts or other discrete connectors (e.g. between the wall and hopper, between the cylinder wall and vertical stiffeners or support, and between different strakes of the cylinder).

(4) Where a ring girder is used to redistribute silo wall forces into discrete supports, and where bolts or discrete connectors are used to join the structural elements, the shear transmission between the parts of the ring due to shell bending and ring girder bending phenomena should be determined.

(5) The stiffness of the stored bulk solid in resisting wall deformations or in increasing the buckling resistance of the shell structure should only be considered where a rational analysis is used and there is clear evidence that the solid against the wall is not in motion at the specified location during discharge. In such situations, the relevant information on the flow pattern, the pressure in the solid and the properties of the specific stored bulk solid should be determined from EN 1991-4.

(6) Where a corrugated silo exhibits mass flow, the solid held stationary within the corrugations should not be considered as stationary in (5)."

10 Modification to 4.2.2.3, Consequence Class 2

Delete the following Paragraphs (10) to (12):

"(10) Where the silo is subject to any form of unsymmetrical bulk solids loading (patch loads, eccentric discharge, unsymmetrical filling etc.), the structural model should be designed to capture the membrane shear transmission within the silo wall and between the wall and rings.

NOTE The shear transmission between parts of the wall and rings has special importance in construction using bolts or other discrete connectors (e.g. between the wall and hopper, between different strakes of the barrel).

SS-EN 1860-1:2013+A1:2017 (E)


(11) Where a ring girder is used to redistribute silo wall forces into discrete supports, and where bolts or discrete connectors are used to join the structural elements, the shear transmission between the parts of the ring due to shell bending and ring girder bending phenomena should be determined.

(12) Except where a rational analysis is used and there is clear evidence that the solid against the wall is not in motion during discharge, the stiffness of the bulk solid in resisting wall deformations or in increasing the buckling resistance of the structure should not be considered."

11 Modifications to 4.4, Equivalent orthotropic properties of corrugated sheeting

Replace Figure 4.2 with:

"



Key

1 effective middle surface

Figure 4.2 — Corrugation profile and geometric parameters

"

Replace the notation lines in Paragraph (3) with:

"where:

- d is the crest to crest dimension;
- l is the wavelength of the corrugation;
- r_ϕ is the local radius at the crest or trough."

Replace Paragraph (4):

"(4) All properties may be treated as one-dimensional, giving no Poisson effects between different directions."

with:

"(4) The equivalent properties of the sheeting in each of the two principal directions may be treated as independent, so that strains in one direction do not produce stresses in the orthogonal direction (i.e. no Poisson effects)."

Replace Paragraph (5) with the following paragraph:

"(5) The equivalent membrane properties (stretching stiffnesses) may be taken as:

$$C_x = Et_x \quad (4.2)$$

$$C_y = Et_y \quad (4.3)$$

$$C_{xy} = Gt_{xy} \quad (4.4)$$

where:

t_x is the equivalent thickness for the smeared membrane stiffness normal to the corrugations, given by:

$$t_x = \frac{2t^3}{3d^2} \quad (4.5)$$

t_y is the equivalent thickness for the smeared membrane stiffness parallel to the corrugations, given by:

$$t_y = t \left(1 + \frac{\pi^2 d^2}{4l^2} \right) \quad (4.6)$$

t_{xy} is the equivalent thickness for the smeared membrane shear stiffness, given by:

$$t_{xy} = \frac{t}{\left(1 + \frac{\pi^2 d^2}{4l^2} \right)} \quad (4.7)''.$$

Replace Paragraph (6) with:

"(6) The equivalent bending properties (flexural stiffnesses) are defined in terms of the flexural rigidity for moments causing bending stresses in that direction, and may be taken as:

$$D_x = EI_x \quad (4.8)$$

$$D_y = EI_y \quad (4.9)$$

$$D_{xy} = GI_{xy} \quad (4.10)$$

where:

I_x is the equivalent second moment of area per unit width for the smeared bending stiffness perpendicular to the corrugations, given by: