

SVENSK STANDARD

SS-EN 1176-3:2017



Fastställt/Approved: 2017-11-06
Publicerad/Published: 2017-11-07
Utgåva/Edition: 3
Språk/Language: engelska/English
ICS: 97.200.40

Lekredskap och ytbeläggning – Del 3: Rutschbanor – Kompletterande säkerhetskrav och provningmetoder

Playground equipment and surfacing – Part 3: Additional specific safety requirements and test methods for slides



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 1176-3:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 1176-3:2017.

Denna standard ersätter SS-EN 1176-3:2008, utgåva 2.

The European Standard EN 1176-3:2017 has the status of a Swedish Standard. This document contains the official version of EN 1176-3:2017.

This standard supersedes the Swedish Standard SS-EN 1176-3:2008, edition 2.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Lekredskap, SIS/TK 379.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 1176-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2017

ICS 97.200.40

Supersedes EN 1176-3:2008

English Version

Playground equipment and surfacing - Part 3: Additional specific safety requirements and test methods for slides

Équipement et sols d'aires de jeux - Partie 3: Exigences de sécurité et méthodes d'essai complémentaires spécifiques aux toboggans

Spielplatzgeräte und Spielplatzböden - Teil 3: Zusätzliche besondere sicherheitstechnische Anforderungen und Prüfverfahren für Rutschen

This European Standard was approved by CEN on 6 August 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Safety requirements	6
4.1 General	6
4.2 Access	6
4.3 Starting section	9
4.3.1 Length and angle	9
4.3.2 Guarding section	9
4.3.3 Width	10
4.3.4 Lateral protection (sides)	10
4.4 Sliding section	10
4.4.1 Length and angle	10
4.4.2 Width	10
4.4.3 Sides and profile of the slide	11
4.5 Run-out section	14
4.6 Surface of the slide	15
4.7 Free space	15
4.8 Impact area	16
4.9 Tunnel and mixed tunnel slides	17
4.9.1 Clearance	17
4.9.2 Position	18
5 Test reports	18
6 Marking	18
Annex A (informative) A-deviations	19
Annex B (informative) Background information and rationale regarding limiting straight sliding sections	20
Bibliography	21

European foreword

This document (EN 1176-3:2017) has been prepared by Technical Committee CEN/TC 136 “Sports, playground and other recreational facilities and equipment”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2018, and conflicting national standards shall be withdrawn at the latest by October 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1176-3:2008.

The main changes are:

- a) definition for wave slide deleted;
- b) revised figure for illustration of the position of the sections of a slide (see Figure 2);
- c) reduction of free height of fall if starting section is easily accessible unless guarding is provided;
- d) maximal length of the initial straight sliding section and of the second sliding section after a bend (4.4.1 and Annex B);
- e) improvement Table 1 – inclination of run-out section for small slides;
- f) reduction of the impact area for Type 1 if sliding section is max. 1 500 mm;
- g) Figure 5 – Application of template to curved profile sliding section – amended;
- h) start of the free space on a slide;
- i) A-deviation for Romania.

This document is part of a series of standards dealing with playground equipment and surfacing which consists of:

- *Part 1: General safety requirements and test methods;*
- *Part 2: Additional specific safety requirements and test methods for swings;*
- *Part 3: Additional specific safety requirements and test methods for slides;*
- *Part 4: Additional specific safety requirements and test methods for cableways;*
- *Part 5: Additional specific safety requirements and test methods for carousels;*
- *Part 6: Additional specific safety requirements and test methods for rocking equipment;*
- *Part 7: Guidance on installation, inspection, maintenance and operation;*
- *Part 10: Additional specific safety requirements and test methods for fully enclosed play equipment;*

SS-EN 1176-3:2017 (E)

— *Part 11: Additional specific safety requirements and test methods for spatial network.*

This part of EN 1176 will be used in conjunction with parts EN 1176-1, EN 1176-7 and EN 1177.

For inflatable play equipment see EN 14960, *Inflatable play equipment — Safety requirements and test methods.*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies additional safety requirements for slides intended for permanent installation for use by children. The aim is to provide protection to the user against possible hazards during use. Where the main play function is not sliding, the relevant requirements in this part of EN 1176 may be used, as appropriate.

This document is not applicable to waterslides, rollerways or slide installations where auxiliary equipment such as mats or sledges are used. This document is not applicable to inclined surfaces that do not contain and guide the user, e.g. banister rails (inclined parallel bars).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1176-1:2017, *Playground equipment and surfacing — Part 1: General safety requirements and test methods*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1176-1 and the following apply.

3.1 slide

structure with inclined surface(s) that contains and guides the user sliding in a defined track

Note 1 to entry: Inclined planes, designed primarily for other purposes, such as roofs, do not constitute slides.

3.2 embankment slide

slide in which the majority of the sliding section follows the contour of the land

Note 1 to entry: Access to the starting section is usually direct from the mound or via an access ladder or stairs.

3.3 attachment slide

slide for which access to the starting section is possible only by passing via other equipment or parts of equipment

Note 1 to entry: Such equipment includes climbing nets, bridges, platforms, inclined planes, other climbing devices.

3.4 helical slide

slide where the sliding section follows spirals

Note 1 to entry: See Figure 4.

3.5 curved slide

slide where the sliding section follows curves

Note 1 to entry: See Figure 4.

SS-EN 1176-3:2017 (E)

3.6

free-standing slide

slide which is separate from any other piece of equipment with its own means of access from the ground directly to the starting section

3.7

tunnel slide

slide where the sliding section has an enclosed cross section

3.8

mixed tunnel slide

slide for which only the upper section of the sliding section has an enclosed cross section

3.9

multi-track slide

slide with several defined tracks separated by dividers

3.10

starting section

section on which the user is enabled to get into sliding position

Note 1 to entry: The starting section can be a platform or an extension of a platform of playground equipment.

3.11

sliding section

section on which the user is undergoing forced movement

3.12

run-out section

section on which the user's speed is reduced to enable a safe departure from the slide

3.13

guarding section

additional component of a slide, which serves the function of a barrier, to protect users from falls from the starting section

Note 1 to entry: The guarding section can extend into the region of the sliding section.

3.14

lateral protection

side of the starting section or sliding section that retains and guides the user

4 Safety requirements

4.1 General

Slides shall conform to EN 1176-1 unless otherwise specified in this part of EN 1176.

4.2 Access

Access to the starting section shall be by means of an access ladder, stairs, climbing section or device.

In the case of embankment slides, access to the starting section may be gained directly from the mound.

For free-standing slides, the maximum vertical height that the first stairs can reach without a change in direction or offset, by a minimum width of the means of access, shall be 2 500 mm.

Where the starting section of a slide is easily accessible the free height of fall (h) shall be 1 000 mm maximum unless guarding is provided (see 4.3.2).

For all attachment slides with a fall height greater than 1 000 mm, a rail or crossbar across the access opening shall be provided (see Figure 1a)). The rail or crossbar shall be positioned between the platform guard rail or barrier and the start of the sliding section.

The height of the rail or crossbar shall be between 600 mm and 900 mm above the starting section.

For attachment slides with a starting section or barrier beyond the edge of the platform, the area of the starting section between the rail or crossbar and the platform shall comply with the same requirements as platforms in EN 1176-1.

NOTE Such requirements include the height of guard rail or barrier.