

SVENSK STANDARD

SS-ISO 16069:2017

Fastställt/Approved: 2017-11-16
Publicerad/Published: 2017-12-12
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 01.080.10; 01.080.20

Grafiska symboler – säkerhetsskyltar – Säkerhetsvägledningssystem (ISO 16069:2017, IDT)

Graphical symbols – Safety signs – Safety way guidance systems (SWGS) (ISO 16069:2017, IDT)



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 16069:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 16069:2017.

The International Standard ISO 16069:2017 has the status of a Swedish Standard. This document contains the official version of ISO 16069:2017.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Grafiska symboler, SIS/TK 493.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Planning a SWGS	4
5 Basic principles for the design of SWGS	5
5.1 Design objectives.....	5
5.1.1 General.....	5
5.1.2 Continuity.....	5
5.1.3 Visual reinforcement.....	6
5.1.4 Location.....	6
5.1.5 Destination.....	6
5.1.6 Avoidance of confusion at decision points.....	6
5.1.7 Dead ends.....	6
5.1.8 Minimization of potentially competing or confusing information in the visual field on escape routes.....	6
5.1.9 Multi-level facilities.....	7
5.2 Guidance lines.....	7
5.3 Escape route signs.....	7
5.3.1 Design.....	7
5.3.2 Consistency of use.....	9
5.3.3 Installed position.....	9
5.4 Signs, markings and plans.....	10
5.4.1 Marking of stairs, ramps and ladders.....	10
5.4.2 Marking of emergency exits.....	10
5.4.3 Marking of fire-fighting, emergency and safety equipment and alarm- initiating devices.....	10
5.4.4 Marking of hazards along the escape route.....	10
5.4.5 Marking of assembly areas and safe areas at the end of the escape route.....	11
5.4.6 Marking of escape routes for the specific use of disabled persons.....	11
5.4.7 Escape and evacuation plan signs.....	11
5.4.8 Access platforms.....	11
6 Specific requirements for electrically powered components	11
6.1 General.....	11
6.2 Requirements for guidance lines and escape route signs.....	12
6.2.1 Escape route sign luminaire.....	12
6.2.2 Guidance lines made by point sources and accompanying escape route signs.....	12
6.2.3 Guidance lines made by line sources and accompanying escape route signs.....	12
6.2.4 Guidance lines made of discrete luminaires.....	12
6.3 Marking.....	12
6.3.1 Marking of stairs and ramps.....	12
6.3.2 Marking of emergency exits.....	13
6.3.3 Marking of hazards along the escape route.....	13
6.4 Emergency power supply and operating conditions for the electrical components.....	13
6.5 Documentation and logbook.....	13
6.6 Inspection and maintenance.....	14
7 Specific requirements for phosphorescent components	14
7.1 General.....	14
7.2 Luminance requirements for phosphorescent components of a SWGS.....	14
7.2.1 Minimum luminance properties.....	14
7.2.2 Minimum luminance required in installed position.....	15

SS-ISO 16069:2017 (E)

7.3	Guidance lines and escape route signs and their location within a SWGS.....	15
7.3.1	Guidance lines.....	15
7.3.2	Escape route signs.....	15
7.4	Marking.....	16
7.4.1	Marking of stairs, ramps and ladders.....	16
7.4.2	Marking of door frames of emergency exits.....	16
7.4.3	Marking of hazards along the route.....	16
7.4.4	Marking of fire-fighting, emergency and safety equipment along the escape route.....	16
7.4.5	Floor numbering and stairwell identification for multi-storey building.....	16
7.5	Illumination requirements.....	17
7.6	Verification of illumination and luminance.....	17
7.7	Documentation and logbook.....	17
7.8	Inspection and maintenance.....	17
Annex A (normative) Measurement of photopic luminance of phosphorescent components in the laboratory.....		19
Annex B (normative) On-site measurement of luminance performance of phosphorescent components of a SWGS.....		25
Annex C (informative) Visibility and identifiability of phosphorescent safety way guidance components and their sizing and location.....		29
Bibliography.....		39

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 2, *Safety identifications, signs, shapes, symbols, and colours*.

This second edition cancels and replaces the first edition (ISO 16069:2004) which has been technically revised.

The main changes compared with the previous edition are as follows:

- a) the component luminance requirements of the electrical systems have been updated;
- b) the component luminance and dimensions of non-electrical phosphorescent systems have been updated;
- c) the document and its requirements have been simplified to improve ease of use and eliminate ambiguity;
- d) all example figures which by definition could not cover all arrangements have been removed;
- e) an informative annex for designers of non-electrical phosphorescent systems regarding observation distances has been added.

SS-ISO 16069:2017 (E)**Introduction**

Safety way guidance systems need to be standardized so that they communicate the information necessary to allow people to be able to evacuate a building efficiently and, if necessary, to assemble in designated safe areas in cases of fire or other emergencies.

Through the consistent and uniform international application of common SWGS design principles, persons in all countries will be better able to recognize and follow the directional information provided by such systems to assist in providing a safe evacuation. As an additional benefit, a standardized SWGS will assist fire fighters and other rescue teams to evacuate occupied areas during emergency situations.

In order to communicate safety way guidance information efficiently across language barriers, the systems defined in this document incorporate the use of graphical symbols and markings such as arrows, conforming to ISO 7010 and ISO 3864-3.

Illumination of escape routes is not part of the SWGS and is therefore not covered by this document; a SWGS is not intended to replace emergency escape lighting. There will be certain situations where emergency escape lighting is not needed, and other situations, for example where smoke is present, where emergency escape lighting can lose its efficiency and a SWGS will be more effective in assisting emergency evacuation, but it is generally recommended that SWGS be used in combination with the illumination of escape routes to provide additional benefits for the whole system.

The principles given in this document are intended to provide consistent design elements irrespective of whether they use electrically powered or phosphorescent components. Consistent use will improve public awareness of the systems and assist rapid recognition and effectiveness in the case of an emergency.

Graphical symbols — Safety signs — Safety way guidance systems (SWGS)

IMPORTANT — The colours represented in the electronic file of this document can be neither viewed on screen nor printed as true representations. For the purposes of colour matching, see ISO 3864-4 which provides colorimetric and photometric properties together with, as a guideline, references from colour order systems.

1 Scope

This document describes the principles governing the design and application of visual components used to create a safety way guidance system (SWGS).

This document contains general principles valid both for electrically powered and for phosphorescent components. Special information which is related to the type of component is given to assist in defining the environment of use, choice of material, layout, installation and maintenance of SWGS.

This document does not cover risk assessment. Applications with different risks to the occupants typically require different layouts and types of SWGS. The specific application and exact final design of SWGS is entrusted to those persons responsible for this task.

This document also does not include the special considerations of possible tactile or audible components of SWGS, nor does it include requirements for high mounted components of the emergency escape route lighting, especially the design and application of emergency escape route lighting.

This document is intended, by collaboration and coordination, to be used by all other Technical Committees within ISO and IEC charged with developing SWGS for their specific requirements. This document is not to be used for ships falling under regulations of the International Maritime Organization (IMO).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3864-1, *Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs and safety markings*

ISO 3864-3, *Graphical symbols — Safety colours and safety signs — Part 3: Design principles for graphical symbols for use in safety signs*

ISO 3864-4:2011, *Graphical symbols — Safety colours and safety signs — Part 4: Colorimetric and photometric properties of safety sign materials*

ISO 7010:2011, *Graphical symbols — Safety colours and safety signs — Registered safety signs*

ISO 23601, *Safety identification — Escape and evacuation plan signs*

IEC 60364-5-56, *Low-Voltage electrical Installations — Part 5-56: Selection and erection of electrical equipment — Safety services*

IEC 60598-2-22, *Luminaires — Part 2-22: Particular requirements — Luminaires for emergency lighting*

SS-ISO 16069:2017 (E)**3 Terms and definitions**

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 assembly area

designated safe area outside the occupied area where occupants are expected to assemble

3.2 dead end

corridor, or part of a corridor whose depth is greater than its width from which there is only one escape route

[SOURCE: ISO 15370:2010, 3.5]

3.3 emergency escape lighting

that part of *emergency lighting* (3.4) that provides illumination for the safety of people leaving a location or attempting to terminate a potentially dangerous process before doing so

3.4 emergency lighting

lighting provided for use when the supply to the normal lighting fails

3.5 factor of distance

z
relationship between the height (h) of a sign and observation distance (l), used to determine observation distances of signs

$$z = \frac{l}{h}$$

[SOURCE: ISO 3864-1:2011, 3.2]

3.6 guidance line

line of luminous material on or close to the floor provided to clearly delineate an escape route or define an escape path through an open area

3.7 high location

installation position above doors or at or close to ceiling level for safety signs and other safety way guidance components

3.8 intermediate location

installation position between a *low location* (3.9) and a *high location* (3.7) especially at eye level for safety signs and other safety way guidance components

3.9 low location

installation position at or close to floor level for safety signs and other safety way guidance components

3.10**luminance contrast**

<SWGS> luminance of the brightest element of the safety way guidance component divided by the luminance of the surrounding environment

3.11**marking**

method of highlighting and identifying specific building components or equipment

3.12**observation distance**

l

<sign> distance from which a sign is identifiable and conspicuous

3.13**observation distance**

l

<guidance lines, door frames> distance from which *guidance lines* (3.6) and door frames are visible

3.14**period of use**

time over which the safety way guidance system is expected to be operational

3.15**phosphorescent material**

material incorporating phosphors that, if excited by UV or visible radiation, store energy, which is emitted as light over a period of time

Note 1 to entry: A phosphorescent sign is the same as “photoluminescent” commonly used in the literature of the photoluminescent safety sign industry.

[SOURCE: ISO 3864-4:2011, 3.12, modified — Note 1 to entry has been added.]

3.16**safety sign**

sign which gives a general safety message, obtained by a combination of colour and geometric shape and which, by the addition of a graphical symbol, gives a particular safety message

[SOURCE: ISO 3864-1:2011, 3.12]

3.17**safety way guidance system****SWGS**

system that provides luminous markings and direction information for the safety of people leaving a location

3.18**sign height**

diameter of a circular geometric shape or height of a rectangular or triangular geometric shape

Note 1 to entry: Registered safety sign originals in ISO 7010 are in a uniform 70 mm size with corner marks to enable accurate enlargement and reduction scaling. A border is not shown.

[SOURCE: ISO 3864-1:2011, 3.13, modified — Note 1 to entry has been added.]

3.19**supplementary sign**

sign that is supportive of a safety sign and the main purpose of which is to provide additional clarification

[SOURCE: ISO 3864-1:2011, 3.14]