

SVENSK STANDARD

SS-ISO 5753-1:2017

Fastställt/Approved: 2017-12-08
Publicerad/Published: 2017-12-08
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 21.100.20

Rullningslager – Internt lagerspel – Del 1: Radiellt lagerspel för radiallager (ISO 5753-1:2009, IDT)

Rolling bearings – Internal clearance – Part 1: Radial internal clearance for radial bearings (ISO 5753-1:2009, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-8030001>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 5753-1:2009 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 5753-1:2009.

The International Standard ISO 5753-1:2009 has the status of a Swedish Standard. This document contains the official version of ISO 5753-1:2009.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Rullningslager, SIS/TK 105.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents		Page
Foreword		iv
Introduction		v
1 Scope		1
2 Normative references		1
3 Terms and definitions		2
4 Symbols		2
5 Radial internal clearance		2
5.1 Radial contact groove ball bearings		2
5.2 Double-row self-aligning ball bearings		4
5.3 Cylindrical roller bearings and needle roller bearings		5
5.4 Toroidal roller bearings		8
5.5 Double-row self-aligning roller bearings		10
Bibliography		12

SS-ISO 5753-1:2017 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 5753-1 was prepared by Technical Committee ISO/TC 4, *Rolling bearings*, Subcommittee SC 4, *Tolerances*.

This first edition of ISO 5753-1 cancels and replaces ISO 5753:1991, which has been technically revised and extended. Internal clearance values for larger bore sizes have been added for each bearing type, together with values for cylindrical roller bearings with tapered bore and toroidal roller bearings with both cylindrical and tapered bores.

ISO 5753 consists of the following parts, under the general title *Rolling bearings — Internal clearance*:

— *Part 1: Radial internal clearance for radial bearings*

Axial internal clearance will form the subject of a future part 2.

Introduction

The radial internal clearance values apply to bearings, designed in such a way that they can take purely radial load, which are not mounted or preloaded and are not subjected to any external load (i.e. with no measuring load being applied). Since measurements of radial clearance can only be made with a measuring load applied, the radial displacement resulting from the elastic deformation of the rings and rolling elements has to be added to the clearance values specified in this part of ISO 5753. The magnitude of these clearance values depends on the number and diameter of the rolling elements and the extent of contact between the rolling elements and the raceways. Methods for the measurement of radial internal clearance are given in ISO 1132-2.

Depending on the design of the bearing and measuring method, some scatter of the results of repeated measurements can be experienced. Manufacturers are expected to take such scatter into consideration by applying correspondingly reduced manufacturing tolerances.

Rolling bearings — Internal clearance —

Part 1: Radial internal clearance for radial bearings

1 Scope

This part of ISO 5753 specifies values of radial internal clearance for the following types of radial rolling bearings:

- radial contact groove ball bearings, except those for insert bearings,
- double-row self-aligning ball bearings,
- cylindrical roller bearings,
- needle roller bearings, except drawn cup needle roller bearings,
- toroidal roller bearings,
- double-row self-aligning roller bearings.

It gives radial internal clearance values for all six types of bearing with cylindrical bore and also for double-row self-aligning ball bearings, cylindrical roller bearings, toroidal roller bearings and double-row self-aligning roller bearings with tapered bore.

Values of radial internal clearance for insert bearings are specified in ISO 9628.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1132-1:2000, *Rolling bearings — Tolerances — Part 1: Terms and definitions*

ISO 5593, *Rolling bearings — Vocabulary*

ISO 9628, *Rolling bearings — Insert bearings and eccentric locking collars — Boundary dimensions and tolerances*

ISO 15241, *Rolling bearings — Symbols for quantities*

SS-ISO 5753-1:2017 (E)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1132-1, ISO 5593 and the following apply.

3.1 radial internal clearance
(bearing capable of taking purely radial load, non-preloaded) arithmetical mean of the radial distances through which one of the rings may be displaced relative to the other, from one eccentric extreme position to the diametrically opposite extreme position, in different angular directions and without being subjected to any external load

NOTE 1 The mean value includes displacements with the rings in different angular positions relative to each other and with the set of rolling elements in different angular positions in relation to the rings.

NOTE 2 For a measurement to be valid, at each limiting eccentric position of the rings in relation to each other, their relative axial position, and the position of the rolling elements relative to the raceways, shall be such that one ring has actually assumed the extreme eccentric position in relation to the other ring.

[ISO 1132-1:2000, definition 8.1.1]

3.2 toroidal roller bearing
single-row self-aligning radial roller bearing with convex rollers as rolling elements with raceway radii of axial plane of both outer and inner rings larger than half the outer ring raceway diameter

4 Symbols

For the purposes of this document, the symbols given in ISO 15241 and the following apply.

The symbols (except those for clearance values) and the values given in Tables 1 to 9 denote nominal dimensions unless specified otherwise.

d bore diameter

G_r radial internal clearance

5 Radial internal clearance

5.1 Radial contact groove ball bearings

Radial internal clearance values for radial contact groove ball bearings with cylindrical bore are given in Table 1.

The values in Table 1 are not valid for insert bearings; see ISO 9628 for insert bearings.

Table 1 — Radial contact groove ball bearings with cylindrical bore

Clearance values in micrometres

<i>d</i> mm		<i>G_r</i>									
		Group 2		Group N		Group 3		Group 4		Group 5	
>	≤	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.
2,5	6	0	7	2	13	8	23	—	—	—	—
6	10	0	7	2	13	8	23	14	29	20	37
10	18	0	9	3	18	11	25	18	33	25	45
18	24	0	10	5	20	13	28	20	36	28	48
24	30	1	11	5	20	13	28	23	41	30	53
30	40	1	11	6	20	15	33	28	46	40	64
40	50	1	11	6	23	18	36	30	51	45	73
50	65	1	15	8	28	23	43	38	61	55	90
65	80	1	15	10	30	25	51	46	71	65	105
80	100	1	18	12	36	30	58	53	84	75	120
100	120	2	20	15	41	36	66	61	97	90	140
120	140	2	23	18	48	41	81	71	114	105	160
140	160	2	23	18	53	46	91	81	130	120	180
160	180	2	25	20	61	53	102	91	147	135	200
180	200	2	30	25	71	63	117	107	163	150	230
200	225	2	35	25	85	75	140	125	195	175	265
225	250	2	40	30	95	85	160	145	225	205	300
250	280	2	45	35	105	90	170	155	245	225	340
280	315	2	55	40	115	100	190	175	270	245	370
315	355	3	60	45	125	110	210	195	300	275	410
355	400	3	70	55	145	130	240	225	340	315	460
400	450	3	80	60	170	150	270	250	380	350	520
450	500	3	90	70	190	170	300	280	420	390	570
500	560	10	100	80	210	190	330	310	470	440	630
560	630	10	110	90	230	210	360	340	520	490	700
630	710	20	130	110	260	240	400	380	570	540	780
710	800	20	140	120	290	270	450	430	630	600	860
800	900	20	160	140	320	300	500	480	700	670	960
900	1 000	20	170	150	350	330	550	530	770	740	1 040
1 000	1 120	20	180	160	380	360	600	580	850	820	1 150
1 120	1 250	20	190	170	410	390	650	630	920	890	1 260
1 250	1 400	30	200	190	440	420	700	680	1 000	—	—
1 400	1 600	30	210	210	470	450	750	730	1 060	—	—