

# SVENSK STANDARD

## SS-EN 13212:2011



Fastställt/Approved: 2011-06-23  
Publicerad/Published: 2011-07-06  
Utgåva/Edition: 2  
Språk/Language: engelska/English  
ICS: 93.080.20

---

### **Vägmarkeringar – Produktionskontroll**

### **Road marking materials – Requirements for factory production control**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-80683>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.



## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 13212:2011 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 13212:2011.

Denna standard ersätter SS-EN 13212, utgåva 1.

The European Standard EN 13212:2011 has the status of a Swedish Standard. This document contains the official version of EN 13212:2011.

This standard supersedes the Swedish Standard SS-EN 13212, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Vägutrustning, SIS/TK 248.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 13212**

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2011

ICS 93.080.20

Supersedes EN 13212:2001

English Version

## Road marking materials - Requirements for factory production control

Produits de marquage routier - Exigences pour le contrôle de la production en usine

Straßenmarkierungsmaterialien - Anforderungen an die werkseigene Produktionskontrolle

This European Standard was approved by CEN on 22 April 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

## Contents

Foreword.....	3
1 Scope .....	4
2 Normative references .....	4
3 Terms and definitions .....	4
4 General requirements for factory production control (FPC).....	5
Annex A (normative) Preformed self-adhesive road marking – Test method for determination of mass per unit area of the adhesive.....	13

## Foreword

This document (EN 13212:2011) has been prepared by Technical Committee CEN/TC 226 "Road equipment", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2011, and conflicting national standards shall be withdrawn at the latest by December 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13212:2001.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

The Annex A of this European Standard is normative.

This European Standard is one of a package of inter-related European Standards with a common date of withdrawal (dow) fixed on December 2011 (*including the request of an extension for the co-existence period*):

- EN 1790, *Road marking materials — Preformed road markings*,
- EN 1824, *Road marking materials — Road trials*,
- EN 1871, *Road marking materials — Paint, thermoplastic and cold plastic materials - Specifications*,
- EN 12802, *Road marking materials — Laboratory methods for identification*,
- EN 13197, *Road marking materials — Wear simulator Turntable*,
- EN 13212, *Road marking materials — Requirements for factory production control*,
- EN 13459, *Road marking materials — Sampling and testing*.

## 1 Scope

This document gives the requirements for factory production control (FPC) for the manufacturer of road marking materials

This document specifies which types of test have to be taken into consideration within the FPC but it leaves the precise methods to be applied to be dependent on the characteristics of the manufacturer's installation and production methods. The precise parameters and methods will be found in the written procedures agreed between the manufacturer and the third party responsible for the initial assessment of the FPC.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1423, *Road marking materials — Drop on materials — Glass beads, antiskid aggregates and mixtures of the two*

EN 1424, *Road marking materials — Premix glass beads*

EN 1463 (all parts), *Road marking materials — Retroreflecting road studs*

EN 1790, *Road marking materials — Preformed road markings*

EN 1871, *Road marking materials — Paint, thermoplastic and cold plastic materials — Specifications*

EN 12802, *Road marking materials — Laboratory methods for identification*

EN ISO 9001:2008, *Quality management systems — Requirements (ISO 9001:2008)*

ISO 5725-2, *Accuracy (trueness and precision) of measurement methods and results — Part 2: Basic method for the determination of repeatability and reproducibility of a standard measurement method*

## 3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

**3.1 retained sample**  
sample, labelled and stored for some period of time, to be used in case additional testing or verification is needed

**3.2 batch**  
amount of product produced as one complete operation not being part of a continuous process

**3.3 factory production control (FPC)**  
permanent internal control of production exercised by the product manufacturer

**3.4. factory**  
single site of production consisting of one or more production lines where raw materials are converted into final products



## 4 General requirements for factory production control (FPC)

### 4.1 General

The manufacturer shall establish, document and maintain an FPC system to ensure that the products placed on the market conform to the declared performance characteristics. The FPC system shall consist of written procedures (works' manual), regular inspections and tests and/or assessments and the use of the results to control raw and other incoming materials or components, equipment, the production process and the product. Records shall remain legible, readily identifiable and retrievable for the period defined in the manufacturer's written procedures.

The manufacturer shall be responsible for organizing the effective implementation of the FPC system. Tasks and responsibilities shall be documented and this documentation shall be kept up-to-date.

In each factory, the manufacturer may delegate the action to a person who shall have the necessary authority to:

- identify procedures to demonstrate conformity of the product at appropriate stages;
- identify and record any instance of non-conformity;
- identify procedures to correct instances of non-conformity.

The manufacturer shall establish procedures to ensure that the production tolerances allow for the product performances to be in conformity with the declared values, derived from initial type testing.

The procedures shall be chosen in the interests of ensuring that the level of confidence obtained by the production control is effectively the same for all conceivable situations of manufacture.

All these procedures, elements, requirements and provisions adopted by the manufacturer shall be documented in a systematic manner in the form of written policies and procedures.

The manufacturer shall implement these procedures and instructions and record the operations and results. The results shall be used to correct the effects of any deviations and, where necessary, treat any resulting non-conformity and, if required, to revise the FPC system to rectify the cause of non-conformity.

The results of inspections, tests or assessments requiring action shall be recorded, as shall any action taken. The action to be taken when control values or criteria are not met shall be recorded and retained for the period specified in the manufacturer's FPC procedures.

A complaint register shall contain a short chronological view of the received complaints concerning the products covered by this FPC, identifying the source of complaint, its content and its follow-up.

The complaint register shall contain the additional documents relating to the treatment of the complaint.

The FPC system shall at least include the necessary procedures for:

- records and treatment of non-conformity;
- personnel;
- installations and equipment;
- raw materials;
- manufacturing process;
- conformity control;

- packaging, labelling, handling and storage;
- final testing.

An FPC system conforming to the requirements of EN ISO 9001, and made specific to the requirements of the specific product standard and this document shall be considered to satisfy the above requirements.

## 4.2 System requirements

### 4.2.1 Personnel

The responsibility, authority and the relationship between personnel that manages, performs or verifies work affecting product conformity, shall be defined. This applies in particular to personnel that need to initiate actions preventing product non-conformities from occurring, actions in case of non-conformities and to identify and register product conformity problems. Personnel performing work affecting product conformity (e.g. operator, sample taking, lab-assistant, warehouse manager...) shall be competent on the basis of appropriate education, training, skills and experience for which records shall be maintained.

### 4.2.2 Installations and equipment

All weighting, measuring and testing equipment necessary to achieve, or produce evidence of conformity shall be calibrated or verified and regularly inspected according to documented procedures, frequencies and criteria. Control of monitoring and measuring devices shall comply with the appropriate clause of EN ISO 9001.

All equipment used in the manufacturing process shall be regularly inspected and maintained to ensure use, wear or failure does not cause inconsistency in the manufacturing process.

Inspections and maintenance shall be carried out and recorded in accordance with the manufacturer's written procedures and the records retained for the period defined in the manufacturer's FPC procedures.

The manufacturer shall have a scheme or a flow sheet of the plant equipment, resuming the whole production process, from the incoming of the raw material to the storage of the products. This document is the basis for the documentation of the manufacturing processes (see 4.2.4).

### 4.2.3 Raw materials

The specifications of all incoming raw materials and components shall be documented, as shall the inspection scheme for ensuring their conformity. The verification of conformity of the raw material with the specification shall be in accordance with EN ISO 9001:2008, 7.4.3.

The manufacturer shall prepare and keep up-to-date documented procedures and instructions for:

- the use of the relevant materials from "approved suppliers";
- the conformity control and testing of raw materials: cullets (glass composition), binder, pigment, fillers, solvent, additive, premix glass beads;
- drop-on antiskid aggregates (also used in mixtures with glass beads) may be either CE-marked products or they shall be tested by the manufacturer as in 4.3.2.4 (acting as a user).

### 4.2.4 Design process

The FPC system shall document the various stages in the design of products; identify the checking procedure and those individuals responsible for all stages of design.

During the design process itself, a record shall be kept of all checks, their results, and any corrective actions taken. This record shall be sufficiently detailed and accurate to demonstrate that all stages of the design phase, and all checks, have been carried out satisfactorily. Compliance with EN ISO 9001:2008, 7.3 shall be deemed to satisfy the requirements of this sub-clause.

The manufacturing process shall be documented. Processes may also be shown by flowcharts indicating related documents and responsibilities (see also 4.2.3). Processes which are covered by this document and undertaken by subcontractors shall be documented by the manufacturer or the subcontractor as if done on the site of the manufacturer.

#### **4.2.5 Production control**

The manufacturer shall plan and carry out production under controlled conditions. Compliance with EN ISO 9001:2008, 7.5.1 and 7.5.2 shall be deemed to satisfy the requirements of this subclause.

The manufacturer shall have a FPC system in order to ensure that all manufactured products fulfil the relevant requirements of the concerned product standard.

The test methods to be applied and the tolerances for the results of all the tests used shall be specified in the FPC system of the manufacturer.

The minimum frequency of final testing for each product shall be as in 4.3.2.

The laboratory for internal control shall have the measuring and test equipments necessary to carry out the tests required by this document and the product standard.

The manufacturer may call upon measuring and test equipment from an external laboratory. The mutual obligations of the manufacturer and the external laboratory for the internal control shall be defined in a written agreement.

The appropriate calibrations shall be carried out on defined measuring and testing equipment.

If products have been delivered before all the results of testing are available, a procedure and records shall be maintained for notifying customers in the event of non conforming products.

Test results on products shall be kept for a period of 5 years.

#### **4.2.6 Test sample**

The test samples shall be representative of the product. If the product standard specifies the rules for sampling, these rules shall be followed or the equivalence of an alternative method shall be demonstrated.

#### **4.2.7 Reference sample**

When the final testing is successful a sample shall be labelled and stored as a retained sample for the period defined in the manufacturer's written procedures.

The minimum quantities for the retained samples shall be as given in Table 1.