

# SVENSK STANDARD

## SS-EN ISO 22030:2011




Fastställt/Approved: 2011-07-20  
Publicerad/Published: 2011-11-16  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 13.080.30

---

**Markundersökningar – Biologiska metoder – Kronisk toxicitet hos högre växter (ISO 22030:2005)**

**Soil quality – Biological methods – Chronic toxicity in higher plants (ISO 22030:2005)**



# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN ISO 22030:2011 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 22030:2011.

The European Standard EN ISO 22030:2011 has the status of a Swedish Standard. This document contains the official version of EN ISO 22030:2011.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Karaktärisering av avfall, mark och slam, SIS/TK 535.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN ISO 22030**

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2011

---

ICS 13.080.30

English Version

## Soil quality - Biological methods - Chronic toxicity in higher plants (ISO 22030:2005)

Qualité du sol - Méthodes biologiques - Toxicité chronique sur les plantes supérieures (ISO 22030:2005)

Bodenbeschaffenheit - Biologische Verfahren - Chronische Toxizität in höheren Pflanzen (ISO 22030:2005)

This European Standard was approved by CEN on 10 June 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

Page

Foreword.....	iv
Introduction .....	v
1 Scope.....	1
2 Normative references .....	1
3 Terms and definitions.....	2
4 Principle .....	4
5 Materials.....	4
5.1 Test plants .....	4
5.2 Soil and soil storage .....	4
5.2.1 General.....	4
5.2.2 Test soil.....	5
5.2.3 Control soil .....	5
5.3 Reference substance .....	6
6 Apparatus.....	6
7 Methods.....	8
7.1 Experimental design .....	8
7.2 Pre-test.....	8
7.3 Preliminary test (range-finding).....	8
7.4 Final test.....	9
7.5 Preparation of the pots.....	9
7.6 Preparation of the seeds .....	9
7.7 Growth conditions .....	9
7.8 Start of the test.....	10
7.9 Handling during the test.....	10
7.9.1 Number of plants and thinning out .....	10
7.9.2 Watering .....	10
7.9.3 Rearrangement of test vessels .....	10
7.9.4 Pollination .....	10
7.9.5 Reporting .....	11
7.10 Endpoint measurements .....	11
7.10.1 Seedling emergence .....	11
7.10.2 Harvest at day 14.....	11
7.10.3 Final harvest .....	11
7.11 Summary and timetable of the test .....	12
8 Validity criteria .....	13
9 Assessment of the results .....	13
9.1 Presentation of measured data .....	13
9.2 Statistical analysis .....	14
9.2.1 Preliminary test .....	14
9.2.2 Final test.....	14
9.2.3 NOEC (no observed effect concentration) approach .....	14
9.2.4 EC <sub>x</sub> (effect concentration) approach.....	14
10 Test report.....	15
Annex A (informative) Testing of chemicals in soil .....	16
Bibliography .....	17

## Foreword

The text of ISO 22030:2005 has been prepared by Technical Committee ISO/TC 190 "Soil quality" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 22030:2011 by Technical Committee CEN/TC 345 "Characterization of soils" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2011, and conflicting national standards shall be withdrawn at the latest by December 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

### Endorsement notice

The text of ISO 22030:2005 has been approved by CEN as a EN ISO 22030:2011 without any modification.

## Introduction

This International Standard describes a procedure for evaluating the quality of soils of different origin carrying unknown contaminations. The method, slightly modified, can also be used to measure the toxicity of known chemicals incorporated into soil.

The evaluation of the inhibition and chronic toxicity is based on emergence, vegetative growth and reproductive capacity of at least two species of higher plants.

This International Standard is based on:

- a) results of the research project “Development of a chronic bioassay using higher plants”, sponsored by the German Ministry for Education and Research (BMBF), Bonn <sup>[3]</sup>, and
- b) discussions within the joint project “Ecotoxicological Test Batteries” forming part of the BMBF Joint Research Group “Processes for the Bioremediation of Soil” <sup>[10]</sup>.



# Soil quality — Biological methods — Chronic toxicity in higher plants

**WARNING — Contaminated soils can contain unknown mixtures of toxic, mutagenic or otherwise harmful chemicals or infectious microorganisms. Occupational health risks can arise from dust or evaporated chemicals during handling and incubation. Furthermore, test plants can absorb chemicals from the soil and safety measures should also be considered when handling these test plants.**

## 1 Scope

This International Standard describes a method for determining the inhibition of the growth and reproductive capability of higher plants by soils under controlled conditions. Two species are recommended: a rapid-cycling variant of turnip rape (*Brassica rapa* CrGC syn. Rbr) and oat (*Avena sativa*). The duration of test should be sufficient to include chronic endpoints that demonstrate the reproductive capability of the test plants.

By using natural test soils, e.g. from contaminated sites or remediated soils, and by comparing the development of the test plants in these soils with reference or standard control soils, the test can be used to assess soil quality, especially the function of the soil as a habitat for plants.

Annex A describes modifications allowing use of the chronic plant assay for the testing of chemicals incorporated into soil. By preparing a dilution series of a test substance in standard control soils, the same endpoints can be measured to assess the chronic toxicity of chemicals. This method is not applicable to volatile substances, i.e. substances for which  $H$  (Henry's constant) or the air/water partition coefficient is greater than 1, or for which the vapour pressure exceeds 0,013 3 Pa at 25 °C.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11268-1:1993, *Soil quality — Effects of pollutants on earthworms (Eisenia fetida) — Part 1: Determination of acute toxicity using artificial soil substrate*

ISO 11268-2:1998, *Soil quality — Effects of pollutants on earthworms (Eisenia fetida) — Part 2: Determination of effects on reproduction*

ISO 11269-2, *Soil quality — Determination of the effects of pollutants on soil flora — Part 2: Effects of chemicals on the emergence and growth of higher plants*

ISO 15176:2002, *Soil quality — Characterization of excavated soil and other soil materials intended for re-use*

ISO 15799, *Soil quality — Guidance on the ecotoxicological characterization of soils and soil materials*

ASTM D1076:2002, *Standard Specification for Rubber-Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

##### **artificial soil**

mixture of sand, kaolinite, peat and calcium carbonate

NOTE ISO 11268-1 describes such a soil for toxicity tests using earthworms. Pure quartz sand, mineral wool, vermiculite or other synthetic substrates should not be used.

#### 3.2

##### **biomass**

total mass of shoots, flowers and seed pods

NOTE 1 Biomass is expressed as dry mass per plant or, if needed, as dry mass per pot.

NOTE 2 During the test period, some of the test plants can reach different growth stages and their water content can differ when the plants are harvested. Thus the dry mass better represents the biomass produced during the growth period.

#### 3.3

##### **concentration**

mass of test substance per amount of soil

NOTE Concentration is expressed as a mass fraction, in milligrams per kilogram (mg/kg) of dry soil.

#### 3.4

##### **contaminant**

substance or agent present in the soil as a result of human activity

[ISO 15176:2002]

#### 3.5

##### **control soil**

uncontaminated substrate, used as a control and as medium for preparing dilution series with test soils or chemicals, that allows the growth of healthy plants

NOTE Either artificial or natural standard or reference soils can be used, if unhindered growth of the test plants in these soils can be expected. In any case, differences in nutrient levels between a test soil and a control soil can affect the dose-response pattern. For example, a control soil much richer in nutrients than a test soil can result in a false positive result (i.e. the test soil appears to have a "toxic" effect on the growth of the test plants). If a control soil is poorer in nutrients than a test soil, hormesis (see 3.9) can be expected at low soil-mixture ratios, or even an inverse dose response relationship, if nutrient supply becomes the main effect. This International Standard does not provide numerical values for the nutrients.

#### 3.6

##### **effect concentration**

$EC_x$

concentration (mass fraction) of a test chemical or the percentage (mass fraction) of a test soil at which a given endpoint is inhibited by  $x$  % compared to the control

NOTE The effect concentration is expressed in milligrams per kilogram. When chemicals are tested, the  $EC_x$  is expressed as mass of the test substance per dry mass of soil; when soils are tested, the  $EC_x$  is expressed as a percentage of test soil dry mass per soil mixture dry mass.

#### 3.7

##### **emergence**

development of a seedling contained within a seed, ending the latent period

NOTE It is expressed as the percentage of seedlings which emerge from test pots as compared with the control pots.

**3.8****habitat function**

ability of soils/soil materials to serve as a habitat for microorganisms, plants, soil-living animals and their interactions (biocenosis)

[ISO 15799]

**3.9****hormesis**

improvement of seedling emergence, growth or survival (or other response of the test plants) at low concentrations of chemicals or mixtures of soil that are toxic when applied at higher levels in comparison to the control [1]

**3.10****lowest observed effect concentration****LOEC**

lowest tested concentration (mass fraction) of a test substance in soil at which a statistically significant effect on a given endpoint ( $p < 0,05$ ) compared with the control is observed

cf. **NOEC** (3.11)

**NOTE** Analogously, the term LOEC is used for the lowest tested mixture ratio of a test soil in a reference or a standard control soil at which a statistically significant effect is observed. The LOEC is expressed as mass of the test substance per mass of dry soil or, in the latter case, as percentage of test-soil dry mass per soil-mixture dry mass. All test concentrations above the LOEC have a harmful effect equal or greater than that observed at the LOEC. If this condition cannot be satisfied, an explanation should be given for how the LOEC and NOEC have been selected.

**3.11****no observed effect concentration****NOEC**

test substance concentration (mass fraction) or soil mixture ratio immediately below the LOEC, which when compared to the control has no statistically significant effect ( $p < 0,05$ )

cf. **LOEC** (3.10)

**3.12****reference soil**

uncontaminated site-specific soil (e.g. collected in the vicinity of a contaminated site) with properties (nutrient concentrations, pH, organic carbon content and texture) similar to the test soil

**3.13****soil mixture ratio**

ratio of the dry mass of test soil to the dry mass of reference/control soil

**NOTE** It is expressed as a percentage.

**3.14****standard soil**

field-collected soil or artificial soil whose main properties (e.g. pH, texture, organic matter content) are within a known range

**EXAMPLES** Euro soils, artificial soil.

**NOTE** The properties of standard soils may differ from those of the test soil.