

# SVENSK STANDARD

## SS-EN ISO 23611-4:2011




Fastställt/Approved: 2011-07-20  
Publicerad/Published: 2011-09-28  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 13.080.05; 13.080.30

---

### **Markundersökningar – Provtagning av marklevande ryggradslösa djur – Del 4: Provtagning extraktion och identifikation av marklevande nematoder (ISO 23611-4:2007)**

### **Soil quality – Sampling of soil invertebrates – Part 4: Sampling, extraction and identification of soil-inhabiting nematodes (ISO 23611-4:2007)**



# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN ISO 23611-4:2011 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 23611-4:2011.

The European Standard EN ISO 23611-4:2011 has the status of a Swedish Standard. This document contains the official version of EN ISO 23611-4:2011.

**Förhållandet till övriga delar under samma huvudtitel - Utdrag ur Förord i ISO 23611-4:2007/  
Relations to other parts under the same general title - Extract from the Foreword of  
ISO 23611-4:2007**

ISO 23611 consists of the following parts, under the general title *Soil quality – Sampling of soil invertebrates*:

- *Part 1: Hand-sorting and formalin extraction of earthworms*
- *Part 2: Sampling and extraction of micro-arthropods (Collembola and Acarina)*
- *Part 3: Sampling and soil extraction of enchytraeids*
- *Part 4: Sampling, extraction and identification of free-living stages of terrestrial nematodes*

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Karaktärisering av avfall, mark och slam, SIS/TK 535.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN ISO 23611-4**

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2011

ICS 13.080.30; 13.080.05

English Version

**Soil quality - Sampling of soil invertebrates - Part 4: Sampling, extraction and identification of soil-inhabiting nematodes (ISO 23611-4:2007)**

Qualité du sol - Prélèvement des invertébrés du sol - Partie 4: Prélèvement, extraction et identification des nématodes du sol (ISO 23611-4:2007)

Bodenbeschaffenheit - Probenahme von Wirbellosen im Boden - Teil 4: Probenahme, Extraktion und Bestimmung von Boden bewohnenden Nematoden (ISO 23611-4:2007)

This European Standard was approved by CEN on 17 June 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

Page

Foreword.....	iv
Introduction .....	v
1 Scope .....	1
2 Terms and definitions.....	1
3 Principle.....	2
4 Reagents.....	3
5 Apparatus .....	3
5.1 Sampling.....	4
5.2 Extraction .....	4
5.3 Counting .....	4
5.4 Fixation and preparation of mass slides.....	5
5.5 Identification.....	5
6 Procedure .....	5
6.1 General.....	5
6.2 Sampling.....	5
6.3 Extraction .....	6
6.4 Counting .....	7
6.5 Fixation and preparation of mass slides.....	7
6.6 Identification.....	8
7 Data assessment.....	8
8 Study report.....	9
Annex A (informative) Figures of equipment and methods for nematological research.....	10
Annex B (informative) Information about the availability of the Oostenbrink elutriator.....	13
Annex C (informative) Information about the Baermann funnel/tray extraction method .....	15
Bibliography .....	17

## Foreword

The text of ISO 23611-4:2007 has been prepared by Technical Committee ISO/TC 190 “Soil quality” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 23611-4:2011 by Technical Committee CEN/TC 345 “Characterization of soils” the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2012, and conflicting national standards shall be withdrawn at the latest by January 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

### Endorsement notice

The text of ISO 23611-4:2007 has been approved by CEN as a EN ISO 23611-4:2011 without any modification.

## Introduction

This part of ISO 23611 has been drawn up since there is a growing need for the standardization of terrestrial zoological field methods. Such methods, mainly covering the sampling, extraction and handling of soil invertebrates, are necessary for the following purposes:

- biological classification of soils including soil quality assessment [15],[17],[28];
- terrestrial bio-indication and long-term monitoring [9],[10],[13],[24];
- evaluation of the effects of chemicals on soil animals (ISO 11268-3).

Data for these purposes are gained by standardized methods since they can form the basis for far-reaching decisions (e.g. whether a given site should be remediated or not). In fact, the lack of such standardized methods is one of the most important reasons why bio-classification and bio-assessment in terrestrial (i.e. soil) habitats has so far been relatively rarely used in comparison to aquatic sites.

Nematodes are an important and major part of the soil fauna. Some authors estimate that this group is probably the most dominant one of the multicellular organisms (Metazoa) on earth. Nematodes occur from the Antarctic to the tropics and from deep sea sediments to mountain regions. They are active in every place with sufficient water and organic material. The species diversity and functional variety are impressive. Nematodes are commonly known as parasites of animals and plants, but the major part of the nematode fauna participates in decomposition processes by feeding on bacteria and fungi.

Nematodes occur in high numbers [(5 000 to 100 000)/kg fresh soil] and with a high (20 to 100) species diversity in almost every soil sample. Moreover, there is a broad ecological spectrum of feeding types and food web relations among the nematodes such as bacterivores, fungivores, herbivores, predators and omnivores [27],[28]. These factors make the group highly suitable as indicators for ecological soil quality, but standardization of methods is urgently needed for comparison and combination of results.

In the past 100 years, nematology has developed strongly from the viewpoint of agriculture, advisory sampling and phytosanitary regulations because some terrestrial nematodes cause a lot of damage in crops. With respect to methods, there are several “schools” in different parts of the world with their own history, practical advantages and disadvantages. A comprehensive overview is given by Oostenbrink [14] and Southey [22],[23]. The more recently described methods (or variants) are often developed with special interest to certain plant-parasitic species.

Since Bongers [4] introduced the Maturity Index, the use of nematodes in bio-indication for soil quality has increased rapidly. Nematodes are now used for ecological soil research and monitoring in several countries all over the world. Monitoring activities make special demands on methodology, for instance, that a large number of soil samples is processed on a routine basis against reasonable costs. Some of the methods originally developed for advisory sampling in agriculture are very suitable for ecological research. They form the basis for specific variants described in this document.



# Soil quality — Sampling of soil invertebrates —

## Part 4: Sampling, extraction and identification of soil-inhabiting nematodes

### 1 Scope

This part of ISO 23611 specifies a method for sampling and handling free-living nematodes from terrestrial field soils as a prerequisite for using them as bio-indicators (e.g. to assess the quality of a soil as a habitat for organisms).

This part of ISO 23611 applies to all terrestrial biotopes in which nematodes occur. The sampling design of field studies in general is specified in ISO 10381-1.

This part of ISO 23611 is not applicable to aquatic nematodes because these nematodes do not pass through the filter. Methods for some other soil organism groups such as earthworms, enchytraeids or collembolans are covered in other parts of ISO 23611.

The nematodes that are characterized by the proposed procedure are all the free-living forms of nematodes found in soil. They include non-plant-feeding nematodes as well as ectoparasitic plant-feeding nematodes and free-living stage of endoparasitic nematodes. The quantification of obligate plant-feeding nematodes in roots requires specific methods.

NOTE Basic information on the ecology of nematodes and their use as bio-indicators can be found in the bibliography.

This part of ISO 23611 does not cover the pedological characterization of the site which is highly recommendable when sampling soil invertebrates. ISO 10390, ISO 10694, ISO 11272, ISO 11274, ISO 11277, ISO 11461 and ISO 11465 are more suitable for measuring pH, particle size distribution, C/N ratio, organic carbon content and water-holding capacity.

### 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 2.1

##### **nematode**

small, non-segmented free-living worm (up to a few millimetres in length) belonging to the class Nematoda

NOTE Nematodes without a soil-inhabiting stage are not included in this context.

#### 2.2

##### **location**

study area or plot that is characterized based on the composition of (among others) the nematode fauna

**2.3**  
**bulk-sample**  
composite soil sample made out of many small soil cores to get an impression of the average nematode composition

**2.4**  
**soil sampler**  
tool to collect soil material in a quick and standardized way

**2.5**  
**Oostenbrink elutriator** <sup>1)</sup>  
metal funnel with an upward water flow to separate nematodes from larger soil particles

See Figure A.3.

**2.6**  
**mass slide**  
microscopic slide on which 300 to 400 nematodes are mounted for species identification

**2.7**  
**identification**  
determination of the species, genus or family of an individual based on morphological characteristics (mouth parts, sexual organs, body ratios) with an identification key

**2.8**  
**colonizer – persister (cp) scale**  
ecological classification of nematodes, proposed by Bongers [4],[5]

NOTE The principle is analogous to the r-K life strategies during succession, distinguished in fundamental ecology. Non-plant-feeding nematode families are classified to one of the five cp-groups. This is also the basis for the calculation of the Maturity Index.

### 3 Principle

Nematodes are collected in soil samples with a small cylindrical core (diameter: circa 2 cm; length: 10 cm) or an auger (see Figure A.2). For monitoring purposes, the soil samples are combined in a bulk-sample from a homogeneous area. The total number of samples to be taken depends on the investigated surface area and its homogeneity (e.g. pedology, culture). The individual samples can be gathered in the field in a standard plastic bag or plastic bucket. The combined bulk-sample is too large for direct examination and therefore it is mixed and subsampled. In the field and during transport to the laboratory, the soil samples shall be protected against strong fluctuations in temperature, water-loss and heavy mechanical disturbance. They can be stored for at most four weeks at 4 °C.

NOTE 1 The sampling method described above is derived from “the Dutch Method” [23] for determining the infestation of a field with potato-cyst nematodes, and has been used for many years in several European countries.

---

1) Oostenbrink elutriator is the trade name of a product supplied by firm Eijkelkamp, Giesbeek, NL (<http://www.eijkelkamp.nl>). This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.

The Oostenbrink funnel method is recommended for routine extractions of soil samples, for instance in a monitoring network. The Oostenbrink method is not the most simple one that can be used under any circumstance. However, it has several advantages: it is highly standardized and constant in extraction efficiency. The Oostenbrink wet funnel method combines three basic means that can be used for the separation of nematodes from soils: washing, sieving, active movement. Therefore, it obtains better results than any one of the basic methods individually. Further advantages are given below:

- relatively large soil samples of any soil type can be treated at once (100 g to 500 g);
- clean nematode suspensions;
- isolation of most living and active nematodes;
- there are many years of experience with enormous amounts of routine soil extractions;
- it is used in many places around the world.

After sampling, the nematodes are extracted from the soil using the Oostenbrink elutriator <sup>1)</sup> (model III) (see Figure A.3 and Annex B). In this technique, an upward current of water separates the nematodes from soil particles and holds them in suspension while the heavier particles sink [1],[14],[19],[23]. This suspension of nematodes and small particles passes through three sieves (mesh width: 45 µm). The catch is washed from the sieves onto a cotton-wool filter (milk filter). The cotton-wool filter is mounted on a supporting sieve and is placed in a dish with 100 ml of tap water. For three days, through their active downwards movement, the nematodes separate themselves from the debris on the filter. Thus, the living nematodes actively crawl through the filter in a dish with tap water.

After extraction, the nematodes are counted in 2 × 10 % of the 100 ml suspension, then concentrated, preserved and mounted on mass slides. Finally, at least 150 individuals or a fixed percentage of the total number in the sample is identified under the microscope.

Mature nematodes can be identified to species level. However, populations in the soil are often dominated by juveniles and the genera level of taxonomy is a practical (but less sensitive) way of distinction.

Alternative extraction methods such as the Seinhorst elutriator [19] or Baermann funnel (Annex C) can be useful under special circumstances, but are not recommended as general procedures because the Oostenbrink elutriator is robust, easy to operate and usually quantitatively superior to most other techniques. As an alternative, centrifugation techniques are most suitable.

NOTE 2 This part of ISO 23611 is not applicable for aquatic nematodes because these nematodes do not pass through the filter. Special centrifugation techniques are available for sediment samples.

NOTE 3 Determination with a light microscope is based on morphological characteristics. In some cases, it is not possible to recognize the specimen on species level, e.g. juveniles. With a new technique based on DNA analysis, juveniles can be identified to species level. This new technique is expected to become operational within several years.

## 4 Reagents

4.1 **Formalin** [formaldehyde solution, 6 % (volume fraction)].

4.2 **Paraffin**, with melting point near 60 °C.

## 5 Apparatus

Use standard laboratory equipment and the following.