

SVENSK STANDARD

SS-EN 13146-9:2009+A1:2011



Fastställt/Approved: 2011-10-27
Publicerad/Published: 2011-11-16
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 93.100

Järnvägar – Spår – Provningsmetoder för befästningssystem – Del 9: Bestämning av styvhet

Railway applications – Track – Test methods for fastening systems – Part 9: Determination of stiffness



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 13146-9:2009+A1:2011 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 13146-9:2009+A1:2011.

Denna standard ersätter SS-EN 13146-9:2009, utgåva 1.

The European Standard EN 13146-9:2009+A1:2011 has the status of a Swedish Standard. This document contains the official version of EN 13146-9:2009+A1:2011.

This standard supersedes the Swedish Standard SS-EN 13146-9:2009, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Järnvägar, SIS/TK 254.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 13146-9:2009+A1

October 2011

ICS 93.100

Supersedes EN 13146-9:2009

English Version

Railway applications - Track - Test methods for fastening systems - Part 9: Determination of stiffness

Applications ferroviaires - Voie - Méthodes d'essai pour les systèmes de fixation - Partie 9: Détermination de la raideur

Bahnanwendungen - Oberbau - Prüfverfahren für Schienenbefestigungssysteme - Teil 9: Bestimmung der Steifigkeiten

This European Standard was approved by CEN on 3 October 2009 and includes Amendment 1 approved by CEN on 6 September 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword	3
Introduction	4
1 Scope.....	5
2 Normative references	5
3 Terms and definitions.....	5
4 Symbols and abbreviated terms.....	6
5 Verification of calibration	8
6 Test procedures for pads	8
6.1 Static test procedure for pads	8
6.1.1 Principle	8
6.1.2 Apparatus	8
6.1.3 Procedure	9
6.1.4 Test report	10
6.2 Dynamic low frequency test procedure for pads	11
6.2.1 General.....	11
6.2.2 Principle	11
6.2.3 Apparatus	11
6.2.4 Procedure	12
6.2.5 Test report	12
6.3 Dynamic high frequency test procedure for pads.....	13
7 Test procedures for complete rail fastening assemblies	13
7.1 Static test procedure for fastening assemblies	13
7.1.1 Principle	13
7.1.2 Apparatus	13
7.1.3 Test specimens	14
7.1.4 Procedure	14
7.1.5 Test report	14
7.2 Dynamic low frequency test for fastening assemblies	15
7.2.1 General.....	15
7.2.2 Principle	15
7.2.3 Apparatus	15
7.2.4 Procedure	16
7.2.5 Test report	16
7.3 Dynamic high frequency test for assemblies	17
7.3.1 Principle	17
7.3.2 Apparatus	17
7.3.3 Test specimen	20
7.3.4 Test procedure	20
7.3.5 Test report	24
Annex A (informative) Determination of the dynamic high frequency stiffness of pads.....	25
A.1 General.....	25
A.2 Principle	25
Bibliography	26

Foreword

This document (EN 13146-9:2009+A1:2011) has been prepared by Technical Committee CEN/TC 256 “Railway applications”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2012, and conflicting national standards shall be withdrawn at the latest by April 2012.

This document includes Amendment 1, approved by CEN on 2011-09-06.

This document supersedes EN 13146-9:2009.

The start and finish of text introduced or altered by amendment is indicated in the text by tags $\boxed{A1}$ $\boxed{A1}$.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This European Standard is one of the series EN 13146, *Railway applications — Track — Test methods for fastening systems* as listed below:

- *Part 1: Determination of longitudinal rail restraint*
- *Part 2: Determination of torsional resistance*
- *Part 3: Determination of attenuation of impact loads*
- *Part 4: Effect of repeated loading*
- *Part 5: Determination of electrical resistance*
- *Part 6: Effect of severe environmental conditions*
- *Part 7: Determination of clamping force*
- *Part 8: In-service testing*
- *Part 9: Determination of stiffness*

These support the requirements in the series EN 13481, *Railway applications — Track — Performance requirements for fastening systems* — Parts 1 to 8.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

This part of EN 13146 brings together test methods for measuring the stiffness of pads and fastening assemblies under static, low frequency and high frequency dynamic loading.

For measurements at high frequency, the corrected driving point method has been included although it is only valid up to 120 Hz whilst the direct and indirect methods are valid up to 400 Hz. Only a few test laboratories have the equipment and the experience necessary to perform the indirect and direct methods. More laboratories should be able to perform the corrected driving point method and for some purposes, measurements up to 120 Hz are adequate.

No method for testing at acoustic frequencies is included. The procedure in EN 15461, which involves testing a length of track incorporating the fastening assemblies under test can be used.

1 Scope

This European Standard specifies laboratory test procedures to determine the static and dynamic stiffness of rail pads, baseplate pads and complete rail fastening assemblies. The procedures for dynamic stiffness cover low and high frequencies.

2 Normative references

The following documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13146-4, *Railway applications — Track — Test methods for fastening systems — Part 4: Effect of repeated loading*

EN 13481 (all parts), *Railway applications — Track — Performance requirements for fastening systems*

EN ISO 7500-1, *Metallic materials — Verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Verification and calibration of the force-measuring system (ISO 7500-1:2004)*

EN ISO 9513:2002, *Metallic materials — Calibration of extensometers used in uniaxial testing (ISO 9513:1999)*

EN ISO 10846-1:2008, *Acoustics and vibration — Laboratory measurement of vibro-acoustic transfer properties of resilient elements — Part 1: Principles and guidelines (ISO 10846-1:2008)*

EN ISO 10846-2, *Acoustics and vibration — Laboratory measurement of vibro-acoustic transfer properties of resilient elements — Part 2: Direct method for determination of the dynamic stiffness of resilient supports for translatory motion (ISO 10846-2:2008)*

EN ISO 10846-3, *Acoustics and vibration — Laboratory measurement of vibro-acoustic transfer properties of resilient elements — Part 3: Indirect method for determination of the dynamic stiffness of resilient supports for translatory motion (ISO 10846-3:2002)*

EN ISO 10846-5, *Acoustics and vibration — Laboratory measurement of vibro-acoustic transfer properties of resilient elements — Part 5: Driving point method for determination of the low-frequency transfer stiffness of resilient supports for translatory motion (ISO 10846-5:2008)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 13481-1:2002 and EN ISO 10846-1:2008 apply.

4 Symbols and abbreviated terms

		Relevant subclause
F_{SPmax}	force applied to pad in measurement of static stiffness of pad, in kN;	6.1.3
F_{SP1}	notional fastening clip force assumed for measurement of static stiffness of pad, in kN;	6.1.3
F_{SP2}	$0,8 F_{SPmax}$, in kN;	6.1.3
k_{SP}	static stiffness of pad, in MN/m;	6.1.3
d_{SP}	mean vertical displacement of pad, in mm;	6.1.3
F_{LFPmax}	reference force for measurement of dynamic low frequency stiffness of pad, in kN;	6.2.4
F_{LFP1}	notional fastening clip force assumed for measurement of dynamic low frequency stiffness of pad, in kN;	6.2.4
F_{LFP2}	$0,8 F_{LFPmax}$, in kN;	6.2.4
d_{LFP}	displacement of pad in measurement of low frequency dynamic stiffness of pad, in mm;	6.2.4
f_{LFP}	frequency of measurement of low frequency measurement dynamic stiffness of pad, in Hz;	6.2.4
k_{LFPf}	low frequency dynamic stiffness of pad at a specific frequency, in MN/m;	6.2.4
$k_{LFPmean}$	mean of measurements of low frequency dynamic stiffness of pad measured at 5 Hz, 10 Hz and 20 Hz, in MN/m;	6.2.4
F_{SAmax}	force applied to assembly in measurement of static stiffness of assembly, in kN;	7.1.4
k_{SA}	static stiffness of assembly, in MN/m;	7.1.4
d_{SA}	mean displacement of rail in measurement of static stiffness of assembly, in mm;	7.1.4
F_{SA1}	minimum force applied in measurement of static stiffness of assembly, in kN;	7.1.4
F_{SA2}	maximum force applied in measurement of static stiffness of assembly $\sqrt{A_1}$ $0,8 F_{SAmax}$ $\sqrt{A_1}$, in kN;	7.1.4
k_{LFA}	low frequency dynamic stiffness of assembly, in MN/m;	7.2.4
F_{LFA1}	minimum force applied in measurement of dynamic low frequency stiffness of assembly, in kN;	7.2.4
F_{LFA2}	maximum force applied in measurement of dynamic low frequency stiffness of assembly = $0,8 F_{LFAmax}$, in kN;	7.2.4

F_{LFAmax}	reference force for measurement of dynamic low frequency stiffness of assembly, in kN;	7.2.4
d_{LFA1}	displacement of assembly in measurement of dynamic low frequency stiffness of assembly for force F_{LFA1} , in mm;	7.2.4
d_{LFA2}	displacement of assembly in measurement of dynamic low frequency stiffness of assembly for force F_{LFA2} , in mm;	7.2.4
F_{HFAmax}	static preload applied in measurement of high frequency stiffness of assembly, in kN;	7.3.4.3
a_{HFAD1}	excitation acceleration in measurement of high frequency stiffness of assembly, in m/s^2 ;	7.3.4.3
a_{HFAD2}	acceleration of the measuring platform in measurement of high frequency stiffness of assembly, in m/s^2 ;	7.3.4.3
a_{HFAI2}	output acceleration in measurement of high frequency stiffness of assembly by the indirect method, in m/s^2 ;	7.3.4.4
F_{HFAD2}	force on the measuring platform in measurement of high frequency stiffness of assembly, in N;	7.3.4.3
f_{HFAD}	frequency in measurement of high frequency stiffness of assembly, in Hz;	7.3.4.3
j	$\sqrt{-1}$	7.3.4.3
L_{HFADk}	transfer stiffness level in measurement of high frequency stiffness of assembly, in dB re 1 N/m;	7.3.4.3
m_{HFAD}	mass of the measuring platform and any parts of the fastening assembly below the resilient element, in kg;	7.3.4.3
k_{HFAD}	transfer stiffness in measurement of high frequency stiffness of assembly, in N/m;	7.3.4.3
k_{HFADc}	corrected transfer stiffness in measurement of high frequency stiffness of assembly, in N/m;	7.3.4.3
V_{HFAD1}	excitation velocity = $\frac{\alpha_{HFAD1}}{j\omega_{HFAD}}$, in m/s;	7.3.4.3
ω_{HFAD}	angular frequency = $2\pi f_{HFAD}$, in rad/s;	7.3.4.3
F_{HFAI2}	force on the measuring platform of high frequency stiffness of assembly, in N;	7.3.4.4
k_{HFAI}	transfer stiffness in measurement of high frequency stiffness of assembly by the indirect method, in N/m;	7.3.4.4
ω_{HFAI}	angular frequency = $2\pi f_{HFAI}$, in rad/s;	7.3.4.4
a_{HFAI1}	excitation acceleration in measurement of high frequency stiffness of assembly by the indirect method, in m/s^2 ;	7.3.4.4